

BRIDGESTONE mootorratta rehvid

Kehtib alates 10.06.2021.a.



Rehvi m õ õt ja muster		Hind km.-ta	Hind km.-ga
Adventure diagonal			
77256	180/80 -14 TW204 78P TT TW125	114,0	136,8
18589	120/90 -16 TW40 63P TL	82,0	98,4
79220	120/90 -16 TW202 63P TT TRICKER WAR	86,0	103,2
79080	130/80 -17 TW42 65H TT SCRAMBLE WAR	101,0	121,2
74848	120/90 -17 TW48 64S TT G TRXL600V	102,0	122,4
2211	120/80 -18 TW302 62P TT F WR250R WAR	88,0	105,6
74715	4.60 -18 TW302 63P TT	83,0	99,6
77246	130/80 -18 TW302 66S TT KTMLC4	89,0	106,8
76368	120/90 -18 TW42 65P TT DRZ400S	86,0	103,2
10560	100/90 -19 A41F 57V TL	106,0	127,2
1742	100/90 -19 TW101 57H TT TRANSALP WAR	93,0	111,6
49540	100/90 -19 TW101 57H TT SCRAMBLE	93,0	111,6
79219	80/100 -19 TW201 49P TT TRICKER WAR	72,0	86,4
10559	90/90 V-21 A41F 54V TL	111,0	133,2
13524	90/90 -21 A41F 54H TT CRF1000L WAR	96,0	115,2
13532	90/90 -21 A41F 54V TL G F850GS WAR	119,0	142,8
19720	90/90 -21 A41F 54V TL E TRIUMPH WAR	96,0	115,2
1887	90/90 -21 BW501 54V TT G F800GS WAR	88,0	105,6
2210	80/100 -21 TW301 51P TT F WR250R WAR	71,0	85,2
75025	90/90 -21 TW47 54S TT G TRXL600V	76,0	91,2
Adventure radial			
10278	120/70 R15 A41F 56V TL YAMAHA WAR	142,0	170,4
3916	150/70 R17 BW502 69V TL E YAM WAR	132,0	158,4
5032	150/70 R17 BW502 69V TL F HON WAR	132,0	158,4
10563	120/70 ZR17 A41F 58W TL	107,0	128,4
10570	160/60 ZR17 A41R 69W TL	136,0	163,2
10268	120/70 R17 TW101 58H TL HONDA WAR	106,0	127,2
10279	190/55 R17 A41R 75V TL M YAMAHA WAR	194,0	232,8
10566	130/80 R17 A41R 65H TL	122,0	146,4
10567	140/80 R17 A41R 69V TL	130,0	156,0
10568	150/70 R17 A41R 69V TL	134,0	160,8
10571	170/60 R17 A41R 72V TL	138,0	165,6
10572	170/60 ZR17 A41R 72W TL	142,0	170,4
10573	180/55 ZR17 A41R 73W TL	161,0	193,2
10574	190/55 ZR17 A41R (75W) TL	172,0	206,4
13531	150/70 R17 A41R 69V TL F750GS WAR	142,0	170,4
13754	170/60 R17 A41R 72V TL G R1200GS WAR	138,0	165,6
19721	150/70 R17 A41R 69V TL E TRIUMPH WAR	141,0	169,2
22923	150/70 R17 A41R 69V TL F V-STROM'20 WAR	141,0	169,2
76265	150/70 R17 TW152 69H TL G R1150GS	127,0	152,4
77224	150/70 R17 TW152 69H TL F V-STROM	127,0	152,4
77509	150/70 R17 TW152 69H TL E VARADERO	127,0	152,4
10561	110/80 R18 A41F 58H TL	109,0	130,8
10569	150/70 ZR18 A41R 70W TL	144,0	172,8

Rehvi m õ õt ja muster		Hind km.-ta	Hind km.-ga
13525	150/70 R18 A41R 70H TT CRF1000L WAR	141,0	169,2
5031	110/80 R19 BW501 59V TL F HON WAR	111,0	133,2
10565	120/70 ZR19 A41F 60W TL	113,0	135,6
10562	110/80 R19 A41F 59V TL	111,0	133,2
10564	120/70 R19 A41F 60V TL	109,0	130,8
13530	110/80 R19 A41F 59V TL G F750GS WAR	118,0	141,6
13753	120/70 R19 A41F 60V TL G R1200GS WAR	109,0	130,8
22922	110/80 R19 A41F 59V TL F V-STROM'20 WAR	118,0	141,6
76264	110/80 R19 TW101 59H TL G R1150GS	107,0	128,4
77508	110/80 R19 TW101 59H TL E VARADERO	107,0	128,4
78319	110/80 R19 TW101 59H TL J V-STROM WAR	107,0	128,4
Adventure cross diagonal			
17372	120/90 -16 AX41R 63P TL	87,0	104,4
16631	130/80 -17 65Q TL AX41R	121,0	145,2
17369	130/80 -17 AX41R 65P TL UM	117,0	140,4
17378	120/90 -17 AX41R 64P TL	102,0	122,4
17379	4.60 -17 AX41R 62P TL	82,0	98,4
17374	100/90 -18 AX41F 56P TL	83,0	99,6
17368	120/80 -18 AX41R 62P TL	92,0	110,4
17371	120/90 -18 AX41R 65P TL	102,0	122,4
17375	130/80 -18 AX41R 66P TL	119,0	142,8
17380	4.00 -18 AX41R 64P TL	83,0	99,6
17381	4.10 -18 AX41R 59P TL	81,0	97,2
17382	4.60 -18 AX41R 63P TL	87,0	104,4
16623	100/90 -19 57Q TL AX41R	108,0	129,6
17373	90/100 -19 AX41F 55P TL	75,0	90,0
16626	90/90 -21 54Q TL AX41R	105,0	126,0
17366	80/100 -21 AX41F 51P TL	75,0	90,0
17376	2.75 -21 AX41F 45P TL	64,0	76,8
17377	3.00 -21 AX41F 51P TL	75,0	90,0
21162	90/90 -21 AX41TF 54H TT G ATWIN'20 WAR	105,0	126,0
21318	90/90 -21 AX41TF 54H TL L ATWIN'20 WAR	105,0	126,0
Adventure cross radial			
23544	120/70 R17 AX41TF 58H TL F X-ADV '21 WAR	108,0	129,6
16625	120/70 B 19 60Q TL AX41R	108,0	129,6
16627	140/80 B 17 67Q TL AX41R	129,0	154,8
16628	150/70 B 17 69Q TL AX41R	133,0	159,6
16629	170/60 B 17 72Q TL AX41R	137,0	164,4
16630	150/70 B 18 70Q TL AX41R	143,0	171,6
19885	110/80 R18 AX41S F 58H TL UM	108,0	129,6
21299	150/70 R18 AX41TR 70H TT G ATWIN'20 WAR	156,0	187,2
21520	150/70 R18 AX41TR 70H TL L ATWIN'20 WAR	156,0	187,2
Adventure cross scrambler diagonal			
17387	180/80 -14 AX41S R 78P TL	120,0	144,0
17383	130/80 -17 AX41S R 65H TL	101,0	121,2
17384	100/90 -18 AX41S F 56H TL	101,0	121,2
17386	130/80 -18 AX41S F 66P TL	87,0	104,4
17385	100/90 -19 AX41S F 57H TL	102,0	122,4
Adventure cross scrambler radial			
16619	160/60 R 15 AX41S R 67H TL	125,0	150,0
16617	120/70 R 17 AX41S F 58H TL	108,0	129,6
16620	160/60 R 17 AX41S R 69H TL	137,0	164,4

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
16621	170/60 R 17 AX41S R 72H TL	143,0	171,6
16622	180/55 R 17 AX41S R 73H TL	146,0	175,2
16618	120/70 R 19 AX41S F 60H TL	115,0	138,0
Classic racing			
17419	110/80 R18 CR11F TL NHS	164,0	196,8
17421	150/65 R18 CR11R 69W TL NHS	209,0	250,8
Custom diagonal			
6118	180/70 -15 E-MAX R 76H TL	151,0	181,2
6119	160/80 -15 E-MAX R 74S TL	143,0	171,6
6122	140/90 -15 E-MAX R 70H TL	122,0	146,4
6126	130/90 -15 E-MAX R 66S TL	99,0	118,8
6127	150/80 -15 E-MAX R 70H TL	134,0	160,8
6129	160/80 -15 E-MAX R 74S TT	140,0	168,0
6132	140/90 -15 E-MAX R 70H TT	120,0	144,0
6137	130/90 -15 E-MAX R 66S TT	97,0	116,4
6138	150/80 -15 E-MAX R 70H TT	131,0	157,2
73022	170/80 -15 G546 77S TT	142,0	170,4
77020	170/80 -15 G702 77H TT VS1400	149,0	178,8
77348	170/80 -15 G702 77S TT	142,0	170,4
4579	180/70 -15 G722 76H TT LW G WAR	177,0	212,4
6115	130/90 -16 E-MAX F 67H TL	122,0	146,4
6116	150/80 -16 E-MAX F 71H TL	148,0	177,6
6136	130/90 -16 E-MAX F 67H TT	120,0	144,0
49999	110/90 -16 G508 59S TL	78,0	93,6
76252	160/80 -16 G702 80H RFD TL TJ	181,0	217,2
76294	140/90 -16 G702 71H TT G VULCA900	135,0	162,0
76565	130/90 -16 G703 67H TT L VN1500N	120,0	144,0
4580	130/90 -16 G721 67H TT LW G WAR	133,0	159,6
77555	130/90 -16 G721 67H TL VN1600	122,0	146,4
6120	120/90 -17 E-MAX F 64H TL	112,0	134,4
6130	120/90 -17 E-MAX F 64H TT	109,0	130,8
75174	160/70 -17 G548 73V TL	179,0	214,8
9797	100/80 -17 H50F 52H TL	106,0	127,2
73583	3.00 -17 L301 45P 4 TT	53,0	63,6
76629	130/80 -18 AC04 66H TT G W650	116,0	139,2
6125	110/90 -18 E-MAX F 61H TL	124,0	148,8
76240	3.00 -18 G510 52P 6 RFD TT	40,0	48,0
76237	2.75 -18 G511 42P 4 TT	37,0	44,4
75162	110/90 -18 G525 61V TL RBT	121,0	145,2
75158	110/80 -18 G547 58V TL	115,0	138,0
76249	130/70 -18 G701 63H TL TJ	129,0	154,8
3027	130/70 -18 G721 63H TL J MIDNIGHT WAR	129,0	154,8
49087	3.00 -18 L303 47P 4 TT	46,0	55,2
73706	3.00 -18 L303 47S 4 TT TU250	52,0	62,4
76628	100/90 -19 AC03 57H TT G W650	99,0	118,8
6117	100/90 -19 E-MAX F 57H TL	99,0	118,8
6124	110/90 -19 E-MAX F 62H TL	113,0	135,6
6128	100/90 -19 E-MAX F 57H TT	98,0	117,6
6134	110/90 -19 E-MAX F 62H TT	111,0	133,2
76616	110/80 -19 G515 59S TT	106,0	127,2
9337	100/90 -19 G721 57H TL F XV950R WAR	99,0	118,8
10057	100/90 -19 G721 57H TT L XVR950 WAR	99,0	118,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
49256	3.00 -19 L303 49H 4 TL	84,0	100,8
73323	3.00 -19 L303 49S 4 TT	70,0	84,0
6121	80/90 -21 E-MAX F 48H TL	96,0	115,2
6123	90/90 -21 E-MAX F 54H TL	99,0	118,8
6131	80/90 -21 E-MAX F 48H TT	95,0	114,0
6133	90/90 -21 E-MAX F 54H TT	96,0	115,2
7323	120/70 - 21 M/C G721 62H G XVS1300CU	109,0	130,8
9782	80/90 -21 H50F 54H TL UM	92,0	110,4
Custom radial			
9798	140/75 R15 H50R 65H TL	183,0	219,6
6088	170/80 B15 E-MAX R 77H TL	151,0	181,2
6090	150/90 B15 E-MAX R 74V TL	149,0	178,8
77347	170/80 B15 G702 77H TL	151,0	181,2
6075	150/80 R16 E-MAX F 71V TL	170,0	204,0
6077	200/60 R16 E-MAX R 79V TL	237,0	284,4
6078	240/55 R16 E-MAX R 86V TL	242,0	290,4
6083	180/70 R16 E-MAX R 77V TL	179,0	214,8
6209	200/60 R16 G852 79H TL G SUZ WAR	237,0	284,4
6086	130/90 B16 E-MAX F 67H TL	122,0	146,4
6087	170/70 B16 E-MAX R 75H TL	185,0	222,0
6089	150/80 B16 E-MAX R 71H TL	148,0	177,6
6091	150/80 B16 E-MAX R 71H TT	146,0	175,2
77346	150/80 B16 G703 71H TL	148,0	177,6
2900	130/90 B16 G721 67H TL E VN1700 WAR	122,0	146,4
2901	170/70 B16 G722 75H TL E VN1700 WAR	185,0	222,0
3028	170/70 B16 G722 75H TL J MIDNIGHT WAR	185,0	222,0
9338	150/80 B16 G722 71H TT F BOLT WAR	148,0	177,6
10058	150/80 B16 G722 71H TT L XVR950 WAR	148,0	177,6
9779	130/90 B16 H50F 73H TL UM	133,0	159,6
9781	130/90 B16 H50F 67H TL UM	123,0	147,6
9783	150/80 B16 H50R 77H TL UM	163,0	195,6
9784	140/90 B16 H50R 77H TL UM	174,0	208,8
9785	130/90 B16 H50R 73H TL UM	161,0	193,2
10585	180/65 B16 H50R 81H TL	227,0	272,4
10588	180/70 B16 H50R 77H TL	242,0	290,4
23304	180/65B16 H50R 81H RFD TL UM BMW R18 WAR	238,0	285,6
13517	200/55 R16 G852 77H TL G GL1800 WAR	224,0	268,8
79137	180/60 R16 G704 74H TL GL1800 WAR	209,0	250,8
6076	200/50 ZR17 E-MAX R (75W) TL	224,0	268,8
6080	170/60 ZR17 E-MAX R (72W) TL	164,0	196,8
6081	190/60 R17 E-MAX R 78V TL	187,0	224,4
6084	130/70 ZR17 E-MAX F (62W) TL	151,0	181,2
6208	130/80 R17 G853 65H TL G SUZ WAR	127,0	152,4
7320	200/50 R17 M/C G852 75V F CT1300	224,0	268,8
10577	140/75 R17 H50F 67V TL	184,0	220,8
10579	200/55 R17 H50R 78V TL	212,0	254,4
10580	150/60 ZR17 H50R (66W) TL	188,0	225,6
10581	130/80 B17 H50F 65H TL	155,0	186,0
9786	160/70 B17 H50R 73V TL UM	169,0	202,8
10587	180/60 B17 H50R 75V TL	236,0	283,2
49889	150/80 R17 G701 72H TL	129,0	154,8
6074	120/70 ZR18 E-MAX F (59W) TL	169,0	202,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
6079	130/70 ZR18 E-MAX F (63W) TL	129,0	154,8
7319	130/70 R 18 M/C G853 63V F CT1300	129,0	154,8
7327	210/40 R18 M/C G852 73H G XVS1300CU	246,0	295,2
10578	240/40 R18 H50R 79V TL	230,0	276,0
10576	120/70 ZR18 H50F (59W) TL	136,0	163,2
10584	130/70 B18 H50F 63H TL	132,0	158,4
10586	180/55 B18 H50R 80H TL	234,0	280,8
13516	130/70 R18 G853 63H TL G GL1800 WAR	129,0	154,8
77270	130/70 R18 G709 63H TL GL1800	129,0	154,8
6082	120/70 ZR19 E-MAX F (60W) TL	140,0	168,0
10575	120/70 ZR19 H50F (60W) TL	140,0	168,0
9780	100/90 B19 H50F 57H TL UM	108,0	129,6
10582	130/60 B19 H50F 61H TL	139,0	166,8
23302	120/70 B19 H50F 60H TL UM BMW R18 WAR	147,0	176,4
10583	130/60 B21 H50F 63H TL	126,0	151,2
Offroad			
76263	2.50 -10 M40 33J TT	23,0	27,6
2161	80/100 -12 M204 41M TT	36,0	43,2
1309	80/100 -12 M404 41M TT	36,0	43,2
2155	60/100 -14 M203 30M TT	38,0	45,6
2160	90/100 -14 M204 49M TT	43,0	51,6
1303	60/100 -14 M403 30M TT	38,0	45,6
1310	90/100 -14 M404 49M TT	43,0	51,6
18841	90/100 -16 X20R 51M TT	49,0	58,8
9793	90/100 -16 X30R 52M TT	49,0	58,8
2156	70/100 -17 M203 40M TT	37,0	44,4
1304	70/100 -17 M403 40M TT	37,0	44,4
79408	110/100 -18 M102 64M TT	64,0	76,8
7909	110/100 -18 X20R 64M TT NHS	64,0	76,8
7186	110/100 -18 X30R 64M NHS TT	64,0	76,8
9794	100/100 -18 X30R 59M TT	61,0	73,2
7189	110/100 -18 X40R 64M NHS TT	64,0	76,8
9788	100/90 -19 X10R 57M TT	64,0	76,8
9789	110/90 -19 X10R 62M TT	69,0	82,8
18840	70/100 -19 X20F 42M NHS TT	42,0	50,4
7908	100/90 -19 X20R 57M TT NHS	64,0	76,8
7910	110/90 -19 X20R 62M TT NHS	69,0	82,8
9791	120/80 -19 X20R 63M TT	81,0	97,2
9792	70/100 -19 X30F 42M TT	42,0	50,4
7184	110/90 -19 X30R 62M NHS TT	69,0	82,8
7185	120/80 -19 X30R 63M NHS TT	81,0	97,2
7187	100/90 -19 X30R 57M NHS TT	64,0	76,8
7190	100/90 -19 X40R 57M NHS TT	64,0	76,8
7191	110/90 -19 X40R 62M NHS TT	69,0	82,8
9796	120/80 -19 X40R 63M TT	81,0	97,2
9787	80/100 -21 X10F 51M TT	51,0	61,2
7907	80/100 -21 X20F 51M TT NHS	51,0	61,2
9790	90/100 -21 X20F 57M TT	53,0	63,6
7182	80/100 -21 X30F 51M NHS TT	51,0	61,2
7183	90/100 -21 X30F 57M NHS TT	53,0	63,6
7188	80/100 -21 X40F 51M NHS TT	51,0	61,2
9795	90/100 -21 X40F 57M TT	53,0	63,6

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
Race			
5888	120/600 R17 V01F S0F TL	157,0	188,4
5889	190/650 R17 V01R S0F TL	219,0	262,8
5890	190/650 R17 V01R MED TL	219,0	262,8
7195	200/655 R17 V02R MED TL (SBK)	240,0	288,0
7196	90/580 R17 V02F SOF TL (GP3)	126,0	151,2
7197	90/580 R17 V02F MED TL (GP3)	126,0	151,2
7198	120/600 R17 V02R SOF TL (GP3)	165,0	198,0
7199	120/600 R17 V02R MED TL (GP3)	165,0	198,0
8432	200/655 R17 V02R SOF NEW SPEC TL (SBK)	240,0	288,0
8433	120/600 R17 W01F YEK TL (SBK)	165,0	198,0
8434	190/650 R17 W01R YEK TL (SBK)	240,0	288,0
8435	90/580 R17 W01F YEK TL (GP3)	126,0	151,2
8436	120/595 R17 W01R YEK TL (GP3)	165,0	198,0
9777	110/590 R17 W01F TL	116,0	139,2
9778	165/630 R17 W01R TL	178,0	213,6
9799	140/620 R17 W01R TL	151,0	181,2
10526	110/70 R17 R11F 54H TL SOFT	142,0	170,4
10527	120/70 R17 R11F 58V TL SOFT	161,0	193,2
10528	120/70 R17 R11F 58V TL MED	161,0	193,2
10529	140/70 R17 R11R 66H TL MED	180,0	216,0
10530	150/60 R17 R11R 66H TL MED	184,0	220,8
10531	160/60 R17 R11R 69V TL MED	197,0	236,4
10532	180/55 R17 R11R 73V TL MED	209,0	250,8
10534	190/55 R17 R11R 75V TL MED	217,0	260,4
10536	200/55 R17 R11R 78V TL MED	236,0	283,2
13889	120/600 R17 V02F SOF TL (SBK)	178,0	213,6
13890	120/600 R17 V02F MED TL (SBK)	178,0	213,6
16632	200/655 R17 V02R NEW SPEC TL SOFT/MED 3LC	264,0	316,8
18590	200/55 R17 R11R 78V TL SOFT	236,0	283,2
18591	190/55 R17 R11R 75V SOF TL SOFT' 19	217,0	260,4
19608	200/655 R17 V02R TL 3LC X/S	264,0	316,8
24735	180/655 R 17 V02R 3LC X/S	256,0	307,2
24736	180/655 R 17 V02R SOFT'21	232,0	278,4
77212	165/630 R17 R02 YCX TL	169,0	202,8
Racing street			
17422	120/70 ZR17 RS11F (58W) TL	150,0	180,0
17423	190/55 ZR17 RS11R (75W) TL	215,0	258,0
17424	200/55 ZR17 RS11R (75W) TL	218,0	261,6
18351	120/70 ZR17 RS11F (58W) E TL GSXR 19 WAR	150,0	180,0
18352	190/55 ZR17 RS11R (75W) E TL GSXR 19 WAR	215,0	258,0
18355	120/70 ZR17 RS11F (58W) J TL H2 '19 WAR	150,0	180,0
18356	200/55 ZR17 RS11R (78W) J TL H2 '19 WAR	215,0	258,0
19641	120/70 ZR17 RS11F (58W) TL R1(M) WAR	150,0	180,0
19642	190/55 ZR17 RS11R (75W) TL G R1 WAR	215,0	258,0
19643	200/55 ZR17 RS11R (78W) TL G R1M WAR	220,0	264,0
21613	120/70 ZR17 RS11F (58W) TL CBR1K'20 WAR	150,0	180,0
21641	200/55 ZR17 RS11R (78W) TL N CBR1K'20 WAR	220,0	264,0
25809	120/70 ZR17 RS11F (58W) TL L ZX10R '21 WAR	150,0	180,0
25810	190/55 ZR17 RS11R (75W) TL L ZX10R '21 WAR	215,0	258,0
Scooter radial			
7179	120/70 R15 SC ECO 56H TL	106,0	127,2

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
7180	160/60 R15 SC ECO 67H TL	129,0	154,8
7181	160/60 R14 SC ECO 65H TL	123,0	147,6
10276	120/70 R15 SC F 56H TL E T-MAX WAR	110,0	132,0
10277	160/60 R15 SC R 67H TL E T-MAX WAR	134,0	160,8
10589	120/70 R14 SC2F 55H TL	99,0	118,8
10590	120/70 R15 SC2F 56H TL	103,0	123,6
10591	160/60 R14 SC2R 65H TL	119,0	142,8
10592	160/60 R15 SC2R 67H TL	125,0	150,0
10593	120/70 R15 SC2FR 56H TL	103,0	123,6
10594	160/60 R14 SC2RR 65H TL	119,0	142,8
10595	160/60 R15 SC2RR 67H TL	125,0	150,0
10596	130/70 R16 SC2RR 61S TL RAIN	119,0	142,8
77311	120/70 R15 TH01F 56H TL BURGMAN	103,0	123,6
Sport			
6372	130/70 ZR16 BT016FP (61W) TL PRO	88,0	105,6
8443	130/70 ZR16 S21F (61W) TL	114,0	136,8
4258	120/70 ZR17 BT016FP (58W) TL PRO	80,0	96,0
4259	180/55 ZR17 BT016RP (73W) TL PRO	106,0	127,2
4261	190/50 ZR17 BT016RP (73W) TL PRO	113,0	135,6
4263	190/55 ZR17 BT016RP (75W) TL PRO	115,0	138,0
6369	110/70 ZR17 BT016FP (54W) TL PRO	72,0	86,4
6371	120/60 ZR17 BT016FP (55W) TL PRO	74,0	88,8
6373	150/60 ZR17 BT016RP (66W) TL PRO	90,0	108,0
6375	160/60 ZR17 BT016RP (69W) TL PRO	99,0	118,8
6377	170/60 ZR17 BT016RP (72W) TL PRO	110,0	132,0
8440	110/70 ZR17 S21F (54W) TL	93,0	111,6
8441	120/60 ZR17 S21F (55W) TL	96,0	115,2
8442	120/70 ZR17 S21F (58W) TL	105,0	126,0
8444	150/60 ZR17 S21R (66W) TL	118,0	141,6
8445	160/60 ZR17 S21R (69W) TL	129,0	154,8
8446	180/55 ZR17 S21R (73W) TL	139,0	166,8
8447	190/50 ZR17 S21R (73W) TL	146,0	175,2
8448	190/55 ZR17 S21R (75W) TL	149,0	178,8
8449	200/55 ZR17 S21R (78W) TL	157,0	188,4
10260	120/70 ZR17 S21F (58W) TL G GSX-S750 WAR	136,0	163,2
10261	180/55 ZR17 S21R (73W) TL G GSX-S750 WAR	181,0	217,2
10264	120/70 ZR17 S21F (58W) TL E CBR1000R WAR	136,0	163,2
10265	190/50 ZR17 S21R (73W) TL E CBR1000R WAR	189,0	226,8
10274	120/70 ZR17 S21F (58W) TL J R6 WAR	136,0	163,2
10275	180/55 ZR17 S21R (73W) TL J R6 WAR	181,0	217,2
13518	120/70 ZR17 S21F (58W) TL M CB1000R WAR	136,0	163,2
13519	190/55 ZR17 S21R (75W) TL M CB1000R WAR	192,0	230,4
13526	120/70 ZR17 S21F (58W) TL F H2 LOW WAR	136,0	163,2
13527	190/55 ZR17 S21R (75W) TL F H2 LOW WAR	192,0	230,4
16611	120/70 ZR17 S22F (58W) TL	127,0	152,4
16612	160/60 ZR17 S22R (69W) TL	157,0	188,4
16613	180/55 ZR17 S22R (73W) TL	169,0	202,8
16614	190/50 ZR17 S22R (73W) TL	177,0	212,4
16615	190/55 ZR17 S22R (75W) TL	181,0	217,2
16616	200/55 ZR17 S22R (78W) TL	189,0	226,8
17414	110/70 R17 S22F 54H TL	75,0	90,0
17415	140/70 R17 S22R 66H TL	84,0	100,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
17416	150/60 R17 S22R 66H TL	95,0	114,0
17417	180/60 ZR17 S22R (75W) TL	172,0	206,4
18353	120/70 ZR17 S22F (58W) N TL ZX6R '19 WAR	133,0	159,6
18354	180/55 ZR17 S22R (73W) N TL X6R '19 WAR	177,0	212,4
18384	120/70 ZR17 S21F (58W) TL U S1000RR WAR	136,0	163,2
18385	190/55 ZR17 S21R (75W) TL U S1000RR WAR	192,0	230,4
19654	200/55 R17 S22R 78W TL SDR WAR KTM	199,0	238,8
20244	120/70 ZR17 S22F (58W) TL G NIN1K'20 WAR	133,0	159,6
20245	190/50 ZR17 S22R (73W) TL G NIN1K'20 WAR	185,0	222,0
23651	120/70 ZR17 S22F (58W) TL J BMW S1000R'21 WAR	133,0	159,6
25811	120/70 ZR17 S22F (58W) TL M MT09 '21 WAR	133,0	159,6
25812	180/55 ZR17 S22R (73W) TL M MT09 '21 WAR	177,0	212,4
25813	120/70 ZR17 S22F (58W) TL L HAYABUSA '21 WAR	133,0	159,6
25814	190/50 ZR17 S22R (73W) TL L HAYABUSA '21 WAR	185,0	222,0
6370	110/80 ZR18 BT016FP (58W) TL PRO	89,0	106,8
6374	150/70 ZR18 BT016RP (70W) TL PRO	108,0	129,6
6376	160/60 ZR18 BT016RP (70W) TL PRO	110,0	132,0
Touring			
23547	160/60 R15 T31R 67H TL J FORZA750 '21 WAR	131,0	157,2
3964	110/70 -16 BT45F 52S TL G SH300IHO WAR	92,0	110,4
76213	120/80 -16 BT45F 60V TL	106,0	127,2
76211	130/90 -16 BT45R 67V TL	122,0	146,4
19609	100/90 -16 BT46F 54H TL	91,0	109,2
19614	110/90 -16 BT46F 59V TL	100,0	120,0
19615	120/80 -16 BT46F 60V TL	106,0	127,2
17394	130/90 -16 BT46R 67H TL	119,0	142,8
17409	150/80 -16 BT46R 71V TL	140,0	168,0
3430	110/70 ZR17 BT023F (54W) TL	74,0	88,8
3431	120/60 ZR17 BT023F (55W) TL	80,0	96,0
3432	120/70 ZR17 BT023F (58W) TL	85,0	102,0
3435	150/70 ZR17 BT023R (69W) TL	102,0	122,4
3436	160/60 ZR17 BT023R (69W) TL	109,0	130,8
3437	160/70 ZR17 BT023R (73W) TL	110,0	132,0
3438	170/60 ZR17 BT023R (72W) TL	115,0	138,0
3439	180/55 ZR17 BT023R (73W) TL	116,0	139,2
3440	190/50 ZR17 BT023R (73W) TL	122,0	146,4
3516	120/70 ZR17 BT023F (58W) TL GT	85,0	102,0
3517	180/55 ZR17 BT023R (73W) TL GT	116,0	139,2
4872	190/55 ZR17 BT023R (75W) TL GT	124,0	148,8
4873	170/60 ZR17 BT023R (72W) TL GT	115,0	138,0
5029	120/70 ZR17 BT023F (58W) TL G HON WAR	108,0	129,6
5030	160/60 ZR17 BT023R (69W) TL G HON WAR	138,0	165,6
6416	120/70 ZR17 BT023F (58W) TL F WAR	108,0	129,6
6417	180/55 ZR17 BT023R (73W) TL F WAR	146,0	175,2
7324	180/55 ZR17 BT023R (73W) TL M YAM MT07 W	146,0	175,2
78395	160/70 B17 BT020R 79V RFD TL M K1200LT W	174,0	208,8
10537	110/70 ZR17 T31F 54W TL	89,0	106,8
10538	120/60 ZR17 T31F 55W TL	96,0	115,2
10539	120/70 ZR17 T31F 58W TL	103,0	123,6
75187	100/80 -17 BT39F 52H TL SZ	80,0	96,0
76089	110/70 -17 BT39F 54H TL SZ	83,0	99,6
76072	130/70 -17 BT39R 62H TL SZ	103,0	123,6

Rehvi m õ õt ja muster		Hind km.-ta	Hind km.-ga
72819	90/80 -17 BT39FSS 46S TL NU BT39SS	102,0	122,4
72950	120/80 -17 BT39SSR 61S TL QW BT39SS	103,0	123,6
76296	110/80 -17 BT45F 57V TL	105,0	126,0
78300	110/70 -17 BT45F 54H TL G GS500 WAR	80,0	96,0
76297	150/70 -17 BT45R 69V TL	132,0	158,4
17388	110/70 -17 BT46F 54H TL	80,0	96,0
17389	110/80 -17 BT46F 57H TL	89,0	106,8
19610	100/80 -17 BT46F 52H TL	75,0	90,0
19611	120/70 -17 BT46F 58H TL	100,0	120,0
17396	120/80 -17 BT46R 61H TL	105,0	126,0
17397	130/70 -17 BT46R 62H TL	100,0	120,0
17398	130/80 -17 BT46R 65H TL	111,0	133,2
17399	140/70 -17 BT46R 66H TL	105,0	126,0
17400	150/70 -17 BT46R 69H TL	121,0	145,2
17410	120/90 -17 BT46R 64V TL	121,0	145,2
17411	130/90 -17 BT46R 68V TL	124,0	148,8
17412	140/80 -17 BT46R 69V TL	130,0	156,0
10544	150/70 ZR17 T31R 69W TL	122,0	146,4
10545	160/60 ZR17 T31R 69W TL	132,0	158,4
10547	160/70 ZR17 T31R 73W TL	132,0	158,4
10548	170/60 ZR17 T31R 72W TL	138,0	165,6
10549	180/55 ZR17 T31R 73W TL	139,0	166,8
10550	190/50 ZR17 T31R 73W TL	146,0	175,2
10551	190/55 ZR17 T31R 75W TL	148,0	177,6
10554	120/70 ZR17 T31R 58W TL GT	103,0	123,6
10556	170/60 ZR17 T31R 72W TL GT	138,0	165,6
10557	180/55 ZR17 T31R 73W TL GT	139,0	166,8
10558	190/55 ZR17 T31R 75W TL GT	148,0	177,6
18007	120/70 ZR17 T31F (58W) TL G VERSYS WAR	127,0	152,4
18008	180/55 ZR17 T31R (73W) TL G VERSYS WAR	173,0	207,6
19376	190/55 R17 T31R (75W) TL E S1KXR BMW WAR	184,0	220,8
19377	120/70 R17 T31F (58W) TL E S1KXR BMW WAR	127,0	152,4
19618	110/70 ZR17 T32F (54W) TL	106,0	127,2
19619	120/60 ZR17 T32F (55W) TL	114,0	136,8
19620	120/70 ZR17 T32F (58W) TL	121,0	145,2
19625	150/70 ZR17 T32R (69W) TL	146,0	175,2
19626	160/60 ZR17 T32R (69W) TL	157,0	188,4
19627	160/70 ZR17 T32R (73W) TL	157,0	188,4
19628	170/60 ZR17 T32R (72W) TL	164,0	196,8
19629	180/55 ZR17 T32R (73W) TL	164,0	196,8
19630	190/50 ZR17 T32R (73W) TL	173,0	207,6
19631	190/55 ZR17 T32R (75W) TL	175,0	210,0
19632	120/70 ZR17 T32F (58W) TL GT	121,0	145,2
19634	170/60 ZR17 T32R (72W) TL GT	164,0	196,8
19635	180/55 ZR17 T32R (73W) TL GT	164,0	196,8
19636	190/55 ZR17 T32R (75W) TL GT	175,0	210,0
23546	120/70 R17 T31F 58H TL J FORZA750 '21 WAR	108,0	129,6
25815	120/70 ZR17 T32F (58W) TL J Tracer900 '21 WAR	127,0	152,4
25816	180/55 ZR17 T32R (73W) TL J Tracer900 '21 WAR	173,0	207,6
3433	110/80 ZR18 BT023F (58W) TL	84,0	100,8
3434	120/70 ZR18 BT023F (59W) TL	93,0	111,6
3441	160/60 ZR18 BT023R (70W) TL	112,0	134,4

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
4874	120/70 ZR18 BT023F (59W) TL GT	93,0	111,6
10540	110/80 ZR18 T31F 58W TL	101,0	121,2
10541	120/70 ZR18 T31F 59W TL	112,0	134,4
76223	110/90 -18 BT45F 61V TL	106,0	127,2
76218	140/70 -18 BT45R 67V TL	142,0	170,4
17390	110/90 -18 BT46F 61H TL	105,0	126,0
17391	90/90 -18 BT46F 51H TL	83,0	99,6
17392	100/90 -18 BT46F 56H TL	91,0	109,2
17407	100/90 -18 BT46F 56V TL	100,0	120,0
19612	100/80 -18 BT46F 53H TL	96,0	115,2
19616	110/80 -18 BT46F 58V TL	100,0	120,0
17401	110/90 -18 BT46R 61H TL	105,0	126,0
17402	120/80 -18 BT46R 62H TL	107,0	128,4
17403	130/70 -18 BT46R 63H TL	106,0	127,2
17404	140/70 -18 BT46R 67H TL	125,0	150,0
17405	4.00 -18 BT46R 64H TL	106,0	127,2
17406	110/80 -18 BT46R 58H TL	100,0	120,0
17413	120/90 -18 BT46R 65V TL	119,0	142,8
19613	150/70 -18 BT46R 70H TL	136,0	163,2
19617	130/80 -18 BT46R 66V TL	116,0	139,2
10546	160/60 ZR18 T31R 70W TL	135,0	162,0
10552	110/80 R18 T31R 58V TL	98,0	117,6
10553	140/70 R18 T31R 67V TL	116,0	139,2
10555	120/70 ZR18 T31R 59W TL GT	112,0	134,4
19621	110/80 ZR18 T32F (58W) TL	116,0	139,2
19622	120/70 ZR18 T32F (59W) TL	133,0	159,6
19633	120/70 ZR18 T32F (59W) TL GT	133,0	159,6
19637	160/60 ZR18 T32R (70W) TL	160,0	192,0
19638	110/80 R18 T32F 58V TL	116,0	139,2
19639	140/70 R18 T32R 67V TL	139,0	166,8
4871	110/80 ZR19 BT023F (59W) TL	92,0	110,4
10542	120/70 ZR19 T31F 60W TL	114,0	136,8
17393	3.25 -19 BT46F 54H TL	83,0	99,6
17408	100/90 -19 BT46F 57V TL	105,0	126,0
10543	110/80 ZR19 T31F 59W TL	110,0	132,0
19623	120/70 ZR19 T32F (60W) TL	136,0	163,2
19624	110/80 R19 T32F 59V TL	130,0	156,0