

FIRESTONE (põllumajandus)

Kehtib alates 09.06.2017.a.



	Mõõt				Hind km-ta	Hind km-ga
85 Series						
54392	7.5 R16	R4000	TL	102A/99B	260,6	312,7
54393	7.5 R18	R4000	TL	104A/101B	276,4	331,6
5620	280/85 R20	PERF85	TL	112D/109E	324,1	388,9
4868	320/85 R20	PERF85	TL	119D/116E	355,3	426,4
5621	250/85 R24	PERF85	TL	109D/106E	276,4	331,6
5622	280/85 R24	PERF85	TL	115D/112E	303,0	363,6
4123	280/85 R24	PERF85 XL	TL	130A/130B	377,9	453,4
5623	320/85 R24	PERF85	TL	122D/119E	370,5	444,6
5624	340/85 R24	PERF85	TL	125D/122E	403,9	484,6
4124	340/85 R24	PERF85 XL	TL	136A/136B	430,8	516,9
5625	380/85 R24	PERF85	TL	131D/128E	494,1	592,9
5626	420/85 R24	PERF85	TL	137D/134E	553,4	664,0
4125	420/85 R24	PERF85 XL	TL	142A/142B	581,3	697,6
54147	14.9 R26	RATFWD	TL	132A/132B	1281,4	1537,6
54105	18.4 R26	RATFWD	TL	140A/140B	1440,8	1729,0
54423	420/85 R26	RATFWD	TL	138A/138B	1356,7	1628,1
54215	16.9 R28	RADCSG	TL	136A	1504,2	1805,0
5627	250/85 R28	PERF85	TL	112D/109E	355,3	426,4
5628	280/85 R28	PERF85	TL	118D/115E	345,9	415,1
5629	320/85 R28	PERF85	TL	124D/121E	406,2	487,4
5630	340/85 R28	PERF85	TL	127D/124E	479,3	575,1
5631	380/85 R28	PERF85	TL	133D/130E	520,7	624,8
54427	420/85 R28	RATFWD	TL	139A	1323,7	1588,5
5632	420/85 R28	PERF85	TL	139D/136E	617,5	741,0
4128	420/85 R28	PERF85 XL	TL	144A	645,9	775,1
54324	16.9 R30	RADCSG	TL	141A	1539,1	1846,9
54422	380/85 R30	RATFWD	TL	135A/135B	969,1	1162,9
4293	380/85 R30	PERF85	TL	135D/132E	609,9	731,9
5633	420/85 R30	PERF85	TL	140D/137E	687,5	824,9
5634	460/85 R30	PERF85	TL	145D/142E	818,8	982,6
54429	380/85 R34	RATFWD	TL	137A/137B	1233,8	1480,6
5635	420/85 R34	PERF85	TL	142D/139E	724,1	869,0
54453	420/85 R34	RATDT	TL	147A	1454,7	1745,7
54365	460/85 R34	R8000SS	TL	147A/144B	1004,9	1205,9
5636	460/85 R34	PERF85	TL	147D/144E	896,0	1075,2
5637	320/85 R36	PERF85	TL	128D/125E	453,6	544,3
5638	340/85 R36	PERF85	TL	132D/129E	524,9	629,9
54219	18.4 R38	RADCSG	TL	146A	1223,1	1467,7
54216	20.8 R38	RADCSG	TL	153A	2525,6	3030,8
5639	340/85 R38	PERF85	TL	133D/130E	563,6	676,4
54346	380/80 R38	RATDT	TL	142A/142B	1431,4	1717,6

	Mõõt				Hind km-ta	Hind km-ga
5640	420/85 R38	PERF85	TL	144D/141E	823,0	987,6
54366	460/85 R38	R8000SS	TL	149A/146B	1061,4	1273,7
54367	460/85 R38	RATDT	TL	149A/146B	1061,4	1273,7
5641	460/85 R38	PERF85	TL	149D/146E	1000,8	1201,0
5893	460/85 R38	PERF85 XL	TL	154D/151E	1109,1	1330,9
54431	480/80 R38	RAT23	TL	149A	1772,8	2127,4
54432	520/85 R38	RAT23	TL	155A	2093,9	2512,7
54368	520/85 R38	R8000SS	TL	155A/152B	1367,8	1641,4
54369	520/85 R38	RATDT	TL	155A/152B	1367,8	1641,4
5642	520/85 R38	PERF85	TL	155D/152E	1315,7	1578,9
5894	520/85 R38	PERF85 XL	TL	160D/157E	1472,2	1766,6
4711	460/85 R42	PERF85	TL	150D/147E	1355,7	1626,9
4713	460/85 R42	PERF85 XL	TL	156D/153E	1396,1	1675,3
4588	480/80 R42	RAT23	TL	154A/154B	1664,4	1997,2
54436	520/85 R42	RDT23	TL	157A	2329,3	2795,1
1790	520/85 R42	RADCSG	TL	157A	2687,6	3225,1
4715	520/85 R42	PERF85	TL	157D/154E	1519,0	1822,8
4717	520/85 R42	PERF85 XL	TL	162D/159E	1635,1	1962,2
4817	850/75 R42	RDT23	TL	186A/186B	5105,5	6126,6
54434	480/80 R46	RAT23	TL	158A	2326,9	2792,3
54474	520/85 R46	RDT23	TL	158A/158B	3690,9	4429,0
54347	480/80 R50	RDT23	TL	159A	3456,1	4147,3
70 Series						
54394	280/70 R16	R4000	TL	112A/109B	328,2	393,9
54395	280/70 R18	R4000	TL	114A/111B	340,0	407,9
54442	280/70 R20	R4000	TL	116A/113B	356,1	427,3
54396	300/70 R20	R4000	TL	120A/117B	416,9	500,3
54443	320/70 R20	R4000	TL	123A/120B	459,4	551,3
4129	320/70 R20	R4000 XL	TL	130A/130B	473,3	567,9
54444	360/70 R20	R4000	TL	129A/126B	408,5	490,3
3410	320/70 R24	PERF70	TL	116D/113E	388,6	466,3
3411	360/70 R24	PERF70	TL	122D/119E	423,1	507,7
3412	380/70 R24	PERF70	TL	125D/122E	481,7	578,0
3413	420/70 R24	PERF70	TL	130D/127E	590,6	708,7
4130	420/70 R24	PERF70 XL	TL	136A/136B	618,9	742,7
3414	480/70 R24	PERF70	TL	138D/135E	713,7	856,4
3415	360/70 R28	PERF70	TL	125D/122E	522,6	627,1
3416	380/70 R28	PERF70	TL	127D/124E	574,7	689,7
3417	420/70 R28	PERF70	TL	133D/130E	598,0	717,6
3418	480/70 R28	PERF70	TL	140D/137E	771,5	925,8
4131	480/70 R28	PERF70 XL	TL	151A/151B	795,1	954,1
3420	480/70 R30	PERF70	TL	141D/138E	831,9	998,2
5009	480/70 R30	PERF70 XL	TL	147D/144E	864,1	1036,9
54176	480/70 R30	RATDT	TL	152A/152B	1587,7	1905,2
3421	480/70 R34	PERF70	TL	143D/140E	945,1	1134,2
3422	520/70 R34	PERF70	TL	148D/145E	1103,6	1324,3
3423	480/70 R38	PERF70	TL	145D/142E	1025,5	1230,6
3424	520/70 R38	PERF70	TL	150D/147E	1219,3	1463,2
3425	580/70 R38	PERF70	TL	155D/152E	1615,7	1938,8

	Mõõt				Hind km-ta	Hind km-ga
5644	580/70 R42	PERF70	TL	158D/155E	1924,0	2308,8
65 Series						
5394	440/65 R24	PERF65	TL	128D/125E	543,7	652,5
5396	480/65 R24	PERF65	TL	133D/130E	639,0	766,8
5400	540/65 R24	PERF65	TL	140D/137E	811,0	973,2
8943	440/65 R24	MAXTR65	TL	128D 125E	554,4	665,2
8950	480/65 R24	MAXTR65	TL	133D 130E	651,9	782,2
8958	540/65 R24	MAXTR65	TL	140D 137E	826,9	992,3
5395	440/65 R28	PERF65	TL	131D/128E	619,7	743,7
5397	480/65 R28	PERF65	TL	136D/133E	685,7	822,8
5401	540/65 R28	PERF65	TL	142D/139E	911,6	1093,9
8946	440/65 R28	MAXTR65	TL	131D 128E	631,9	758,3
8954	480/65 R28	MAXTR65	TL	136D 133E	699,6	839,5
8961	540/65 R28	MAXTR65	TL	142D 139E	930,1	1116,1
5404	540/65 R30	PERF65	TL	143D/140E	999,5	1199,4
5405	540/65 R30	PERF65	TL	150D/147E	999,5	1199,4
8886	540/65 R30	MAXTR65	TL	143D 140E	1019,8	1223,8
8965	540/65 R30	MAXTR65	TL	150D 147E	1019,8	1223,8
5406	540/65 R34	PERF65	TL	145D/142E	1032,9	1239,4
5407	540/65 R34	PERF65	TL	152D/149E	1032,9	1239,4
5410	600/65 R34	PERF65	TL	151D/148E	1314,7	1577,7
8969	540/65 R34	MAXTR65	TL	145D/142E	1053,2	1263,9
8971	540/65 R34	MAXTR65	TL	152D/149E	1053,2	1263,9
8978	600/65 R34	MAXTR65	TL	151D/148E	1340,7	1608,9
5408	540/65 R38	PERF65	TL	147D/144E	1142,1	1370,6
5412	600/65 R38	PERF65	TL	153D/150E	1432,7	1719,2
5418	650/65 R38	PERF65	TL	157D/153E	1883,1	2259,8
5417	650/65 R38	PERF65	TL	163D/160E	1902,5	2282,9
8974	540/65 R38	MAXTR65	TL	147D/144E	1165,0	1398,0
8980	600/65 R38	MAXTR65	TL	153D/150E	1461,0	1753,2
8987	650/65 R38	MAXTR65	TL	163D/163E	1940,7	2328,8
8984	650/65 R38	MAXTR65	TL	157D/154E	1920,7	2304,9
5419	650/65 R42	PERF65	TL	158D/155E	2137,7	2565,2
8887	650/65 R42	MAXTR65	TL	158D/155E	2180,5	2616,6
XL Series						
2478	600/70 R28	RATDT	TL	152A/152B	1828,2	2193,9
5435	600/65 R28	MAXTRAC	TL	154D/151E	1462,3	1754,7
5437	600/70 R28	MAXTRAC	TL	157D/154E	1855,1	2226,1
5457	600/65 R28	MAXTRAC	TL	160D/157E	1632,5	1959,0
5459	600/70 R28	MAXTRAC	TL	164D/160E	2071,8	2486,2
5436	600/65 R30	MAXTRAC	TL	155D/152E	1858,8	2230,6
5438	600/70 R30	MAXTRAC	TL	158D/155E	1858,8	2230,6
5458	600/65 R30	MAXTRAC	TL	161D/158E	2075,5	2490,6
5460	600/70 R30	MAXTRAC	TL	165D/161E	2075,5	2490,6
5440	620/75 R30	MAXTRAC	TL	163D/160E	1773,0	2127,6
5462	620/75 R30	MAXTRAC	TL	163D/160E	1861,9	2234,3
5441	650/75 R32	MAXTRAC	TL	172A8/172B	1859,0	2230,8
5905	800/65 R32	MAXTRAC	TL	178A8/178B	3143,9	3772,6
5909	900/60 R32	MAXTRAC	TL	181A8/181B	4467,3	5360,7

	Mõõt				Hind km-ta	Hind km-ga
54196	23.1 R34	RAT23	TL		4022,8	4827,4
5903	710/75 R34	MAXTRAC	TL	178A8/178B	4169,4	5003,3
4870	650/75 R38	MAXTRAC	TL	169D/166E	2993,1	3591,7
5442	650/85 R38	MAXTRAC	TL	173D/170E	3812,0	4574,3
5463	650/75 R38	MAXTRAC	TL	175D/172E	3337,3	4004,8
5464	650/85 R38	MAXTRAC	TL	179D/176E	4255,7	5106,8
5443	710/70 R38	MAXTRAC	TL	171D/168E	3011,5	3613,8
4088	710/70 R38	MAXTRAC	TL	178D/175E	3362,4	4034,8
5907	800/70 R38	MAXTRAC	TL	184D/181E	4296,1	5155,3
5439	620/70 R42	MAXTRAC	TL	166D/163E	2320,2	2784,2
5461	620/70 R42	MAXTRAC	TL	172D/169E	2589,9	3107,9
5444	710/70 R42	MAXTRAC	TL	173D/170E	4223,2	5067,9
5465	710/70 R42	MAXTRAC	TL	179D/176E	4714,8	5657,8
54272	900/50 R42	R9000	TL	168A/168B	3586,2	4303,4
Narrow tires						
6031	230/95 R32	PERF95	TL	128D	588,0	705,6
6032	270/95 R32	PERF95	TL	136D	765,3	918,3
6033	320/90 R32	PERF90	TL	134D	1007,0	1208,4
54275	290/95 R34	R9000	TL	131A	1514,5	1817,4
54276	320/85 R34	R9000	TL	133A/133B	1536,3	1843,5
6034	230/95 R36	PERF95	TL	130D	656,2	787,4
6035	270/95 R36	PERF95	TL	139D	823,2	987,9
6036	270/95 R38	PERF95	TL	140D	872,7	1047,2
54269	320/85 R38	R9000	TL	143A/143B	1340,0	1608,1
10471	270/95 R42	PERF95	TL	141D/155A	649,7	779,7
54277	320/90 R42	R9000	TL	139A/139B	1537,4	1844,9
6038	230/95 R44	PERF95	TL	134D	744,8	893,8
6039	270/95 R44	PERF95	TL	142D	939,1	1127,0
54234	14.9 R46	RAT23	TL	145A/145B	1897,0	2276,4
6040	300/95 R46	PERF95	TL	148D	1162,4	1394,9
54254	320/90 R46	R9000	TL	148A/148B	1482,5	1779,1
54350	380/90 R46	R9000	TL	152A/152B	1897,0	2276,4
54205	420/80 R46	RAT23	TL	151A/151B	1897,0	2276,4
54280	230/95 R48	R9000	TL	134A/134B	1743,7	2092,4
6041	230/95 R48	PERF95	TL	136D	782,3	938,8
6042	270/95 R48	PERF95	TL	144D	956,2	1147,4
6043	340/85 R48	PERF85	TL	151D	1404,0	1684,8
54255	320/90 R50	R9000	TL	148A/148B	1499,9	1799,9
54438	380/90 R50	R9000	TL	151A/151B	1927,7	2313,2
2282	380/105 R50	R9100	TL	168A/168B	2303,8	2764,5
6044	300/95 R52	PERF95	TL	151D	1327,7	1593,3
54247	320/90 R54	RATDT	TL	149A/149B	1665,2	1998,3
54439	380/90 R54	R9000	TL	152A/152B	2233,4	2680,1
Industrial tires						
54475	340/80 R18	R8000UT	TL	136A	469,2	563,0
1748	340/80 R18	DURA-UT	TL	143A	438,0	525,6
2009	405/70 R18	DURA-UT	TL	141B	614,0	736,9
2008	335/80 R20	DURA-UT	TL	136B	614,3	737,2
2003	365/80 R20	DURA-UT	TL	141B	544,3	653,2

	Mõõt				Hind km-ta	Hind km-ga
1060	400/70 R20	DURA-UT	TL	149A	588,5	706,3
54397	400/70 R20	R8000UT	TL	149A	630,5	756,6
54398	400/80 R24	R8000UT	TL	156A	900,6	1080,8
54449	400/70 R24	R8000UT	TL	158A	900,6	1080,8
54441	460/70 R24	R8000UT	TL	152A	667,4	800,9
2937	460/70 R24	DURA-UT	TL	159A	715,3	858,4
10474	460/70 R24	R8000UT	TL	159A/159B	647,7	777,3
6029	500/70 R24	DURA-UT	TL	164A/164B	827,2	992,7
4723	500/70 R24	DURA-UT	TL	157A8	851,9	1022,3
1771	480/80 R26	DURA-UT	TL	160A	908,0	1089,6
1770	440/80 R28	DURA-UT	TL	156A	894,4	1073,2
54448	440/80 R28	R8000UT	TL	156A	958,2	1149,8
Front Wheels						
52031	4 -15	RIB	TT	4	101,1	121,4
52034	5 -15	OCT114	TT	2	113,3	135,9
52033	5 -15	RIB	TT	6	118,3	142,0
52040	8.0/75 -15	RANCHER	TT	6	241,3	289,6
4855	9.5 -15	CGUID4R	TL	8	228,5	274,2
52378	11L -15	CHGG3R	TL	8	340,8	409,0
52046	10.0/75 -15.3	RANCHER	TT	8	310,3	372,3
52050	27X10 -15.3	RANCHER	TT	8	287,6	345,2
52205	11.5/80 -15.3	OCT131	TT	12	362,5	435,0
52078	5.5 -16	RIB	TT	6	125,1	150,1
52081	6 -16	RIB	TT	6	145,8	174,9
52083	6 -16	3RIB	TT	6	145,8	174,9
52091	6.5 -16	RIB	TT	6	164,5	197,4
52191	7 -16	RIB	TT	8	191,1	229,3
52106	7.5 -16	RIB	TT	8	201,9	242,3
52109	7.5 -16	3RIB	TT	8	200,0	240,0
52209	7.5 -16	RIB	TT	10	217,7	261,2
52213	9 -16	4RIB	TL	10	437,4	524,8
52351	10 -16	3RIB	TL	10	414,7	497,6
53648	11 -16	CGUID4R	TL	2	556,5	667,8
55104	11L -16	INDSP	TL	2	440,3	528,4
52135	11 -16	3RIB	TL	8	458,0	549,6
53658	11 -16	CGUID4R	TL	8	436,4	523,6
53820	14L -16.1	4RIB	TL	2	764,4	917,3
52146	7.5 -18	3RIB	TT	8	228,5	274,2
52194	7.5 -18	RIB	TL	8	256,1	307,3
52216	7.5 -18	RIB	TT	10	251,2	301,4
52155	4.5 -19	TRACIMP	TT	2	108,4	130,0
52159	6 -19	RIB	TT	6	172,4	206,9
52165	6.5 -20	RIB	TT	6	207,8	249,4
52166	7.5 -20	RIB	TT	6	270,9	325,1
53719	7.5 -20	CH3RHD	TT	6	303,4	364,1
52193	4.00/4.50 -21	RIB	TT	4	119,2	143,0
Trailer & Implement						
55040	8.25 -15	TRAILER	TT	18	405,4	486,4
52350	11L -15	FARM	TL	8	308,0	369,6

	Mõõt				Hind km-ta	Hind km-ga
52052	10 -15.3	FARM	TT	10	259,3	311,1
52061	11.5 -15.3	FARM	TT	12	387,9	465,5
52089	6 -16	TRACIMP	TT	6	132,5	159,0
52099	6.5 -16	TRACIMP	TT	8	174,1	209,0
40021	7 -16	B247	TT	12	224,4	269,3
52115	7.5 -16	TRACIMP	TT	8	195,4	234,5
40026	7.5 -16	B247	TT	12	271,8	326,2
52271	10.5 -16	FARM	TT	14	444,1	532,9
52345	16.5L -16.1	FARM	TL	10	1572,1	1886,5
56103	16.5L -16.1	NPWRIMP	TL	10	1184,1	1421,0
52328	21.5L -16.1	FARM	TL	4	1224,8	1469,7
52369	21.5L -16.1	PWRIMP	TL	4	1617,6	1941,1
53490	7.5 -18	OCT131	TT	6	220,6	264,7
52222	13.0/65 -18	FARM	TT	14	398,6	478,3
43033	7.5 -20	B247	TT	12	380,2	456,2
52377	9 -24	RIBIMP	TT	8	519,5	623,4
Small Agro tires						
52003	4 -8	OCT114	TT	2	88,0	105,6
52201	4.00/5 -12	OCT114	TT	2	96,7	116,1
52015	4 -12	TRACIMP	TT	4	97,7	117,3
52017	4 -12	RIB	TT	4	91,9	110,3
52021	5 -12	RANCHER	TT	6	123,8	148,6
52009	6 -12	TRTC	TT	2	127,7	153,2
52027	7 -12	RANCHER	TT	6	204,1	245,0
52030	8.5 -12	RIB	TT	6	183,9	220,6
53002	11.0/65 -12	RANCHER	TT	6	282,5	339,0
Traction Drive tires						
53642	31X13.50 -15	TURF	TL	8	352,0	422,4
1270	31X15.50 -15	FLT23	TL	8	528,1	633,7
53752	13.5 -16.1	ANS	TL	10	612,9	735,5
53023	9.5 -20	ATC	TT	6	352,0	422,4
53396	48X25.00 -20	FLT23DT	TL	10	2640,3	3168,4
53048	11.2 -24	ATC	TT	8	338,0	405,5
53060	12.4 -24	ATC	TT	8	392,7	471,3
53087	14.9 -24	ATC	TT	8	526,1	631,3
55002	16.9 -24	ANS	TL	6	1056,1	1267,3
53770	54X37.00 -25	FL23DTL	TL	12	4111,0	4933,1
53508	66X43.00 -25	FLT23DT	TL	10	4243,7	5092,4
53700	66X43.00 -25	FLT23DT	TL	16	4193,7	5032,4
53724	14.9 -26	SAT	TL	10	977,4	1172,9
53702	18.4 -26	ANS	TL	6	1142,1	1370,5
53119	23.1 -26	ANS	TL	2	1550,3	1860,3
5930	23.1 -26 10 PR	CHSPADE	TL	10	2252,5	2703,0
53606	23.1 -26	ATC	TT	14	1490,3	1788,4
53599	28L -26	ANS	TL	12	1817,0	2180,4
53652	28L -26	SAT23	TT	14	2033,6	2440,3
53809	28L -26	ANS	TL	16	1778,7	2134,4

	Mõõt				Hind km-ta	Hind km-ga
53137	11.2 -28	ATC	TT	6	329,7	395,6
53151	12.4 -28	ATC	TT	6	373,1	447,7
53166	13.6 -28	ATC	TT	6	445,4	534,5
53182	14.9 -28	ATC	TT	6	508,5	610,2
53232	16.9 -30	ATC	TT	8	760,7	912,8
53257	18.4 -30	ATFR	TT	8	686,2	823,5
53149	18.4 -30	ATC	TT	12	842,3	1010,8
1674	24.5 -32	PULLER2	TL	2	3307,2	3968,7
53446	24.5 -32	ANS	TL	2	1731,7	2078,1
5931	24.5 -32 10 PR	CHSPADE	TT	10	2872,6	3447,1
53798	24.5 -32	F202	TT	20	2114,2	2537,1
53659	30.5L -32	SAT23	TL	16	2865,9	3439,1
54389	30.5L -32	PULLER2	TL		3597,0	4316,4
53720	73X44.00 -32	FLT23DT	TL	16	5261,3	6313,6
5943	68X50.00 -32	FLT23DT	TL	4	6334,2	7601,0
53301	18.4 -34	ATC	TT	8	809,2	971,1
53775	15.5 -38	SAT23	TL	6	850,0	1020,0
53374	20.8 -38	ATC	TT	10	1668,5	2002,2
54483	520/85 D38	SATHD	TL	173A	2232,9	2679,5
Forestry tires						
5177	54X37.00 -25	FL23DTL	TL	20	4115,5	4938,6
53105	18.4 -26	FOREST	TT	10	1518,0	1821,6
53113	23.1 -26	FOREST	TT	10	2554,0	3064,8
53115	23.1 -26	FOREST	TT	14	2422,7	2907,2
53564	28L -26	FOREST	TT	14	3096,8	3716,2
53823	28L -26	FOREST	TL	16	3198,9	3838,7
53246	16.9 -30	FOREST	TT	10	1662,7	1995,3
53832	24.5 -32	FOREST	TL	6	3672,4	4406,9
2286	30.5L -32	FOREST	TL	26	4808,5	5770,3
5175	35.5L -32	FOREST	TL	4	5012,1	6014,6
53311	18.4 -34	FOREST	TT	10	2285,1	2742,1
53757	700/55 -34	FOREST	TL	14	2359,4	2831,3
Industrial tires						
56287	27X8.50 -15	STL	TL	6	302,4	362,9
53786	215/70 -15	DURAFDT	TL	8	287,6	345,2
53793	390/60 -15	DURAFDT	TL	8	650,7	780,9
53788	265/70 -16.5	DURAFDT	TL	8	420,0	504,1
53819	265/70 -16.5	DURAFHD	TL	8	403,2	483,9
53789	305/70 -16.5	DURAFDT	TL	10	588,1	705,7
53824	305/70 D16.5	DURAFHD	TL	10	504,1	604,9
53807	395/55 -16.5	DURAFDT	TL	12	527,8	633,4
53406	10.5/80 -18	ATU HC	TL	10	326,5	391,8
53407	12.0/12.5 -18	ATU	TL	2	424,2	509,0
56297	280/80 -18	STL	TL	132A	348,2	417,9
56296	340/80 -18	STL	TL	143A	414,3	497,2
40049	15 -19.5	STDUP	TL	2	835,4	1002,4

	Mõõt				Hind km-ta	Hind km-ga
53821	385/65 -19.5	DURAFND	TL	2	896,8	1076,1
53790	445/65 -19.5	DURAFND	TL	6	1848,2	2217,9
53029	10 -20	ATU	TT	10	378,0	453,7
53635	12.5 -20	ATU	TL	10	448,3	538,0
56295	280/80 -20	STL	TL	133A	368,0	441,6
56228	340/80 -20	STL	TL	144A	483,4	580,1
2543	400/70 -20	STL	TL	144A	626,4	751,7
53063	12.4 -24	ATU	TT	12	427,2	512,6
53705	14.9 -24	ATU	TL	2	793,6	952,4
53818	16.9 -24	ATU	TL	2	1008,1	1209,7
53347	17.5L -24	ATU	TL	10	1218,1	1461,8
53395	19.5L -24	ATU	TL	2	1108,8	1330,5
53782	400/80 -24	S8000UT	TL	156A	909,6	1091,5
56225	480/80 -26	STL	TL	160A	900,7	1080,8
53213	16.9 -28	ATU HC	TT	14	915,5	1098,6
53665	18.4 -28	ATU	TL	12	1260,1	1512,2
56193	440/80 -28	STL	TL	156A	852,4	1022,8