

Trelleborg (põllumajandus)

Kehtib alates 31.05.2017.a.



	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
Tractor radial tyres						
10716500	210/95R16 (7.50R16)	TM600	TL	106A8 106B	220,8	265,0
1117900	240/70R16	TM700 O&V	TL	104A8 104B	273,2	327,8
0730400	260/70R16	TM700 O&V	TL	109A8 109B	303,2	363,8
0730500	280/70R16	TM700 O&V	TL	112A8 112B	317,8	381,4
10716600	210/95R18 (7.50R18)	TM600	TL	108A8 108B	244,8	293,8
0730800	280/70R18	TM700 O&V	TL	114A8 114B	314,5	377,4
1114700	320/65R18	TM800	TL	109A8 109B	461,2	553,4
1114800	340/65R18	TM800	TL	113A8 113B	495,9	595,1
0210100	7.5R20	TM190	TT	6PR	240,2	288,2
0210000	9.5R20	TM190	TT	8PR	273,6	328,3
1118600	280/70R20	TM700 O&V	TL	116A8 116B	353,8	424,6
0730600	300/70R20	TM700	TL	110A8 110B	392,8	471,4
1293800	280/85R20 (11.2R20)	TM600	TL	112A8 109B	355,0	426,0
0730700	320/70R20	TM700	TL	113A8 113B	424,9	509,9
1293900	320/85R20 (12.4R20)	TM600	TL	119A8 116B	377,8	453,4
0730900	360/70R20	TM700	TL	120A8 120B	483,3	580,0
0733200	380/70R20	TM700	TL	122A8 122B	532,2	638,6
0210200	8.3R24	TM190	TT	8PR	263,9	316,7
0209900	9.5R24	TM190	TT	107A8	287,5	345,0
1294000	280/85R24 (11.2R24)	TM600	TL	115A8 112B	339,6	407,5
0733300	320/70R24	TM700	TL	116A8 116B	446,6	535,9
1111100	320/85R24 (12.4R24)	TM600	TL	122A8 119B	394,7	473,6
1111200	340/85R24 (13.6R24)	TM600	TL	125A8 122B	454,8	545,8
0733400	360/70R24	TM700	TL	122A8 122B	508,1	609,7
0733500	380/70R24	TM700	TL	125A8 125B	569,1	682,9
1111300	380/85R24 (14.9R24)	TM600	TL	131A8 128B	516,9	620,3
0733600	420/70R24	TM700	TL	130A8 130B	660,7	792,8
1117400	420/85R24 (16.9R24)	TM600	TL	137A8 134B	672,1	806,5
1033400	440/65R24	TM800	TL	128D	687,8	825,4
1033500	480/65R24	TM800	TL	133D	810,4	972,5
0731100	480/70R24	TM700	TL	138A8 138B	832,0	998,4
1033600	540/65R24	TM800	TL	140D	996,5	1195,8
1033200	540/65R24	TM800	TL	146A8	1041,6	1249,9

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
0731200	480/70R26	TM700	TL	139A8 139B	965,9	1159,1
1033700	540/65R26	TM800	TL	141D	1070,1	1284,1
1115700	280/85R28 (11.2R28)	TM600	TL	118A8 115B	410,6	492,7
1116800	320/70R28	TM700	TL	119A8 119B	526,9	632,3
1115800	320/85R28 (12.4R28)	TM600	TL	124A8 121B	453,0	543,6
1111400	340/85R28 (13.6R28)	TM600	TL	127A8 124B	502,5	603,0
1116900	360/70R28	TM700	TL	125A8 125B	588,9	706,7
0731500	380/70R28	TM700	TL	127A8 127B	715,7	858,8
0734700	380/70R28	TM700 PT	TL	127D	737,1	884,5
1111500	380/85R28 (14.9R28)	TM600	TL	133A8 130B	557,0	668,4
0730100	420/70R28	TM700	TL	133D	773,1	927,7
0733800	420/70R28	TM700 PT	TL	133D	796,2	955,4
1111600	420/85R28 (16.9R28)	TM600	TL	139A8 136B	702,7	843,2
1033900	440/65R28	TM800	TL	131D	778,3	934,0
1034000	480/65R28	TM800	TL	136D	853,7	1024,4
0730200	480/70R28	TM700	TL	140D	986,3	1183,6
0734500	480/70R28	TM700 PT	TL	140D	1015,6	1218,7
0869300	480/70R28	TM700 HS	TL	145D 148A8	1084,9	1301,9
0735700	VF 520/60R28	TM1060	TL	149D	1167,2	1400,6
1034100	540/65R28	TM800	TL	142D	1096,6	1315,9
1032300	540/65R28	TM800 HS	TL	149D 146E	1206,3	1447,6
0735400	VF 600/60R28	TM1060	TL	157D	1361,2	1633,4
1034200	600/65R28	TM800	TL	147D	1540,4	1848,5
1032500	600/65R28	TM800 HS	TL	154D 151E	1694,6	2033,5
1293200	600/70R28	TM900 HP	TL	157D 154E	2193,2	2631,8
1071400	380/85R30 (14.9R30)	TM600	TL	135A8 135B	707,7	849,2
0731800	420/70R30	TM700	TL	134A8 134B	946,7	1136,0
1070100	420/85R30 (16.9R30)	TM600	TL	140A8 137B	787,3	944,8
1118900	420/90R30	TM600	TL	147A8 147B	972,1	1166,5
1294600	460/85R30 (18.4R30)	TM600	TL	145A8 142B	1001,9	1202,3
0730300	480/70R30	TM700	TL	141D	1070,1	1284,1
0733900	480/70R30	TM700 PT	TL	141D	1102,2	1322,6
0684700	480/70R30	TM700 HS	TL	147D 144E	1176,9	1412,3
0732000	520/70R30	TM700	TL	145A8 145B	1444,2	1733,0
0685000	520/70R30	TM700 HS	TL	151D 148E	1588,7	1906,4
1034300	540/65R30	TM800	TL	143D	1185,7	1422,8
1032400	540/65R30	TM800 HS	TL	150D 147E	1304,3	1565,2
0735500	VF 600/60R30	TM1060	TL	158D	1508,7	1810,4
1296900	600/70R30	TM900 HP	TL	158D 155E	2198,2	2637,8
1328900	IF 600/70R30	TM1000 HP	TL	159D	2467,1	2960,5
1296700	710/60R30	TM900 HP	TL	162D 159E	2357,6	2829,1

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
1071000	380/85R34 (14.9R34)	TM600	TL	137A8 137B	763,5	916,2
1070200	420/85R34 (16.9R34)	TM600	TL	142A8 139B	869,5	1043,4
1070300	460/85R34 (18.4R34)	TM600	TL	147A8 144B	1078,5	1294,2
0732100	480/70R34	TM700	TL	143A8 143B	1171,7	1406,0
0732200	520/70R34	TM700	TL	148A8 148B	1435,7	1722,8
1033300	540/65R34	TM800	TL	145D	1282,5	1539,0
1032600	540/65R34	TM800 HS	TL	152D 149E	1410,9	1693,1
1034400	600/65R34	TM800	TL	151D	1614,3	1937,2
1032900	600/65R34	TM800 HS	TL	157D 154E	1775,6	2130,7
1295700	650/60R34	TM900 HP	TL	159D 156E	2479,0	2974,8
1329000	IF 650/60R34	TM1000 HP	TL	159D	2760,0	3312,0
1328600	IF 650/65R34	TM1000 HP	TL	161D	2866,2	3439,4
1296200	600/70R34	TM900 HP	TL	160D 157E	2432,1	2918,5
1296500	710/60R34	TM900 HP	TL	164D 161E	2714,8	3257,8
1329100	IF 710/60R34	TM1000 HP	TL	164D	3052,2	3662,6
0209800	12.4R36	TM190	TT	124A8 121B	520,4	624,5
0439100	13.6R36	TM300S	TT	127A8 124B	541,2	649,4
1070700	320/85R38 (12.4R38)	TM600	TL	129A8 126B	570,6	684,7
1294700	340/85R38 (13.6R38)	TM600	TL	133A8 130B	674,0	808,8
1293400	380/80R38	TM600	TL	142A8 142B	802,7	963,2
1294800	380/85R38 (14.9R38)	TM600	TL	144A8 144B	861,8	1034,2
0673100	380/85R38 (14.9R38)	MARSHLAND	TL	139A8 139B	1053,5	1264,2
1115100	400/75R38	TM600	TL	138A8 135B	874,3	1049,2
1070400	420/85R38 (16.9R38)	TM600	TL	144A8 141B	1012,3	1214,8
0673200	420/85R38 (16.9R38)	MARSHLAND	TL	144A8 144B	1289,5	1547,4
1070500	460/85R38 (18.4R38)	TM600	TL	149A8 146B	1172,1	1406,5
0673300	460/85R38 (18.4R38)	MARSHLAND	TL	149A8 149B	1443,6	1732,3
0732300	480/70R38	TM700	TL	145A8 145B	1311,0	1573,2
0734600	480/70R38	TM700 PT	TL	145D	1350,3	1620,4
0732700	520/70R38	TM700	TL	150D	1562,4	1874,9
0733700	520/70R38	TM700 PT	TL	150D	1609,3	1931,2
1070600	520/85R38 (20.8R38)	TM600	TL	155A8 152B	1641,8	1970,2
1034500	540/65R38	TM800	TL	147D	1460,9	1753,1
1032800	540/65R38	TM800 HS	TL	153D 150E	1607,2	1928,6
0732800	580/70R38	TM700	TL	155D	2043,1	2451,7
0734400	580/70R38	TM700 PT	TL	155D	2103,7	2524,4
1034600	600/65R38	TM800	TL	153D	1765,2	2118,2
0735600	VF 650/60R38	TM1060	TL	166D	2255,0	2706,0
1034700	650/65R38	TM800	TL	157D	2271,0	2725,2
1199000	650/65R38	TM800 HS	TL	163D 159E	2498,3	2998,0
1330200	IF 650/65R38	TM1000 HP	TL	169D	3186,5	3823,8

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
1295000	650/75R38	TM900 HP	TL	169D 166E	3633,2	4359,8
1293000	650/85R38	TM900 HP	TL	173D 170E	4083,7	4900,4
1330000	IF 710/60R38	TM1000 HP	TL	172D	3250,4	3900,5
0735300	VF 710/60R38	TM1060	TL	171D	3072,4	3686,9
1034800	710/70R38	TM800	TL	166D	3409,2	4091,0
1035000	710/70R38 Sugar Cane	TM800	TL	166D	3648,0	4377,6
1032700	710/70R38	TM800 HS	TL	171D 168E	3750,0	4500,0
1035500	710/70R38 Forage	TM800	TL	175D	3937,5	4725,0
1293100	800/70R38	TM900 HP	TL	178D 175E	5046,8	6056,2
1296600	900/60R38	TM900 HP	TL	178D 175E	5455,9	6547,1
1071100	480/80R42 (18.4R42)	TM600	TL	151A8 151B	1452,3	1742,8
1294900	520/85R42 (20.8R42)	TM600	TL	157A8 157B	1937,6	2325,1
0732900	580/70R42	TM700	TL	158D	2484,6	2981,5
0734000	580/70R42	TM700 PT	TL	158D	2559,1	3070,9
1034900	600/65R42	TM800	TL	154D	2223,1	2667,7
0733100	620/70R42	TM700	TL	166D	2603,7	3124,4
0734100	620/70R42	TM700 PT	TL	166D	2681,5	3217,8
1033000	650/65R42	TM800	TL	158D	2638,4	3166,1
10824000	650/65R42 new 2017	TM800	TL	165D	2770,6	3324,7
0735800	VF 710/60R42	TM1060	TL	173D	3888,4	4666,1
1296300	710/70R42	TM900 HP	TL	173D 170E	4866,4	5839,7
1296800	710/70R42*	TM900 HP	TL	179A8	5080,6	6096,7
1329200	IF 710/70R42	TM1000 HP	TL	179D	5408,4	6490,1
1296100	710/75R42	TM900 HP	TL	175D 172E	5284,3	6341,2
1328700	IF 710/75R42	TM1000 HP	TL	176D	5652,4	6782,9
1296400	900/60R42	TM900 HP	TL	180D 177E	5629,7	6755,6
1329300	IF 900/60R42	TM1000 HP	TL	180D	6267,7	7521,2
10716400	VF 750/70R44 new 2017	TM1060	TL	183D	5911,7	7094,0
1070900	480/80R46 (18.4R46)	TM600	TL	158A8 158B	1594,9	1913,9
1071200	520/85R46 (20.8R46)	TM600	TL	158A8 158B	2142,4	2570,9
1330600	IF 750/75R46	TM1000 HP	TL	186D	6633,0	7959,6
1330100	IF 900/65R46	TM1000 HP	TL	190D	6765,6	8118,7
1071300	480/80R50 (18.4 R50)	TM600	TL	159D	1859,3	2231,2
Radial Implement Tyres						
1324000	500/60R22.5	Twin Radial	TL	155D	933,0	1119,6
1324100	560/60R22.5	Twin Radial	TL	161D	1005,8	1207,0
1324200	580/65R22.5	Twin Radial	TL	159D	1283,9	1540,7
1324400	600/50R22.5	Twin Radial	TL	159D	1370,1	1644,1
1324600	600/55R26.5	Twin Radial	TL	165D	1483,3	1780,0
1330700	680/55R26.5	Twin Radial	TL	171D	1897,2	2276,6
1324500	710/50R26.5	Twin Radial	TL	170D	1974,2	2369,0

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
1324700	650/65R30.5	Twin Radial	TL	176D	2198,6	2638,3
1324800	750/60R30.5	Twin Radial	TL	181D	2531,8	3038,2
1324900	850/50R30.5	Twin Radial	TL	182D	2940,3	3528,4
Tyres for harvesters & heavy equipment						
1033200	540/65R24	TM800	TL	146A8	1041,6	1249,9
1330400	VF 620/70R26 CFO	TM3000	TL	173A8	2323,5	2788,2
1325200	620/75R26 (23.1R26)	TM2000	TL	166A8	2022,3	2426,8
1325400	650/75R32 (24.5R32)	TM2000	TL	172A8	2748,3	3298,0
1331000	650/75R32 (24.5R32)	TM3000	TL	172A8	3022,9	3627,5
1328400	710/75R32	TM2000	TL	177A8	3071,4	3685,7
1326800	800/65R32 (30.5R32)	TM2000	TL	178A8	3651,1	4381,3
1329500	IF 800/65R32 CFO	TM3000	TL	178A8	4215,9	5059,1
1329400	IF 800/70R32 CFO	TM3000	TL	182A8	4993,5	5992,2
1328300	900/60R32	TM2000	TL	181A8	5367,0	6440,4
1329600	VF 1050/50R32TL new 2017	TM3000	TL	198D	7681,1	9217,3
1330900	IF 800/70R38 CFO	TM3000	TL	187A8	5495,4	6594,5
1296800	710/70R42	TM900 HP	TL	179A8	5080,6	6096,7
Row cropping tyres (narrows) for sprayers						
0557200	230/95R32	TM100	TL	128A8 128B	488,5	586,2
0557300	270/95R32	TM100	TL	136A8 136B	592,8	711,4
0557400	230/95R36	TM100	TL	130A8 130B	547,3	656,8
0558100	270/95R38	TM100	TL	140A8 140B	715,2	858,2
0557500	210/95R44	TM100	TL	120A8 120B	539,6	647,5
0557600	230/95R44	TM100	TL	134A8 134B	627,5	753,0
0556800	270/95R44	TM100	TL	142A8 142B	752,3	902,8
0557700	300/95R46	TM100	TL	148A8 148B	964,4	1157,3
0558300	VF 380/90R46	TM150	TL	173D	1706,9	2048,3
0735000	VF 380/105R46 new 2017	TM150	TL	178D	1894,3	2273,2
0557000	230/95R48	TM100	TL	136A8 136B	681,4	817,7
0557800	270/95R48	TM100	TL	144A8 144B	790,9	949,1
0557900	380/90R50	TM100	TL	151A8 151B	1297,9	1557,5
0734900	VF 380/105R50 new 2017	TM150	TL	179D	2050,4	2460,5
0558200	300/95R52	TM100	TL	151A8	1023,3	1228,0
0558000	380/90R54	TM100	TL	152A8 152B	1492,5	1791,0
Radial agro industrial tyres						
1121000	11LR16	TH400	TL	122A8	368,8	442,6
1110000	340/80 R18 (12.5-18)	TH400	TL	143A8 143B	485,4	582,5
1110100	400/70 R18 (15.5/70-18)	TH400	TL	147A8 147B	499,1	598,9
1110200	400/70 R20 (16/70-20)	TH400	TL	149A8 149B	651,4	781,7
1110300	400/70 R24 (16/70-24)	TH400	TL	152A8 152B	678,6	814,3
1110400	440/80 R24 (16.9-24)	TH400	TL	161A8 161B	854,4	1025,3
1110500	460/70 R24 (17.5-24)	TH400	TL	159A8 159B	677,0	812,4
1110600	500/70 R24 (19.5-24)	TH400	TL	164A8 164B	895,1	1074,1
1110700	480/80 R26 (18.4-26)	TH400	TL	160A8 160B	983,5	1180,2
1110800	440/80 28 16.9-28)	TH400	TL	156A8 156B	948,7	1138,4

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
Bias agro industrial backhoe						
1120100	320/80 - 18 (12.5-18)	TB40	TL	139A8	332,2	398,6
1120200	340/80 - 18	TB40	TL	143A8	375,9	451,1
1120000	440/80 - 28 (16.9-28)	TB40	TL	156A8	652,3	782,8
TWIN Forestry tyres						
1283200	400/60-15.5	T404 FS	TL	14PR	394,1	472,9
1106300	500/45-22.5	T404 FS	TT	129A8	847,7	1017,2
1140100	500/60-22.5	T421 SB FS	TT	144A8	1434,1	1720,9
1281100	600/50-22.5	T428 SB FS	TT	149A8	1638,8	1966,6
10716100	600/50-22.5	T480 SB	TT	149A8	1720,9	2065,1
1470000	650/45-22.5	T422 SB FS	TT	150A8	1789,5	2147,4
1101900	650/45-22.5	T440 SB	TT	150A8	1879,0	2254,8
1283100	710/40-22.5	T428 SB FS	TT	151A8	1825,6	2190,7
10716200	710/40-22.5	T480 SB	TT	161A8	2008,3	2410,0
0735900	710/40-24.5	T440 SB FS	TT	163A8	2439,8	2927,8
1283400	710/40-24.5	T428 SB FS	TT	163A8	2324,4	2789,3
0736000	710/40-24.5	T480 SB	TT	163A8	2439,8	2927,8
1283500	600/55-26.5	T422 SB FS	TT	165A8	2468,1	2961,7
0736100	600/55-26.5	T440 SB FS	TT	165A8	2468,1	2961,7
1281800	600/55-26.5	T428 SB FS	TT	165A8	2562,7	3075,2
0736200	600/55-26.5	T480 SB	TT	165A8	2562,7	3075,2
1471600	710/45-26.5	T422 SB FS	TT	163A8	2511,7	3014,0
1401900	710/45-26.5	T422 SB FS	TT	168A8	2644,4	3173,3
0734200	710/45-26.5	T440 SB FS	TT	168A8	2775,6	3330,7
1471000	710/45-26.5	T428 SB FS	TT	163A8	2512,2	3014,6
1401800	710/45-26.5	T428 SB FS	TT	168A8	2644,4	3173,3
0734300	710/45-26.5	T480 SB FS	TT	168A8	2775,6	3330,7
0736300	710/45-26.5	T480 SB FS	TT	173A8	2942,1	3530,5
1401400	750/50-26.5	T428 SB FS	TT	174A8	3228,1	3873,7
0736400	750/50-26.5	T480 SB FS	TT	182A8	3389,2	4067,0
10716000	800/40-26.5	T440 SB	TL	170A8	3050,2	3660,2
10709200	800/40-26.5	T480 SB	TL	170A8	3050,2	3660,2
0736500	780/50-28.5	T480 SB FS	TT	182A8	3677,1	4412,5
1106500	600/60-30.5	T414 FS	TL	153A8	1842,5	2211,0
1482800	710/50-30.5	T428 SB FS	TT	173A8	2829,4	3395,3
1102400	750/45-30.5	T428 SB FS	TT	173A8	3228,1	3873,7
1469700	600/65-34	T422 SB FS	TT	157A8	2773,2	3327,8
10716300	600/65-34	T440 SB	TL	163A8	2911,8	3494,2
1285100	710/55-34	T422 SB FS	TT	161A8	3085,1	3702,1
10709400	710/55-34	T440 SB	TL	167A8	3332,0	3998,4
Agroforestry Tyres						
1298900	320/85-24 (12.4-24)	T410 AGF	TT	127A8	536,4	643,7
1299000	380/85-24 (14.9-24)	T410 AGF	TT	137A8	734,3	881,2
10717000	380/85-24 (14.9-24)	T410 AGF	TT	143A8	771,1	925,3
1299100	380/85-28 (14.9-28)	T410 AGF	TT	139A8	821,1	985,3
1299200	420/85-28 (16.9-28)	T410 AGF	TT	144A8	945,3	1134,4

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
1299300	420/85-30 (16.9-30)	T410 AGF	TT	145A8	1035,9	1243,1
1299400	460/85-30 (18.4-30)	T410 AGF	TT	150A8	1263,4	1516,1
1299500	420/85-34 (16.9-34)	T410 AGF	TT	147A8	1168,6	1402,3
10717100	420/85-34 (16.9-34)	T410 AGF	TT	153A8	1227,1	1472,5
1299600	460/85-34 (18.4-34)	T410 AGF	TT	152A8	1296,5	1555,8
1299700	420/85-38 (16.9-38)	T410 AGF	TT	149A8	1284,7	1541,6
1299800	460/85-38 (18.4-38)	T410 AGF	TT	154A8	1563,9	1876,7
1299900	520/85-38 (20.8-38)	T410 AGF	TT	160A8	1870,5	2244,6
Skidder						
1282200	23.1-26	T418 FS	TT	16PR	2363,6	2836,3
1282700	28L-26	T418 FS	TT	20PR	3104,6	3725,5
1118800	28L-26	T418 FS	TL	26PR	3197,2	3836,6
1282500	24.5-32	T418 FS	TT	16PR	2976,2	3571,4
1282300	30.5L-32	T418 FS	TT	20PR	3704,1	4444,9
1282800	30.5L-32	T418 FS	TT	26PR	4019,4	4823,3
1282900	35.5L-32	T418 FS	TL	24PR	5615,7	6738,8
TWIN Tractor Tyres						
1297000	400/55-17.5	T414	TL	125A8	463,6	556,3
1108100	600/55-26.5	T414	TL	148A8	1536,0	1843,2
1108200	600/55-30.5	T414	TL	150A8	1764,4	2117,3
1108300	600/60-30.5	T414	TL	153A8	1809,9	2171,9
1108600	800/55-30.5	T414	TL	172A8	2950,7	3540,8
1274900	900/60-32	T414	TL	176A8	3924,2	4709,0
1108900	710/65-38	T414	TL	162A8	2829,1	3394,9
1109100	850/50-38	T414	TL	163A8	3132,8	3759,4
1109200	850/60-38	T414	TL	175A8	3680,9	4417,1
1109300	850/55-42	T414	TL	161A8	3407,0	4088,4
Tractor Industrial tyres						
1402200	600/50-22.5	T428 EXC	TL	161A8	1887,8	2265,4
1116000	600/50-22.5 new	T480 EXC	TL	173A8	2020,2	2424,2
1402300	650/45-22.5 phase out	T422 EXC	TL	162A8	1980,8	2377,0
1116100	650/45-22.5 new 2017	T440 EXC	TL	175A8	2120,1	2544,1
1402400	710/40-22.5 phase out	T428 EXC	TL	163A8	2237,6	2685,1
10717300	710/40-22.5	T480 EXC	TL	176A8	2393,8	2872,6
10717200	600/65-34TL 175A8 T440 LD S	T440 LD SB	TL	175A8	2456,3	2947,6
1107600	620/60B34	T459 HD	TL	175A8	2276,4	2731,7
TWIN AMPT tyres						
1106700	620/50 B 22.5	T423	TL	160D	1240,6	1488,7
1102600	650/45 B 22.5	T440	TL	160D	1721,9	2066,3
1106800	710/40 B 22.5	T423	TL	161D	1551,2	1861,4
1106900	620/55 B 26.5	T421	TL	166D	1612,7	1935,2
1107000	650/55 B 30.5	T428	TL	168D	1734,0	2080,8
1102700	750/50 B 30.5	T428	TL	173D	1977,1	2372,5
1107100	850/45 B 30.5	T423	TL	176D	2312,1	2774,5
TWIN Implement tyres						
1143100	280/60-15.5	T421	TL	115A8	259,7	311,6

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
1137700	280/60-15.5	T421	TL	125A8	276,0	331,2
1473500	280/60-15.5	T478	TT	128A8	276,0	331,2
1480300	400/45-15.5	T423	TL	116A8	286,2	343,4
1468700	400/60-15.5	T404	TL	145A8	266,1	319,3
1470700	400/60-15.5	T404	TL	148A8	292,9	351,5
1219000	400/60-15.5	T478	TL	145A8	268,8	322,6
6134700	420/55-17	T421	TL	133A8	306,2	367,4
1473600	400/55-17.5	T404	TT	131A8	383,4	460,1
6134000	400/55-22.5	T404	TL	147A8	478,1	573,7
6134100	500/45-22.5	T404	TL	146A8	612,2	734,6
1103100	560/45-22.5	T404	TL	154A8	696,8	836,2
1103000	500/60-22.5	T404	TL	155A8	660,2	792,2
1473900	500/60-22.5	T421	TL	155A8	688,5	826,2
1103200	560/60-22.5	T404	TL	158A8	702,8	843,4
1103300	560/60-22.5	T404	TL	167A8	732,4	878,9
1103400	600/50-22.5	T404	TL	156A8	854,2	1025,0
1103600	600/50-22.5	T423	TL	156A8	944,1	1132,9
1115900	600/50-22.5	T404	TL	165A8	930,1	1116,1
1103700	710/40-22.5	T404	TL	158A8	995,2	1194,2
1103900	400/60-26.5	T404	TT	147A8	600,2	720,2
1474800	500/60-26.5	T421	TL	159A8	978,0	1173,6
1104100	600/55-26.5	T404	TL	166A8	1055,7	1266,8
1104200	600/55-26.5	T421	TL	166A8	1153,2	1383,8
1104300	600/55-26.5	T421	TL	173A8	1180,3	1416,4
1104400	710/45-26.5 (3)	T404	TL	169A8	1186,3	1423,6
1104500	710/45-26.5 (4)	T423	TL	169A8	1330,6	1596,7
1104600	800/40-26.5	T404	TL	172A8	1450,5	1740,6
1104700	800/40-26.5	T423	TL	172A8	1651,4	1981,7
1475500	600/60-30.5	T421	TL	171A8	1433,0	1719,6
1279200	650/65-30.5	T404	TL	173A8	1611,8	1934,2
1105100	710/50-30.5	T404	TL	175A8	1670,5	2004,6
1105200	710/50-30.5	T423	TL	175A8	1848,0	2217,6
1105300	750/60-30.5	T404	TL	178A8	1892,4	2270,9
1105500	800/45-30.5	T404	TL	178A8	1892,4	2270,9
1105600	800/45-30.5	T423	TL	178A8	1980,8	2377,0
1105700	850/50-30.5	T404	TL	179A8	2101,2	2521,4
Implement - Standard tyres						
1465000	200/95-12 (7.00-12)	T307	TL	97A8	82,7	99,2
1327000	200/95-12 (7.00-12)	AF302	TL	101A8	83,2	99,8
1469200	10.0/80-12	AW305	TL	8PR	90,7	108,8
1469300	10.0/80-12	AW305	TL	10PR	111,6	133,9
1327100	260/90-13 (9.00-13)	AF302	TL	121A8	127,1	152,5
1325900	260/70-15.3 (10.0/75-15.3)	AW305	TL	116A8	110,6	132,7
1326100	260/70-15.3 (10.0/75-15.3)	AW305	TL	126A8	115,9	139,1
1326200	260/70-15.3 (10.0/75-15.3)	AW305	TL	131A8	130,1	156,1
1326500	300/80-15.3 (11.5/80-15.3)	T452	TL	123A8	200,9	241,1

	Rehvi mõõt	Muster	TL TT	Kiirus / Koormus	Hind km.-ta	Hind km.-ga
1328500	300/80-15.3 (11.5/80-15.3)	T452	TL	141A8	221,0	265,2
1326600	300/80-15.3 (11.5/80-15.3)	AW305	TL	132A8	154,6	185,5
1326700	300/80-15.3 (11.5/80-15.3)	AW305	TL	141A8	171,3	205,6
1327200	320/80-15.3 (12.5/80-15.3)	AW305	TL	145A8	197,4	236,9
1327300	180/90-16 (6.00-16)	AF302	TL	100A8	81,5	97,8
1327400	190/90-16 (6.50-16)	AF302	TL	108A8	90,7	108,8
1327500	200/90-16 (7.00-16)	AF302	TL	111A8	104,4	125,3
1327600	210/95-16 (7.50-16)	AF302	TL	120A8	127,1	152,5
1326400	260/70-16 (10.5/65-16)	AW305	TL	134A8	137,8	165,4
1327700	340/55-16 (13.0/55-16)	AW305	TL	140A8	183,9	220,7
10716800	340/55-16 (13.0/55-16)	AW309	TL	140A8	183,9	220,7
1327900	360/65-16 (14.0/65-16)	AW305	TL	148A8	224,7	269,6
1327800	360/70-16 (13.0/75-16)	AW305	TL	137A8	211,6	253,9
1298400	380/55-17 (15.0/55-17)	AW305	TL	138A8	240,7	288,8
1323100	420/55-17	T452	TL	143A8	402,2	482,6
1468800	480/45-17 (19.0/45-17)	AW305	TL	146A8	363,5	436,2
1323000	500/50-17	AW309	TL	149A8	408,7	490,4
1323200	520/50-17 (500/50-17)	T306	TL	159A8	459,9	551,9
Implement - High Speed						
0210400	555/45-17	RT HS	TL	154F	907,7	1089,2
TWIN Industrial tyre						
1107700	23.1-26	T409	TL	158A8	1213,2	1455,8
TWIN Garden Tractor tyres						
1102900	400/55-17.5	T404GT	TL	108A8	357,4	428,9
1109500	400/55-22.5	T404GT	TL	111A8	457,1	548,5
1109600	500/45-22.5	T404GT	TL	117A8	594,2	713,0
1109800	500/60-22.5	T404GT	TL	126A8	776,8	932,2
1109700	560/45-22.5	T404GT	TL	125A8	746,1	895,3
1106000	560/60-22.5	T404GT	TL	134A8	944,1	1132,9
1106100	23.1-26	T409GT	TL	145A8	1357,2	1628,6
1106200	600/60-30.5	T404GT	TL	142A8	1596,6	1915,9