

# SRÜ REHVIDE HINNAKIRI APRILL 2019

*Kehitib alates 01.04.2019*

**BALTYRE EESTI AS, RINGTEE 61A, TARTU tel 7472652**

tootja	mõõt	PR	muster	EUR	EUR +20%
<b>REHVID SÕIDU- JA PAKIAUTODELE</b>					
	215/90-15C (8.40-15)	Ja-245-1		69,3	83,2
	215/90-15C (8.40-15)	JA-192		79,0	94,8
	225/85R15C	I-502		78,1	93,7
	6.95-16 (175/80-16)	VLI-5		47,3	56,7
kama	175/80R16	I511 M+S		61,9	74,3
altai	175/80R16	Forward Arctic 511 M+S TT		54,2	65,0
	175/80R16	Vli-10 TT		49,1	58,9
<b>REHVID VEOAUTODELE</b>					
voltyre	8.25-15 12PR	LF-268		138,5	166,2
voltyre	8.25-15 14PR	LF-268		138,5	166,2
voltyre	10.0/75-15.3	F-201 PR10		104,2	125,0
	12.00-18	Forward Traction 70/ K-70		229,0	274,8
omsk	7,50-20	IJa-112A		117,3	140,7
kama	8.25R20	U-2		112,5	135,0
kama	9.00R20	IN142-BM		147,3	176,7
kama	9.00R20	O-40BM		137,1	164,6
kama	10.00R20	I-A185		169,3	203,1
kama	10.00R20	OI-73-B		169,5	203,4
kama	10.00R20	U-4		185,1	222,1
kama	11.00R20	I-111AM		194,6	233,5
kama	11.00R20	I-68A		210,7	252,8
kama	12.00R20	I-368		257,5	309,0
kama	12.00R20 16PR	U-4		249,0	298,8
kama	12.00R20 18PR	U-4		249,0	298,8
kama	12.00R20	Kama 402		248,4	298,1
	12.00-20	M93		242,0	290,4
	14.00-20 14PR	OI-25		309,0	370,8
voltyre	14.00-20	Ja-307		360,7	432,9
kama	500/70-20 (1200X500X508)	ID-P284		528,6	634,3
kama	1220X400-533	I-P184-1		452,1	542,5
kama	530/70-21 (1300X530X533)	KAMA-410		522,4	626,9
<b>REHVID TRAKRORITELE JA PÕLLUMAJANDUSTEHNİKALE</b>					
voltyre	5,00-10	V19AM		25,8	31,0
	6,25-10	V-97A		77,1	92,5
voltyre	8.25-15	Ja372 8PR		86,5	103,8
voltyre	10.0/75-15.3	TVL-2 PR 8		80,2	96,3
voltyre	10.0/75-15.3	TVL-2 PR10		80,2	96,3
voltyre	10.0/75-15.3	TVL-2 PR 12		89,7	107,6
voltyre	10.0/75-15.3	VL-30 PR 8		96,3	115,6
voltyre	10.0/75-15.3	VL-30 PR 10		96,3	115,6
voltyre	10.0/75-15.3	VL-30 PR 12		99,4	119,3
voltyre	6.00-16	L-225A PR 6		49,4	59,2
voltyre	6.50-16	Ja387		57,2	68,7
voltyre	7.50-16	JaF399		85,0	102,0
	7,50L-16 4PR	Fbel-253M TT		83,4	100,1
voltyre	9.00-16	Ja-324A PR10		97,3	116,8
voltyre	9.00-16	IR-107 10PR		89,5	107,4
altai	12.00-16	L-163		112,6	135,2
voltyre	12,00-16	IR-110 Tyrex Agro		112,2	134,7
belshina	12,4L-16	Fbel-160M		183,1	219,7
voltyre	13.0/75-16	VL-38 (I.130)		127,4	152,8
	16.5/70-18 10PR	KF-97		260,7	312,9

belshina	16,5/70-18 14PR	KF-97	309,3	371,2
	15,5/65-18	KF105	225,3	270,4
voltyre	7.50-20	VL-49	85,8	102,9
voltyre	7.50-20	V103	85,8	102,9
voltyre	8.3-20	V-105A	104,7	125,6
voltyre	9.00-20	VL-45	101,5	121,8
voltyre	10.00-20 16PR	DT-114 Tyrex (Excavator)	223,7	268,5
voltyre	11.2-20	F-35	130,9	157,1
voltyre	11.2-20	VL-40	114,8	137,8
belshina	13,6-20	BEL-17	241,9	290,3
altai	13,6-20	Nortec TA-02	210,1	252,1
rosava	13,6R20	F331	245,5	294,6
voltyre	360/70R20	VL-44 ( I 120)	298,8	358,6
belshina	16,0-20	F-64GL 8PR	285,0	342,0
belshina	16,0-20	F-64GL 12PR	319,8	383,8
belshina	22/70-20	F-118	564,6	677,5
voltyre	14,9R24	TR 105 Tyrex Agro	305,0	366,0
voltyre	360/70R24	VL-44 ( I 122)	286,3	343,6
altai	360/70R24	Nortec AC203	274,9	329,8
belshina	360/70R24 LS 122A8	Bel89	460,8	553,0
voltyre	380/70R24	VL-44 ( I 125)	309,2	371,1
voltyre	420/70R24	DR106 Tyrex Agro	324,6	389,5
belshina	420/70R24 LS 130A8	Bel90	570,5	684,6
voltyre	18,4R24	DR-105 Tyrex Agro	398,7	478,4
voltyre	21,3R24 10PR	DR-108 140A8 Tyrex Agro TT	466,6	559,9
voltyre	21,3R24 12PR	DR-108 158A8 Tyrex Agro TL	475,9	571,1
belshina	29,5/75R25	BEL-26	2815,2	3378,2
voltyre	23,1-26	Ja242 12PR	794,8	953,7
voltyre	28.1R26 158A8	FD-12M	886,1	1063,3
voltyre	28.1R26 173A8	FD-12M	1074,2	1289,1
altai	28,1 R 26	Nortec TA-02	843,7	1012,4
voltyre	28.1R26	VL-41 I 158	798,2	957,8
belshina	28LR26	Bel-83M	1084,0	1300,8
voltyre	620/75R26	DR-11 Tyrex Agro	849,3	1019,1
voltyre	600/55-26.5	DT112 Tyrex WOODCRAFT	881,8	1058,2
voltyre	700/50-26.5	DT113 Tyrex WOODCRAFT	1059,6	1271,5
voltyre	12,4R28	JaF 394	286,3	343,6
voltyre	420/85R28	DR-109 Tyrex Agro	412,1	494,5
voltyre	420/70R28	Ja-428	447,6	537,1
voltyre	600/65R28	DR-109 Tyrex Agro	843,0	1011,6
belshina	14,9R30	Bel-163	477,5	573,0
voltyre	16.9R30	VL-29 PR 8	464,6	557,5
voltyre	16.9R30	VL-29 PR14	519,1	622,9
voltyre	18.4L30	Ja-319 PR8	543,8	652,5
voltyre	18.4L30	Ja-319 PR10	543,8	652,5
voltyre	18.4L30	Ja-319 PR12	579,2	695,1
voltyre	18.4R30	FVL-234 PR 8	611,6	733,9
voltyre	18.4R30	FVL-234 PR 10	657,8	789,4
voltyre	18.4R30	FVL-234 PR 14	742,6	891,1
voltyre	480/70R30	VL-44 ( I141)	503,2	603,8
voltyre	9,5-32 8PR	DN104B Tyrex Agro	175,9	211,1
altai	9,5-32	V110	174,8	209,8
voltyre	9,5R32	DN104 Tyrex Agro	189,3	227,1
voltyre	650/75R32 172A8 TL	DF101 Tyrex Agro	1080,4	1296,5
rosava	650/75R32 172A8 TT	DR-07	1109,8	1331,8
rosava	30,5R32 167A8	F81	1141,4	1369,6
voltyre	800/65R32 167A8 TL/TT	DR103 Tyrex Agro	1236,1	1483,3
rosava	800/65R32 172A8 TT	CM101	1240,8	1488,9
voltyre	800/65R32 172A8 TL	DF101 Tyrex Agro	1226,1	1471,4
voltyre	800/65R32 172A8 TL	DR103 Tyrex Agro	1226,1	1471,4

voltyre	16.9R34	VL-26 PR 8	<b>586,7</b>	<b>704,0</b>
voltyre	18.4R34	VL-31 PR 8	<b>576,4</b>	<b>691,6</b>
altai	18,4R34	NorTec TA-03 8PR 144A8	<b>554,6</b>	<b>665,5</b>
belshina	18,4R34	F11 8PR	<b>588,6</b>	<b>706,3</b>
voltyre	18.4R34	VL-31 PR 14	<b>637,5</b>	<b>765,0</b>
voltyre	480/70R34	VL-44 ( I143)	<b>668,4</b>	<b>802,1</b>
voltyre	13.6-38	Ja-166 PR6	<b>260,2</b>	<b>312,2</b>
voltyre	13.6R38	JaF318	<b>285,0</b>	<b>342,0</b>
voltyre	15.5-38	F-2AD PR 8	<b>290,2</b>	<b>348,3</b>
voltyre	15.5R38	F-2A 8PR	<b>319,8</b>	<b>383,7</b>
voltyre	16.9R38	VL-28 PR 8	<b>460,7</b>	<b>552,9</b>
belshina	16,9R38	F52	<b>507,2</b>	<b>608,7</b>
voltyre	18.4R38	VL-32 PR8	<b>582,5</b>	<b>699,1</b>
belshina	18,4R38	F111	<b>610,1</b>	<b>732,1</b>
voltyre	18.4R38	VL-32 PR16	<b>643,7</b>	<b>772,4</b>
belshina	20,8R38	BEL15	<b>978,8</b>	<b>1174,6</b>
voltyre	520/85R38 (20,8R38)	DR109 Tyrex Agro	<b>854,5</b>	<b>1025,4</b>
voltyre	480/70R38	VL-44 ( I145)	<b>664,7</b>	<b>797,7</b>
belshina	520/70R38	BEL111	<b>825,8</b>	<b>991,0</b>
belshina	520/70R38 LS 150A8	BEL111	<b>880,5</b>	<b>1056,6</b>
voltyre	710/70R38	DR109 Tyrex Agro	<b>1155,8</b>	<b>1386,9</b>
voltyre	9,5-42	Ja183	<b>265,5</b>	<b>318,6</b>
belshina	580/70R42	Bel126 158A8	<b>1249,4</b>	<b>1499,3</b>