

# BRIDGESTONE talv (sõidu-, paki-, 4x4 rehvid)

Kehtib alates 01.08.2019



Mõõt	Muster	Kiirus/ koormus	RFT	Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
<b>SÕIDUAUTOREHVID</b>									
<b>WINTER</b>									
15164	165/70 R14	LM005	85 T	XL	C	A	70 2	67,-	81,-
15166	175/70 R14	LM005	84 T		C	A	70 2	79,-	95,-
16790	175/70 R14	ICE	88 S	XL	F	F	71 2	79,-	94,-
15165	175/70 R14	LM005	88 T	XL	C	A	70 2	85,-	102,-
7654	185/70 R14	LM001	88 T		E	C	71 2	92,-	110,-
16795	185/70 R14	ICE	92 S	XL	F	F	71 2	81,-	97,-
8011	195/70 R14	LM20	91 T		E	C	72 2	93,-	111,-
9079	155/65 R14	NOR1	75 T		in preparation			73,-	87,-
15138	155/65 R14	LM005	79 T	XL	C	A	70 2	64,-	76,-
15139	165/65 R14	LM005	79 T		in preparation			73,-	87,-
13992	175/65 R14	LM005	82 T		C	A	71 2	64,-	76,-
16602	175/65 R14	ICE	86 T	XL	F	F	71 2	76,-	91,-
9012	175/65 R14	NOR1	86 T	XL	in preparation			80,-	96,-
15163	185/65 R14	LM005	86 T		C	A	70 2	77,-	92,-
16792	185/65 R14	ICE	90 T	XL	in preparation			82,-	99,-
9014	185/65 R14	NOR1	90 T	XL	in preparation			85,-	102,-
15137	185/60 R14	LM005	82 T		C	A	70 2	73,-	88,-
15171	165/65 R15	LM005	81 T		in preparation			75,-	90,-
7868	175/65 R15	WS80	84 H		F	F	71 2	79,-	95,-
15172	175/65 R15	LM005	88 T	XL	C	A	70 2	68,-	82,-
9619	185/65 R15	LM001	88 T		C	B	71 2	69,-	82,-
15173	185/65 R15	LM005	88 T		C	A	71 2	69,-	82,-
15174	185/65 R15	LM005	92 T	XL	C	A	70 2	79,-	95,-
16586	185/65 R15	ICE	92 T	XL	F	F	71 2	84,-	101,-
9013	185/65 R15	NOR1	92 T	XL	in preparation			87,-	104,-
3018	195/65 R15	LM32	91 H		F	C	72 2	82,-	98,-
15296	195/65 R15	LM005	91 H		C	A	71 2	82,-	98,-
4375	195/65 R15	LM32	91 T		F	C	71 2	69,-	83,-
15291	195/65 R15	LM005	91 T		C	A	71 2	66,-	79,-
15290	195/65 R15	LM005	95 T	XL	C	A	71 2	77,-	93,-
16598	195/65 R15	ICE	95 T	XL	F	F	72 2	89,-	107,-
9011	195/65 R15	NOR1	95 T	XL	in preparation			93,-	112,-
15297	205/65 R15	LM005	94 H		C	A	71 2	118,-	142,-
15292	205/65 R15	LM005	94 T		C	A	71 2	110,-	132,-
9022	205/65 R15	NOR1	99 T	XL	in preparation			112,-	134,-
15168	185/60 R15	LM005	84 T		C	A	70 2	73,-	88,-
5557	185/60 R15	LM32	88 H	XL	E	C	71 2	88,-	106,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
15169	185/60 R15	LM005	88	T		XL	C	A	70	2	75,-	90,-
16593	185/60 R15	ICE	88	T		XL	F	F	71	2	77,-	93,-
9023	185/60 R15	NOR1	88	T		XL	in preparation				86,-	103,-
17708	195/60 R15	LM005	88	H			C	A	71	2	93,-	112,-
15170	195/60 R15	LM005	88	T			C	A	71	2	82,-	98,-
16793	195/60 R15	ICE	92	H		XL	F	F	72	2	88,-	106,-
9018	195/60 R15	NOR1	92	T		XL	in preparation				88,-	105,-
13632	185/55 R15	ICE	82	S			F	F	71	2	98,-	118,-
15167	185/55 R15	LM005	82	T			C	A	70	2	97,-	116,-
17705	185/55 R15	LM005	86	H		XL	C	A	70	2	106,-	128,-
9076	185/55 R15	NOR1	86	T		XL	in preparation				101,-	121,-
15295	195/55 R15	LM005	85	H			C	A	71	2	108,-	129,-
13633	195/55 R15	ICE	85	S			F	F	72	2	104,-	125,-
8492	205/70 R16	LM001	97	H			E	C	72	2	110,-	132,-
13567	215/70 R16	LM001	104	H		XL	in preparation				135,-	163,-
8408	205/65 R16	LM001	95	H			C	B	72	2	140,-	168,-
16794	205/65 R16	ICE	99	S		XL	F	F	72	2	129,-	155,-
16599	215/65 R16	ICE	102	S		XL	F	F	72	2	119,-	143,-
9620	185/60 R16	LM001	86	H			C	B	71	2	107,-	129,-
1122	195/60 R16	LM25	89	H			F	B	72	2	118,-	142,-
15308	195/60 R16	LM005	89	H			C	A	71	2	115,-	138,-
6188	205/60 R16	LM32	92	H			E	C	70	2	109,-	131,-
8410	205/60 R16	LM001	92	H			C	B	72	2	109,-	131,-
10084	205/60 R16	LM001	92	H			C	B	72	2	104,-	125,-
15309	205/60 R16	LM005	92	H			C	A	71	2	104,-	125,-
8681	205/60 R16	LM001	92	H	RFT		E	B	72	2	130,-	156,-
9998	205/60 R16	LM001	92	H			E	B	72	2	109,-	131,-
15310	205/60 R16	LM005	96	H		XL	C	A	71	2	108,-	129,-
16711	205/60 R16	LM005DG	96	H	RFT	XL	E	A	71	2	120,-	144,-
17053	205/60 R16	LM001	96	H		XL	C	B	72	2	113,-	136,-
9999	205/60 R16	LM001	96	H	RFT	XL	C	B	72	2	134,-	160,-
16591	205/60 R16	ICE	96	T		XL	F	F	72	2	118,-	141,-
9015	205/60 R16	NOR1	96	T		XL	in preparation				125,-	150,-
15311	215/60 R16	LM005	99	H		XL	C	A	71	2	132,-	158,-
16710	215/60 R16	LM005DG	99	H	RFT	XL	E	A	71	2	147,-	177,-
7882	215/60 R16	WS80	99	T		XL	F	F	72	2	140,-	168,-
9019	215/60 R16	NOR1	99	T		XL	in preparation				147,-	176,-
16589	215/60 R16	ICE	99	T		XL	F	F	72	2	140,-	168,-
5494	225/60 R16	LM32	98	H			F	E	71	2	148,-	178,-
13628	225/60 R16	ICE	98	S			F	F	72	2	153,-	184,-
9077	225/60 R16	NOR1	102	T		XL	in preparation				163,-	196,-
13622	185/55 R16	ICE	83	S			F	F	71	2	108,-	129,-
7528	185/55 R16	LM25	87	T		XL	F	C	71	2	107,-	129,-
9214	195/55 R16	LM001	87	H	RFT		E	C	72	2	136,-	163,-
15301	195/55 R16	LM005	87	H			C	A	71	2	115,-	138,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
15302	195/55 R16	LM005	91	H		XL	C	A	71	2	130,-	156,-
16700	195/55 R16	LM005DG	91	H	RFT	XL	E	A	71	2	128,-	153,-
16601	195/55 R16	ICE	91	T		XL	F	F	72	2	121,-	145,-
9026	195/55 R16	NOR1	91	T		XL	in preparation				124,-	149,-
13563	195/55 R16	LM001	91	V		XL	E	B	71	2	139,-	167,-
5493	205/55 R16	LM32	91	H			E	C	71	2	106,-	128,-
9213	205/55 R16	LM001	91	H			E	B	72	2	106,-	128,-
13975	205/55 R16	LM005	91	H			C	A	71	2	101,-	122,-
14149	205/55 R16	LM001E	91	H			C	B	72	2	106,-	128,-
10028	205/55 R16	LM001	91	H	RFT		C	B	72	2	129,-	155,-
13624	205/55 R16	ICE	91	S			F	F	72	2	118,-	141,-
15293	205/55 R16	LM005	91	T			C	A	71	2	99,-	119,-
13565	205/55 R16	LM001	91	V			in preparation				97,-	116,-
15304	205/55 R16	LM005	94	H		XL	C	A	71	2	115,-	138,-
7891	205/55 R16	WS80	94	T		XL	F	F	72	2	116,-	139,-
9008	205/55 R16	NOR1	94	T		XL	in preparation				120,-	144,-
16594	205/55 R16	ICE	94	T		XL	F	F	72	2	116,-	139,-
15303	205/55 R16	LM005	94	V		XL	C	A	71	2	136,-	163,-
16712	205/55 R16	LM005DG	94	V	RFT	XL	C	A	71	2	114,-	137,-
15306	215/55 R16	LM005	93	H			C	A	71	2	134,-	160,-
15305	215/55 R16	LM005	97	H		XL	C	A	71	2	140,-	169,-
16701	215/55 R16	LM005DG	97	H	RFT	XL	C	A	71	2	149,-	179,-
9021	215/55 R16	NOR1	97	T		XL	in preparation				137,-	165,-
17704	215/55 R16	LM005	97	V		XL	C	A	71	2	161,-	193,-
7957	225/55 R16	LM001	95	H			E	C	72	2	133,-	159,-
5233	225/55 R16	LM32	95	H	RFT		F	C	72	2	160,-	192,-
5234	225/55 R16	LM32	95	H			F	E	72	2	140,-	167,-
7961	225/55 R16	LM001	99	H		XL	E	C	72	2	134,-	161,-
2213	225/55 R16	LM32	99	H		XL	E	E	71	2	141,-	169,-
16585	225/55 R16	ICE	99	T		XL	F	F	72	2	143,-	172,-
9030	225/55 R16	NOR1	99	T		XL	in preparation				149,-	178,-
5491	195/50 R16	LM32	88	H		XL	F	C	71	2	144,-	173,-
15300	195/50 R16	LM005	88	H		XL	C	A	71	2	137,-	165,-
9071	195/50 R16	NOR1	88	T		XL	in preparation				136,-	163,-
15298	195/45 R16	LM005	84	H		XL	C	A	71	2	115,-	138,-
9600	215/45 R16	LM32	90	V		XL	E	C	72	2	170,-	203,-
9223	215/65 R17	LM001	99	H	SLT		C	B	71	2	184,-	221,-
9360	215/65 R17	LM001	99	H			C	B	71	2	176,-	211,-
9105	225/65 R17	WS80	102	H			F	F	72	2	178,-	214,-
13571	225/65 R17	LM001	102	H			in preparation				175,-	210,-
7672	205/60 R17	LM001	93	H			C	B	72	2	162,-	194,-
15330	205/60 R17	LM005	93	H			C	A	71	2	162,-	194,-
9098	215/60 R17	WS80	96	T			F	F	72	2	152,-	182,-
16791	215/60 R17	ICE	100	T		XL	F	F	72	2	169,-	202,-
9100	225/60 R17	WS80	99	H			F	F	72	2	165,-	198,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
9359	225/60 R17	LM001	99	H			C	B	72	2	201,-	241,-
13570	225/60 R17	LM001	99	H			in preparation				191,-	230,-
16584	225/60 R17	ICE	99	H			F	F	72	2	165,-	198,-
9364	205/55 R17	LM001	91	H			C	B	71	2	168,-	201,-
15324	205/55 R17	LM005	95	V		XL	C	A	71	2	168,-	202,-
16702	205/55 R17	LM005DG	95	V	RFT	XL	in preparation				187,-	225,-
8411	215/55 R17	LM001	94	V			E	C	72	2	168,-	202,-
17710	215/55 R17	LM005	98	H		XL	C	A	71	2	166,-	199,-
16600	215/55 R17	ICE	98	T		XL	F	F	72	2	158,-	189,-
9025	215/55 R17	NOR1	98	T		XL	in preparation				169,-	202,-
13383	215/55 R17	LM001	98	V		XL	C	C	72	2	164,-	197,-
15325	215/55 R17	LM005	98	V		XL	C	A	71	2	164,-	197,-
16705	215/55 R17	LM005DG	98	V	RFT	XL	in preparation				183,-	220,-
8409	225/55 R17	LM001	97	H			C	B	72	2	164,-	197,-
8687	225/55 R17	LM001	97	H	RFT		E	B	72	2	193,-	231,-
9210	225/55 R17	LM001	97	H			C	B	72	2	164,-	197,-
13569	225/55 R17	LM001	97	H			in preparation				156,-	187,-
15326	225/55 R17	LM005	97	H			C	A	71	2	156,-	187,-
10085	225/55 R17	LM001	97	V			E	B	72	2	178,-	214,-
16587	225/55 R17	ICE	101	T		XL	F	F	72	2	169,-	202,-
9027	225/55 R17	NOR1	101	T		XL	in preparation				178,-	213,-
15327	225/55 R17	LM005	101	V		XL	B	A	71	2	159,-	191,-
16704	225/55 R17	LM005DG	101	V	RFT	XL	C	A	71	2	178,-	213,-
15328	235/55 R17	LM005	99	H			C	A	72	2	180,-	216,-
16596	235/55 R17	ICE	103	T		XL	F	F	72	2	179,-	214,-
15329	235/55 R17	LM005	103	V		XL	B	A	72	2	181,-	218,-
1124	205/50 R17	LM25	89	H	RFT		F	E	72	2	182,-	219,-
5490	205/50 R17	LM32	93	H		XL	E	C	71	2	150,-	180,-
9075	205/50 R17	NOR1	93	T		XL	in preparation				169,-	203,-
15319	205/50 R17	LM005	93	V		XL	C	A	71	2	153,-	184,-
9028	215/50 R17	NOR1	95	T		XL	in preparation				179,-	215,-
15320	215/50 R17	LM005	95	V		XL	C	A	71	2	155,-	186,-
6186	225/50 R17	LM32	94	H	EXT		F	C	72	2	178,-	213,-
14050	225/50 R17	LM32	94	H			E	C	72	2	144,-	173,-
6834	225/50 R17	LM001	94	H	RFT		E	B	72	2	178,-	213,-
8782	225/50 R17	LM001	98	H		XL	E	C	71	2	159,-	191,-
15321	225/50 R17	LM005	98	H		XL	C	A	71	2	152,-	182,-
9997	225/50 R17	LM001	98	H		XL	C	B	72	2	159,-	191,-
10000	225/50 R17	LM001	98	H	RFT	XL	C	B	72	2	203,-	244,-
16588	225/50 R17	ICE	98	T		XL	F	F	72	2	174,-	209,-
9024	225/50 R17	NOR1	98	T		XL	in preparation				179,-	215,-
15322	225/50 R17	LM005	98	V		XL	C	A	71	2	155,-	186,-
16703	225/50 R17	LM005DG	98	V	RFT	XL	in preparation				173,-	207,-
79077	245/50 R17	LM25	99	H	RFT		F	E	72	2	263,-	315,-
15314	205/45 R17	LM005	88	V		XL	C	A	71	2	161,-	193,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
15315	215/45 R17	LM005	91	V		XL	C	A	71	2	167,-	201,-
13287	215/45 R17	LM001	91	W		XL	in preparation				186,-	223,-
3777	225/45 R17	LM32	91	H			E	C	70	2	147,-	177,-
9622	225/45 R17	LM001	91	H	RFT		C	B	72	2	176,-	211,-
13977	225/45 R17	LM005	91	H			C	A	71	2	140,-	168,-
17707	225/45 R17	LM005	94	H		XL	C	A	71	2	145,-	174,-
16583	225/45 R17	ICE	94	S		XL	F	F	72	2	172,-	207,-
9031	225/45 R17	NOR1	94	T		XL	in preparation				176,-	211,-
1957	225/45 R17	LM25	94	V	RFT	XL	F	E	72	2	193,-	232,-
15316	225/45 R17	LM005	94	V		XL	C	A	71	2	150,-	180,-
16709	225/45 R17	LM005DG	94	V	RFT	XL	C	A	71	2	156,-	187,-
7877	235/45 R17	WS80	97	H		XL	F	F	72	2	179,-	214,-
9029	235/45 R17	NOR1	97	T		XL	in preparation				197,-	237,-
15317	235/45 R17	LM005	97	V		XL	C	A	72	2	191,-	230,-
7876	245/45 R17	WS80	99	H		XL	F	F	72	2	190,-	228,-
15318	245/45 R17	LM005	99	V		XL	C	A	72	2	205,-	245,-
15312	215/40 R17	LM005	87	V		XL	C	A	71	2	169,-	203,-
6860	245/40 R17	LM32	95	V		XL	E	C	72	2	213,-	256,-
13617	215/55 R18	ICE	95	S			F	F	72	2	162,-	194,-
15344	215/55 R18	LM005	99	V		XL	C	A	71	2	200,-	240,-
9106	225/55 R18	WS80	98	H			F	F	72	2	198,-	238,-
9357	225/55 R18	LM001	102	V		XL	C	B	72	2	203,-	244,-
13572	235/55 R18	LM001	100	H			C	B	72	2	228,-	274,-
7671	225/50 R18	LM001	95	H	RFT		C	B	72	2	221,-	265,-
17703	225/50 R18	LM005	99	H		XL	B	A	72	2	213,-	256,-
15342	225/50 R18	LM005	99	V		XL	B	A	72	2	218,-	261,-
9102	235/50 R18	WS80	101	H		XL	F	F	72	2	218,-	262,-
15043	235/50 R18	LM005	101	V		XL	C	A	72	2	209,-	251,-
10033	245/50 R18	LM001	100	H	RFT		C	B	72	2	252,-	302,-
9104	245/50 R18	WS80	104	H		XL	F	F	72	2	226,-	271,-
15343	245/50 R18	LM005	104	V		XL	in preparation				217,-	260,-
15337	215/45 R18	LM005	93	V		XL	C	A	71	2	181,-	218,-
9361	225/45 R18	LM001	91	H			C	B	71	2	193,-	232,-
9366	225/45 R18	LM001	91	H	EXT		C	B	71	2	196,-	236,-
6892	225/45 R18	LM32	95	H		XL	E	B	70	2	201,-	241,-
7872	225/45 R18	WS80	95	H		XL	F	F	72	2	194,-	233,-
10027	225/45 R18	LM001	95	H	RFT	XL	C	B	72	2	203,-	243,-
15338	225/45 R18	LM005	95	V		XL	C	A	72	2	174,-	209,-
13615	235/45 R18	ICE	94	S			F	F	72	2	197,-	236,-
15339	235/45 R18	LM005	98	V		XL	C	A	72	2	191,-	229,-
13607	245/45 R18	ICE	96	S			F	F	72	2	201,-	241,-
78274	245/45 R18	LM25	96	V	RFT		F	E	72	2	216,-	259,-
9010	245/45 R18	NOR1	100	T		XL	in preparation				218,-	262,-
15340	245/45 R18	LM005	100	V		XL	C	A	72	2	196,-	236,-
13608	255/45 R18	ICE	99	S			F	F	73	2	214,-	256,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
7407	255/45 R18	LM32	103	V		XL	E	C	73	2	231,-	277,-
6886	215/40 R18	LM32	89	V		XL	F	C	72	2	167,-	201,-
9032	225/40 R18	NOR1	92	T		XL	in preparation				212,-	255,-
13568	225/40 R18	LM001	92	V		XL	in preparation				155,-	186,-
15333	225/40 R18	LM005	92	V		XL	C	A	72	2	155,-	186,-
16707	225/40 R18	LM005DG	92	V	RFT	XL	E	A	72	2	173,-	208,-
10030	225/40 R18	LM001	92	V	RFT	XL	in preparation				186,-	224,-
15334	235/40 R18	LM005	95	V		XL	C	A	72	2	191,-	230,-
9216	245/40 R18	LM001	93	V			E	C	72	2	183,-	219,-
9009	245/40 R18	NOR1	97	T		XL	in preparation				225,-	270,-
15335	245/40 R18	LM005	97	V		XL	C	A	72	2	183,-	219,-
17711	245/40 R18	LM005	97	W		XL	C	A	72	2	196,-	235,-
79079	255/40 R18	LM25	95	V	EXT		F	E	72	2	278,-	334,-
3780	255/40 R18	LM32	99	V	EXT	XL	E	C	72	2	285,-	343,-
8498	255/40 R18	LM001	99	V		XL	E	C	73	2	205,-	246,-
78462	255/35 R18	LM25V	94	V		XL	F	F	73	2	217,-	260,-
6587	155/70 R19	LM500	84	Q			C	B	69	2	149,-	179,-
8332	155/70 R19	LM500	88	Q		XL	C	B	69	2	181,-	217,-
13566	205/55 R19	LM001	97	H		XL	C	C	71	2	176,-	211,-
13813	205/50 R19	LM005	94	H		XL	in preparation				171,-	206,-
9370	235/50 R19	LM001	99	H			C	B	71	2	259,-	311,-
13619	225/45 R19	ICE	92	S			F	F	72	2	210,-	253,-
13613	245/45 R19	ICE	98	S			E	F	71	2	246,-	296,-
6580	245/45 R19	LM32	102	V		XL	E	C	72	2	261,-	313,-
10032	245/45 R19	LM001	102	V	RFT	XL	C	B	72	2	304,-	364,-
13614	255/45 R19	ICE	104	S		XL	F	F	73	2	251,-	301,-
10302	235/40 R19	LM32	96	V		XL	F	C	72	2	242,-	290,-
8499	245/40 R19	LM001	98	V		XL	E	C	72	2	275,-	330,-
13612	255/40 R19	ICE	96	S			F	F	73	2	238,-	286,-
15352	275/40 R19	LM005	105	W		XL	C	A	73	2	358,-	429,-
6890	235/35 R19	LM32	91	V		XL	E	C	72	2	258,-	309,-
17105	255/35 R19	ICE	92	H			F	F	73	2	267,-	320,-
8500	255/35 R19	LM001	96	V		XL	E	C	73	2	253,-	304,-
15360	195/55 R20	LM005	95	H		XL	C	A	71	2	167,-	201,-
6670	215/45 R20	LM32	95	V		XL	C	B	72	2	420,-	503,-
9368	235/45 R20	LM001	96	H			C	B	71	2	283,-	340,-
13575	245/45 R20	LM001	103	W		XL	C	C	72	2	309,-	371,-
5208	245/40 R20	LM32	95	W			E	E	72	2	330,-	396,-
6700	255/40 R20	LM001	97	W			F	C	73	2	326,-	392,-
15357	245/35 R20	LM005	95	W		XL	C	A	72	2	410,-	492,-
15358	255/35 R20	LM005	97	W		XL	in preparation				310,-	372,-
6701	295/35 R20	LM001	101	W			E	C	75	2	377,-	453,-
4555	295/35 R20	LM32	105	W		XL	E	E	74	2	396,-	476,-

	Mõõt	Muster	Kiirus/ koormus	RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
<b>PAKIAUTOREHVID</b>											
	Mõõt	Muster	Kiirus/ koormus	TL/ TT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
6822	175/75 R14	W810	99 R			F	C	75	2	105,-	126,-
5017	175/65 R14	LM32C	90 T			F	B	73	2	115,-	138,-
7035	195/70 R15	W995	104 R			E	E	75	2	106,-	127,-
7621	195/70 R15	W810	104 R			F	C	75	2	107,-	128,-
9052	195/70 R15	NORVAN1	104 R			in preparation				115,-	138,-
7626	205/70 R15	W810	106 R			F	C	75	2	125,-	150,-
9064	205/70 R15	NORVAN1	106 R			in preparation				126,-	151,-
7632	215/70 R15	W810	109 R			E	C	75	2	137,-	164,-
7036	225/70 R15	W995	112 R			E	E	75	2	129,-	155,-
7631	225/70 R15	W810	112 R			E	C	75	2	135,-	162,-
9062	225/70 R15	NORVAN1	112 R			in preparation				135,-	162,-
5022	205/65 R15	LM32C	102 T			F	B	73	2	135,-	163,-
9082	185/75 R16	W810	104 R			F	B	75	2	134,-	161,-
7057	195/75 R16	W995	107 R			E	E	75	2	117,-	140,-
9083	195/75 R16	W810	107 R			E	A	75	2	120,-	144,-
9263	195/75 R16	W810	107 R			E	B	75	2	120,-	144,-
9053	195/75 R16	NORVAN1	107 R			in preparation				123,-	147,-
9081	205/75 R16	W810	110 R			E	A	75	2	133,-	159,-
9057	205/75 R16	NORVAN1	113 R			in preparation				139,-	166,-
7058	215/75 R16	W995	113 R			E	E	75	2	147,-	176,-
7633	215/75 R16	W810	113 R			E	C	75	2	177,-	212,-
7634	215/75 R16	W810	116 R			E	C	75	2	173,-	207,-
9058	215/75 R16	NORVAN1	116 R			in preparation				157,-	189,-
9625	225/75 R16	W810	121 R			E	C	75	2	178,-	214,-
9060	195/65 R16	NORVAN1	104 R			in preparation				135,-	162,-
7624	195/65 R16	W810	104 T			E	C	75	2	133,-	159,-
5021	205/65 R16	LM32C	103 T			F	B	73	2	138,-	166,-
7070	205/65 R16	W995	107 R			E	E	75	2	132,-	158,-
9056	205/65 R16	NORVAN1	107 R			in preparation				135,-	162,-
7630	205/65 R16	W810	107 T			E	C	75	2	149,-	179,-
5026	215/65 R16	LM32C	106 T			E	B	73	2	148,-	177,-
6709	215/65 R16	LM18C	106 T			E	A	72	2	148,-	177,-
7037	215/65 R16	W995	109 R			E	E	75	2	140,-	168,-
7629	215/65 R16	W810	109 R			E	C	75	2	148,-	178,-
9054	215/65 R16	NORVAN1	109 R			in preparation				144,-	173,-
7780	215/65 R16	W810	109 T			E	C	75	2	148,-	178,-
7061	225/65 R16	W995	112 R			E	E	75	2	154,-	184,-
7622	225/65 R16	W810	112 R			E	C	75	2	165,-	198,-
9262	225/65 R16	W810	112 R			E	B	75	2	165,-	198,-
9055	225/65 R16	NORVAN1	112 R			in preparation				159,-	191,-

	Mõõt	Muster	Kiirus/ koormus	RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
7062	235/65 R16	W995	115 R			C	E	75	2	162,-	194,-
7623	235/65 R16	W810	115 R			E	C	75	2	182,-	218,-
9059	235/65 R16	NORVAN1	121 R			in preparation				167,-	201,-
5013	195/60 R16	LM32C	99 T			E	B	73	2	132,-	158,-
5018	205/60 R16	LM32C	100 T			F	B	73	2	162,-	194,-
5023	215/60 R16	LM32C	103 T			E	B	73	2	170,-	204,-
9069	215/60 R16	NORVAN1	108 R			in preparation				162,-	195,-
9061	215/60 R17	NORVAN1	109 R			in preparation				176,-	211,-

#### 4X4 REHVID

	Mõõt	Muster	Kiirus/ koormus	TL/ TT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
18162	195/80 R15	DM-V2	96 R			F	F	72	2	114,-	137,-
14005	215/80 R15	DM-V2	102 R			F	F	72	2	122,-	146,-
9110	235/75 R15	DM-V2	109 R		XL	F	F	72	2	112,-	134,-
6598	235/75 R15	LM80EVO	109 T		XL	E	C	72	2	129,-	155,-
15006	205/70 R15	LM005	96 T			C	A	71	2	117,-	141,-
7944	265/70 R15	DM-V2	112 R			F	F	73	2	173,-	208,-
6688	205/80 R16	LM80EVO	104 T		XL	E	C	72	2	141,-	170,-
11990	225/75 R16	DM-V2	104 R			F	F	72	2	165,-	198,-
11991	245/75 R16	DM-V2	111 R			F	F	72	2	151,-	181,-
14003	215/70 R16	DM-V2	100 S			F	F	72	2	131,-	157,-
15013	215/70 R16	LM005	100 T			C	A	71	2	129,-	155,-
9038	215/70 R16	NORSUV1	100 T			in preparation				134,-	161,-
7943	225/70 R16	DM-V2	103 S			F	F	72	2	130,-	156,-
6690	225/70 R16	LM80EVO	103 T			E	C	71	2	145,-	174,-
7942	235/70 R16	DM-V2	106 S			F	F	72	2	151,-	181,-
7938	245/70 R16	DM-V2	107 S			F	F	72	2	154,-	184,-
9045	245/70 R16	NORSUV1	107 T			in preparation				160,-	191,-
15015	245/70 R16	LM005	111 T		XL	B	A	72	2	154,-	185,-
12054	255/70 R16	DM-V2	111 S			F	F	73	2	169,-	202,-
7933	265/70 R16	DM-V2	112 R			F	F	73	2	177,-	212,-
9046	265/70 R16	NORSUV1	112 T			in preparation				181,-	218,-
7949	275/70 R16	DM-V2	114 R			F	F	73	2	178,-	214,-
5492	215/65 R16	LM80	98 H			F	C	72	2	127,-	152,-
13976	215/65 R16	LM005	98 H			C	A	71	2	121,-	145,-
13978	215/65 R16	LM005DG	98 H	RFT		E	A	71	2	135,-	162,-
14004	215/65 R16	DM-V2	98 S			F	F	72	2	116,-	139,-
15010	215/65 R16	LM005	102 H		XL	B	A	71	2	129,-	155,-
9131	215/65 R16	DM-V2	102 R		XL	F	F	72	2	112,-	135,-
9034	215/65 R16	NORSUV1	102 T		XL	in preparation				122,-	146,-
6597	255/65 R16	LM80EVO	109 H			E	C	73	2	170,-	205,-
3781	195/60 R16	LM25-1	89 H			F	F	70	2	118,-	142,-
4859	205/60 R16	LM25-1	92 H			F	E	71	2	109,-	131,-
6600	235/60 R16	LM80EVO	100 H			E	C	72	2	153,-	184,-



	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
7935	235/60 R16	DM-V2	100	S			F	F	72	2	159,-	191,-
11983	245/70 R17	DM-V2	110	S			F	F	72	2	183,-	219,-
11985	255/70 R17	DM-V2	112	S			F	F	73	2	228,-	273,-
11979	265/70 R17	DM-V2	115	R			F	F	73	2	182,-	218,-
11986	285/70 R17	DM-V2	117	R			F	F	75	2	288,-	345,-
10422	215/65 R17	LM001	99	H			C	B	72	2	176,-	211,-
15032	215/65 R17	LM005	103	H		XL	B	A	71	2	176,-	211,-
15035	225/65 R17	LM005	102	H			C	A	71	2	175,-	210,-
7930	225/65 R17	DM-V2	102	S			F	F	72	2	177,-	213,-
15036	225/65 R17	LM005	106	H		XL	C	A	71	2	184,-	221,-
9125	225/65 R17	DM-V2	106	S		XL	F	F	72	2	187,-	224,-
9033	225/65 R17	NORSUV1	106	T		XL	in preparation				197,-	236,-
15037	235/65 R17	LM005	108	H		XL	B	A	72	2	169,-	203,-
7932	235/65 R17	DM-V2	108	S		XL	F	F	72	2	191,-	229,-
9036	235/65 R17	NORSUV1	108	T		XL	in preparation				199,-	239,-
15038	235/65 R17	LM005	108	V		XL	B	A	72	2	180,-	216,-
11982	245/65 R17	DM-V2	107	S			F	F	72	2	199,-	239,-
15039	245/65 R17	LM005	111	H		XL	B	A	72	2	205,-	246,-
5947	245/65 R17	LM80	111	T		XL	F	C	72	2	204,-	244,-
7934	255/65 R17	DM-V2	110	S			F	F	73	2	196,-	236,-
15040	255/65 R17	LM005	114	H		XL	B	A	73	2	196,-	236,-
7928	265/65 R17	DM-V2	112	R			F	F	73	2	203,-	243,-
15042	265/65 R17	LM005	116	H		XL	B	A	73	2	199,-	239,-
9040	265/65 R17	NORSUV1	116	T		XL	in preparation				222,-	267,-
7953	275/65 R17	DM-V2	115	R			E	F	73	2	220,-	264,-
11980	285/65 R17	DM-V2	116	R			E	F	75	2	259,-	310,-
15028	215/60 R17	LM005	96	H			C	A	71	2	149,-	179,-
15027	215/60 R17	LM005	100	H		XL	B	A	71	2	151,-	182,-
9128	215/60 R17	DM-V2	100	R		XL	F	F	72	2	169,-	202,-
9041	215/60 R17	NORSUV1	100	T		XL	in preparation				178,-	213,-
16706	215/60 R17	LM005DG	100	V	RFT	XL	E	A	71	2	166,-	199,-
17712	215/60 R17	LM005	100	V		XL	B	A	71	2	175,-	209,-
15029	225/60 R17	LM005	99	H			C	A	71	2	191,-	230,-
9109	225/60 R17	DM-V2	99	S			F	F	72	2	175,-	209,-
9129	225/60 R17	DM-V2	103	R		XL	F	F	72	2	187,-	224,-
9035	225/60 R17	NORSUV1	103	T		XL	in preparation				190,-	228,-
17706	225/60 R17	LM005	103	V		XL	C	A	71	2	205,-	245,-
1720	235/60 R17	LM25-4	102	H			F	E	72	2	194,-	232,-
9107	235/60 R17	DM-V2	102	S			F	F	72	2	190,-	228,-
15030	235/60 R17	LM005	106	H		XL	C	A	72	2	186,-	224,-
7956	255/60 R17	DM-V2	106	S			F	F	73	2	207,-	249,-
15031	255/60 R17	LM005	110	H		XL	C	A	73	2	183,-	219,-
4860	205/55 R17	LM25-1	91	H	RFT		F	F	71	2	213,-	256,-
9122	235/55 R17	DM-V2	103	T		XL	F	F	72	2	192,-	230,-
9037	235/55 R17	NORSUV1	103	T		XL	in preparation				196,-	235,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
12074	225/65 R18	DM-V2	103	S			F	F	72	2	182,-	219,-
7954	235/65 R18	DM-V2	106	S			F	F	72	2	211,-	253,-
15073	235/65 R18	LM005	110	H		XL	C	A	72	2	194,-	232,-
11977	275/65 R18	DM-V2	114	R			E	F	73	2	236,-	283,-
6693	225/60 R18	LM80EVO	100	H			E	C	71	2	185,-	221,-
12077	225/60 R18	DM-V2	100	S			F	F	72	2	169,-	202,-
9988	225/60 R18	LM001	104	H		XL	C	B	72	2	193,-	232,-
9990	225/60 R18	LM001	104	H	RFT	XL	C	B	72	2	231,-	277,-
6817	235/60 R18	LM80EVO	103	H			E	C	72	2	199,-	239,-
15064	235/60 R18	LM005	107	H		XL	C	A	72	2	167,-	201,-
7941	235/60 R18	DM-V2	107	S		XL	F	F	72	2	205,-	245,-
9039	235/60 R18	NORSUV1	107	T		XL	in preparation				214,-	256,-
17709	235/60 R18	LM005	107	V		XL	C	A	72	2	183,-	219,-
12075	245/60 R18	DM-V2	105	S			F	F	72	2	218,-	262,-
9119	255/60 R18	DM-V2	112	S		XL	F	F	73	2	219,-	263,-
15069	255/60 R18	LM005	112	V		XL	B	A	73	2	202,-	242,-
7946	265/60 R18	DM-V2	110	R			F	F	73	2	222,-	267,-
15071	265/60 R18	LM005	114	H		XL	B	A	73	2	217,-	261,-
6692	275/60 R18	LM80EVO	113	H			E	C	73	2	251,-	301,-
7948	275/60 R18	DM-V2	113	R			F	F	73	2	231,-	278,-
7951	285/60 R18	DM-V2	116	R			E	F	75	2	235,-	282,-
6365	225/55 R18	LM80EVO	98	V			E	C	68	1	194,-	232,-
15058	235/55 R18	LM005	104	H		XL	B	A	72	2	220,-	264,-
9048	235/55 R18	NORSUV1	104	T		XL	in preparation				226,-	272,-
1126	255/55 R18	LM25-4	109	H	RFT	XL	E	C	71	2	198,-	237,-
9991	255/55 R18	LM001	109	H		XL	C	B	71	2	168,-	202,-
7945	255/55 R18	DM-V2	109	T		XL	F	F	73	2	219,-	263,-
15060	255/55 R18	LM005	109	V		XL	B	A	73	2	173,-	207,-
18733	215/50 R18	LM005	92	V			in preparation				201,-	242,-
7955	235/55 R19	DM-V2	105	T		XL	F	F	72	2	240,-	289,-
6689	235/55 R19	LM80EVO	105	V		XL	C	C	72	2	218,-	262,-
11973	245/55 R19	DM-V2	103	T			F	F	72	2	253,-	304,-
6695	255/55 R19	LM80EVO	111	H		XL	C	C	73	2	259,-	311,-
8784	255/55 R19	LM001	111	H		XL	C	C	72	2	272,-	326,-
10973	255/55 R19	LM001	111	H		XL	in preparation				272,-	326,-
12051	265/55 R19	DM-V2	109	T			F	F	73	2	241,-	290,-
15089	265/55 R19	LM005	109	V			B	A	73	2	257,-	309,-
12065	275/55 R19	DM-V2	111	T			F	F	73	2	280,-	336,-
15079	235/50 R19	LM005	103	V		XL	C	A	72	2	272,-	327,-
9989	245/50 R19	LM001	105	V	RFT	XL	C	B	72	2	241,-	289,-
1129	255/50 R19	LM25-4	107	H	EXT	XL	E	F	73	2	248,-	298,-
9112	255/50 R19	DM-V2	107	T		XL	F	F	73	2	255,-	306,-
2259	255/50 R19	LM25-4	107	V	RFT	XL	E	F	73	2	248,-	298,-
15081	255/50 R19	LM005	107	V		XL	B	A	73	2	214,-	256,-
9993	265/50 R19	LM001	110	H	RFT	XL	C	B	71	2	275,-	330,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
9113	265/50 R19	DM-V2	110	T		XL	F	F	73	2	255,-	306,-
15083	265/50 R19	LM005	110	V		XL	B	A	73	2	231,-	277,-
6696	235/45 R19	LM80EVO	95	V			E	C	72	2	246,-	295,-
15075	275/45 R19	LM005	108	V		XL	C	A	73	2	309,-	370,-
9996	255/55 R20	LM001	110	H	RFT	XL	C	B	73	2	373,-	448,-
12068	255/55 R20	DM-V2	110	T		XL	F	F	73	2	287,-	344,-
15123	255/55 R20	LM005	110	V		XL	B	A	73	2	305,-	366,-
12072	275/55 R20	DM-V2	117	T		XL	F	F	73	2	301,-	362,-
6698	255/50 R20	LM80EVO	109	H		XL	E	C	73	2	309,-	371,-
13576	255/50 R20	LM001	109	H		XL	C	B	73	2	309,-	371,-
15110	255/50 R20	LM005	109	V		XL	B	A	73	2	306,-	367,-
11968	265/50 R20	DM-V2	107	T			F	F	73	2	279,-	335,-
6361	265/50 R20	LM80EVO	107	V			E	C	73	2	326,-	391,-
12067	275/50 R20	DM-V2	113	R		XL	F	F	73	2	310,-	372,-
15114	275/50 R20	LM005	113	V		XL	B	A	73	2	307,-	368,-
9120	285/50 R20	DM-V2	112	T			F	F	75	2	274,-	329,-
15104	255/45 R20	LM005	105	V		XL	C	A	73	2	283,-	339,-
15105	265/45 R20	LM005	108	V		XL	C	A	73	2	278,-	334,-
9123	275/45 R20	DM-V2	110	T		XL	F	F	73	2	280,-	336,-
6569	275/45 R20	LM80EVO	110	V		XL	E	C	73	2	319,-	383,-
9994	275/45 R20	LM001	110	V	RFT	XL	C	B	71	2	414,-	497,-
7952	275/40 R20	DM-V2	106	T		XL	F	F	73	2	306,-	367,-
15091	275/40 R20	LM005	106	V		XL	C	A	73	2	298,-	357,-
15090	315/35 R20	LM005	110	V		XL	C	A	73	2	385,-	462,-
12049	265/45 R21	DM-V2	104	T			F	F	73	2	434,-	521,-
15135	275/45 R21	LM005	110	V		XL	B	A	73	2	341,-	409,-
9995	285/45 R21	LM001	113	V	RFT	XL	C	B	75	2	522,-	626,-
15124	295/35 R21	LM005	107	V		XL	C	A	73	2	348,-	417,-
12050	275/50 R22	DM-V2	111	T			F	F	73	2	321,-	385,-
9443	285/45 R22	DM-V2	110	T			F	F	75	2	579,-	695,-

### ALL SEASON SÕIDUAUTOREHVID

	Mõõt	Muster	Kirus/ koormus		TL/ TT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
13295	175/65 R15	A005	88	H		XL	C	A	70	2	107,-	128,-
13298	185/65 R15	A005DG	92	H	RFT	XL	E	A	72	2	130,-	156,-
13297	185/65 R15	A005	92	V		XL	C	A	70	2	96,-	115,-
13303	195/65 R15	A005	91	H			C	A	71	2	90,-	108,-
13305	195/65 R15	A005DG	95	H	RFT	XL	E	A	71	2	105,-	126,-
13306	195/65 R15	A005	95	V		XL	C	A	71	2	98,-	118,-
13309	205/65 R15	A005DG	99	T	RFT	XL	E	A	71	2	159,-	191,-
13310	205/65 R15	A005	99	V		XL	C	A	71	2	138,-	166,-
13299	185/60 R15	A005	88	V		XL	C	A	70	2	117,-	140,-
13308	195/60 R15	A005	92	V		XL	C	A	71	2	113,-	136,-
13296	185/55 R15	A005	86	H		XL	C	A	70	2	127,-	152,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
13307	195/55 R15	A005	89	V		XL	C	A	71	2	142,-	170,-
13304	195/50 R15	A005	82	V			C	A	71	2	95,-	114,-
13311	195/60 R16	A005	93	V		XL	C	A	71	2	179,-	215,-
13316	205/60 R16	A005	96	V		XL	C	A	71	2	171,-	205,-
14046	205/60 R16	A005DG	96	W	RFT	XL	E	A	72	2	181,-	218,-
13320	215/60 R16	A005	99	V		XL	C	A	71	2	189,-	227,-
14041	225/60 R16	A005	102	W		XL	C	A	71	2	221,-	265,-
17734	185/55 R16	A005	87	V		XL	in preparation				176,-	211,-
13313	195/55 R16	A005	91	V		XL	C	A	71	2	167,-	201,-
13314	205/55 R16	A005	91	H			C	A	71	2	114,-	137,-
13315	205/55 R16	A005DG	94	V	RFT	XL	E	A	71	2	140,-	168,-
13317	205/55 R16	A005	94	V		XL	C	A	71	2	120,-	144,-
13319	215/55 R16	A005	97	V		XL	C	A	71	2	194,-	232,-
13322	225/55 R16	A005	99	W		XL	C	A	71	2	204,-	245,-
13312	195/45 R16	A005	84	H		XL	C	A	71	2	143,-	172,-
14040	215/45 R16	A005	90	V		XL	in preparation				204,-	245,-
13330	215/60 R17	A005	100	V		XL	C	A	72	2	199,-	239,-
13331	225/60 R17	A005	103	V		XL	C	A	71	2	211,-	253,-
13325	205/55 R17	A005	95	V		XL	C	A	71	2	204,-	245,-
13328	215/55 R17	A005	98	W		XL	C	A	72	2	215,-	258,-
13336	225/55 R17	A005	101	W		XL	C	A	71	2	224,-	269,-
13326	205/50 R17	A005	93	V		XL	C	A	71	2	197,-	237,-
14042	205/50 R17	A005	93	W		XL	C	A	71	2	201,-	241,-
13329	215/50 R17	A005	95	W		XL	C	A	71	2	217,-	260,-
13334	225/50 R17	A005	98	V		XL	C	A	71	2	216,-	259,-
14049	225/50 R17	A005DG	98	Y	RFT	XL	in preparation				244,-	292,-
13324	205/45 R17	A005	88	V		XL	C	A	71	2	213,-	256,-
13327	215/45 R17	A005	91	W		XL	C	A	71	2	177,-	213,-
13332	225/45 R17	A005	94	V		XL	C	A	71	2	154,-	185,-
13335	225/45 R17	A005	94	W		XL	C	A	71	2	159,-	191,-
14048	225/45 R17	A005DG	94	Y	RFT	XL	C	A	72	2	186,-	224,-
13337	235/45 R17	A005	97	Y		XL	C	A	71	2	174,-	208,-
13340	245/45 R17	A005	99	Y		XL	C	A	71	2	244,-	293,-
13353	245/50 R18	A005	100	V			C	A	71	2	305,-	366,-
13344	225/45 R18	A005	95	V		XL	C	A	71	2	249,-	298,-
13350	235/45 R18	A005	98	Y		XL	C	A	71	2	271,-	326,-
13351	245/45 R18	A005	100	Y		XL	C	A	71	2	265,-	318,-
13354	255/45 R18	A005	103	Y		XL	C	A	72	2	303,-	364,-
13345	225/40 R18	A005	92	Y		XL	C	A	71	2	170,-	205,-
13348	235/40 R18	A005	95	W		XL	C	A	71	2	218,-	262,-
13352	245/40 R18	A005	97	Y		XL	C	A	71	2	227,-	272,-
13356	255/35 R18	A005	94	Y		XL	C	A	72	2	279,-	335,-
13358	225/45 R19	A005	96	V		XL	C	A	71	2	346,-	416,-
13361	245/45 R19	A005	102	V		XL	C	A	71	2	408,-	490,-
13360	245/40 R19	A005	98	Y		XL	C	A	71	2	315,-	378,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
13362	255/40 R19	A005	100	V		XL	C	A	72	2	343,-	411,-
13364	275/40 R19	A005	105	Y		XL	C	A	71	2	380,-	456,-
13359	235/35 R19	A005	91	Y		XL	C	A	71	2	276,-	331,-
13365	195/55 R20	A005	95	H		XL	C	A	71	2	197,-	237,-
14045	245/45 R20	A005	99	W			C	A	72	2	381,-	457,-

### ALL SEASON 4x4 REHVID

	Mõõt	Muster	Kirus/ koormus		TL/ TT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
9435	31X10.5/10.5' R1	AT001	109	S			E	A	73	2	205,-	246,-
9414	195/80 R15	AT001	96	T			E	C	72	2	140,-	168,-
9427	215/80 R15	AT001	102	S			E	C	72	2	161,-	193,-
10303	215/75 R15	AT001	100	S			E	C	72	2	143,-	172,-
9415	235/75 R15	AT001	105	T			E	C	72	2	158,-	189,-
9416	235/75 R15	AT001	109	T		XL	C	C	72	2	160,-	192,-
9419	205/70 R15	AT001	96	T			E	C	72	2	137,-	164,-
9428	225/70 R15	AT001	100	T			E	C	72	2	161,-	193,-
10305	255/70 R15	AT001	108	S			C	C	73	2	202,-	242,-
9417	265/70 R15	AT001	112	S			E	C	73	2	191,-	229,-
9436	7.5'/7.5' R16	AT001	114	N			E	E	72	2	199,-	239,-
9434	205/80 R16	AT001	104	T		XL	E	C	72	2	141,-	169,-
9430	215/80 R16	AT001	103	S			E	C	72	2	215,-	258,-
12003	225/75 R16	AT001	116	S			C	B	72	2	225,-	270,-
9433	265/75 R16	AT001	116	S			E	C	72	2	238,-	285,-
13318	215/70 R16	A005	100	H			C	A	71	2	174,-	209,-
9422	215/70 R16	AT001	100	S			E	C	72	2	160,-	192,-
9421	235/70 R16	AT001	106	T			E	C	72	2	184,-	221,-
9431	245/70 R16	AT001	107	T			E	C	72	2	206,-	247,-
9429	255/70 R16	AT001	111	S			E	C	73	2	201,-	241,-
9418	265/70 R16	AT001	112	S			E	C	73	2	200,-	240,-
9420	265/70 R16	AT001	112	T			E	C	73	2	200,-	240,-
9432	275/70 R16	AT001	114	S			E	C	73	2	246,-	295,-
9423	215/65 R16	AT001	98	T			E	C	72	2	156,-	187,-
13321	215/65 R16	A005	102	V		XL	C	A	71	2	162,-	194,-
13323	235/60 R16	A005	104	V		XL	C	A	71	2	187,-	224,-
10306	245/70 R17	AT001	110	S			E	C	72	2	249,-	299,-
10309	265/70 R17	AT001	115	R			C	C	72	2	202,-	242,-
13333	225/65 R17	A005	106	V		XL	C	A	71	2	201,-	241,-
9425	235/65 R17	AT001	108	H		XL	C	C	72	2	177,-	213,-
13339	235/65 R17	A005	108	V		XL	B	A	71	2	202,-	242,-
10307	255/65 R17	AT001	110	T			C	C	73	2	197,-	236,-
9424	265/65 R17	AT001	112	T			E	C	73	2	204,-	245,-
14047	215/60 R17	A005DG	100	V	RFT	XL	C	A	72	2	232,-	279,-
13338	235/55 R17	A005	103	V		XL	C	A	71	2	249,-	299,-
14043	235/65 R18	A005	106	V			C	A	71	2	289,-	347,-

	Mõõt	Muster	Kirus/ koormus		RFT		Wet Grip.	Fuel eff.	Roll- ing noise	Roll- ing Noise- Value	Hind km-ta	Hind km-ga
13343	225/60 R18	A005	100	H			C	A	71	2	258,-	<b>310,-</b>
13349	235/60 R18	A005	107	V		XL	B	A	71	2	228,-	<b>274,-</b>
10308	255/60 R18	AT001	112	T		XL	C	C	73	2	196,-	<b>235,-</b>
13341	215/55 R18	A005	99	V		XL	C	A	71	2	229,-	<b>275,-</b>
13342	225/55 R18	A005	98	V			C	A	71	2	230,-	<b>276,-</b>
13346	235/55 R18	A005	104	V		XL	B	A	71	2	238,-	<b>285,-</b>
9426	255/55 R18	AT001	109	H		XL	C	C	73	2	213,-	<b>256,-</b>
13355	255/55 R18	A005	109	V		XL	B	A	72	2	263,-	<b>315,-</b>
13347	235/50 R18	A005	101	V		XL	C	A	71	2	230,-	<b>276,-</b>
13357	225/55 R19	A005	99	V			C	A	71	2	369,-	<b>442,-</b>
14044	235/55 R19	A005	105	W		XL	in preparation				267,-	<b>321,-</b>
13363	255/50 R19	A005	107	W		XL	C	A	72	2	318,-	<b>382,-</b>