

BRIDGESTONE mootorratta rehvid

Kehtib alates 05.02.2019.a.



Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
Adventure diagonal			
77256	180/80 -14 TW204 78P TT TW125	104,6	125,5
70277	120/90 -16 TW40 63P TL	79,9	95,8
72974	120/90 -16 TW40 63P TT	78,4	94,0
79220	120/90 -16 TW202 63P TT TRICKER WAR	79,5	95,4
49767	4.60 -17 TW302 62P TT	72,2	86,6
7416	120/90 -17 M/C TW42 64S TT	92,2	110,6
74848	120/90 -17 TW48 64S TT G TRXL600V	93,8	112,5
79080	130/80 -17 TW42 65H TT SCRAMBLE WAR	92,6	111,2
74714	4.10 -18 TW302 59P TT	64,8	77,8
74715	4.60 -18 TW302 63P TT	76,0	91,2
72887	100/90 -18 TW53 56P TL	69,4	83,3
76368	120/90 -18 TW42 65P TT DRZ400S	79,5	95,4
2211	120/80 -18 TW302 62P TT F WR250R WAR	80,6	96,8
77246	130/80 -18 TW302 66S TT KTMLC4	82,2	98,7
77349	130/80 -18 TW203 66P TT	77,6	93,1
79219	80/100 -19 TW201 49P TT TRICKER WAR	66,0	79,2
72879	90/100 -19 TW39 55P TT	64,8	77,8
9339	100/90 -19 TW101 57H TT E BOLT WAR	85,3	102,3
1742	100/90 -19 TW101 57H TT TRANSALP WAR	85,3	102,3
49540	100/90 -19 TW101 57H TT SCRAMBLE	85,3	102,3
10560	100/90 -19 A41F 57V TL	100,3	120,4
74717	2.75 -21 TW301 45P TT G	47,5	57,0
2210	80/100 -21 TW301 51P TT F WR250R WAR	65,6	78,7
77245	90/90 -21 TW301 54S TT KTMLC4	69,9	83,8
1887	90/90 -21 BW501 54V TT G F800GS WAR	80,6	96,8
13524	90/90 -21 A41F 54H TT CRF1000L WAR	88,0	105,6
10559	90/90 V-21 A41F 54V TL	102,6	123,2
70179	90/90 -21 TW41 54S TT	68,3	82,0
75025	90/90 -21 TW47 54S TT G TRXL600V	69,9	83,8
Adventure cross diagonal			
16631	130/80 - 17 65Q TL AX41R	111,7	134,0
16627	140/80 B 17 67Q TL AX41R	118,5	142,2
16628	150/70 B 17 69Q TL AX41R	122,4	146,9
16629	170/60 B 17 72Q TL AX41R	126,3	151,6
16630	150/70 B 18 70Q TL AX41R	131,7	158,0
16623	100/90 - 19 57Q TL AX41R	99,9	119,9
16624	110/80 B 19 59Q TL AX41R	99,9	119,9
16625	120/70 B 19 60Q TL AX41R	99,9	119,9
16626	90/90 - 21 54Q TL AX41R	96,3	115,6
Custom diagonal			
6126	130/90 -15 E-MAX R 66S TL	91,1	109,3
6137	130/90 -15 E-MAX R 66S TT	89,5	107,4
6122	140/90 -15 E-MAX R 70H TL	112,3	134,7
6132	140/90 -15 E-MAX R 70H TT	110,3	132,4

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
6090	150/90 B15 E-MAX R 74V TL	137,0	164,3
6127	150/80 -15 E-MAX R 70H TL	123,1	147,7
6138	150/80 -15 E-MAX R 70H TT	120,8	144,9
6119	160/80 -15 E-MAX R 74S TL	132,0	158,4
6129	160/80 -15 E-MAX R 74S TT	128,9	154,7
6088	170/80 B15 E-MAX R 77H TL	139,7	167,6
73022	170/80 -15 G546 77S TT	130,8	157,0
77020	170/80 -15 G702 77H TT VS1400	137,0	164,3
77347	170/80 B15 G702 77H TL	139,7	167,6
77348	170/80 -15 G702 77S TT	130,8	157,0
4579	180/70 -15 G722 76H TT LW G WAR	163,6	196,3
6118	180/70 -15 E-MAX R 76H TL	138,9	166,7
49999	110/90 -16 G508 59S TL	71,8	86,2
2900	130/90 B16 G721 67H TL E VN1700 WAR	112,3	134,7
4580	130/90 -16 G721 67H TT LW G WAR	122,7	147,2
6086	130/90 B16 E-MAX F 67H TL	112,3	134,7
6115	130/90 -16 E-MAX F 67H TL	112,3	134,7
6136	130/90 -16 E-MAX F 67H TT	110,3	132,4
76565	130/90 -16 G703 67H TT L VN1500N	110,3	132,4
77555	130/90 -16 G721 67H TL VN1600	112,3	134,7
9779	130/90 B16 H50F 73H TL UM	122,7	147,2
9781	130/90 B16 H50F 67H TL UM	113,0	135,7
9785	130/90 B16 H50R 73H TL UM	148,2	177,8
76294	140/90 -16 G702 71H TT G VULCA900	124,6	149,5
9784	140/90 B16 H50R 77H TL UM	160,2	192,2
6089	150/80 B16 E-MAX R 71H TL	136,6	163,9
6091	150/80 B16 E-MAX R 71H TT	134,2	161,1
6116	150/80 -16 E-MAX F 71H TL	136,6	163,9
77346	150/80 B16 G703 71H TL	136,6	163,9
9338	150/80 B16 G722 71H TT F BOLT WAR	136,6	163,9
9783	150/80 B16 H50R 77H TL UM	150,1	180,1
76252	160/80 -16 G702 80H RFD TL TJ	166,7	200,1
2901	170/70 B16 G722 75H TL E VN1700 WAR	170,9	205,1
3028	170/70 B16 G722 75H TL J MIDNIGHT WAR	170,9	205,1
6087	170/70 B16 E-MAX R 75H TL	170,9	205,1
10588	180/70 B16 H50R 77H TL	223,0	267,6
10585	180/65 B16 H50R 81H TL	209,1	250,9
73583	3.00 -17 L301 45P 4 TT	48,2	57,9
76271	100/90 -17 L309 55S TT	72,2	86,6
6120	120/90 -17 E-MAX F 64H TL	103,1	123,7
6130	120/90 -17 E-MAX F 64H TT	100,7	120,8
10581	130/80 B17 H50F 65H TL	142,7	171,3
77271	140/80 -17 L309 69H TT VT1100	128,5	154,2
75174	160/70 -17 G548 73V TL	164,8	197,7
9786	160/70 B17 H50R 73V TL UM	155,9	187,0
10587	180/60 B17 H50R 75V TL	217,6	261,1
76237	2.75 -18 G511 42P 4 TT	34,0	40,8
73706	3.00 -18 L303 47S 4 TT TU250	47,5	57,0
76240	3.00 -18 G510 52P 6 RFD TT	36,7	44,0
6125	110/90 -18 E-MAX F 61H TL	113,8	136,6
75162	110/90 -18 G525 61V TL RBT	111,9	134,3
75158	110/80 -18 G547 58V TL	105,7	126,8
76629	130/80 -18 AC04 66H TT G W650	106,5	127,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
3027	130/70 -18 G721 63H TL J MIDNIGHT WAR	118,8	142,6
76249	130/70 -18 G701 63H TL TJ	118,8	142,6
10584	130/70 B18 H50F 63H TL	121,9	146,3
10586	180/55 B18 H50R 80H TL	216,1	259,3
49256	3.00 -19 L303 49H 4 TL	77,1	92,6
73323	3.00 -19 L303 49S 4 TT	64,4	77,3
6117	100/90 -19 E-MAX F 57H TL	91,4	109,7
6128	100/90 -19 E-MAX F 57H TT	89,9	107,9
70172	100/90 -19 L309 57S TT VT600C	84,5	101,4
9780	100/90 B19 H50F 57H TL UM	99,9	119,9
76628	100/90 -19 AC03 57H TT G W650	90,7	108,9
6124	110/90 -19 E-MAX F 62H TL	104,2	125,0
6134	110/90 -19 E-MAX F 62H TT	101,8	122,2
76616	110/80 -19 G515 59S TT	98,0	117,6
10582	130/60 B19 H50F 61H TL	128,1	153,7
6121	80/90 -21 E-MAX F 48H TL	88,7	106,5
6131	80/90 -21 E-MAX F 48H TT	87,2	104,7
9782	80/90 -21 H50F 54H TL UM	84,9	101,8
6123	90/90 -21 E-MAX F 54H TL	90,7	108,9
6133	90/90 -21 E-MAX F 54H TT	88,7	106,5
7323	120/70 -21 M/C G721 62H G XVS1300CU	100,3	120,4
10583	130/60 B21 H50F 63H TL	115,8	138,9
Offroad diagonal			
76263	2.50 -10 M40 33J TT	20,8	25,0
1309	80/100 -12 M404 41M TT	33,2	39,8
2161	80/100 -12 M204 41M TT	33,2	39,8
1303	60/100 -14 M403 30M TT	34,8	41,7
2155	60/100 -14 M203 30M TT	34,8	41,7
1310	90/100 -14 M404 49M TT	39,8	47,7
2160	90/100 -14 M204 49M TT	39,8	47,7
2162	90/100 -16 M204 52M TT	44,7	53,7
9793	90/100 -16 X30R 52M TT	44,7	53,7
1304	70/100 -17 M403 40M TT	34,0	40,8
2156	70/100 -17 M203 40M TT	34,0	40,8
2163	100/100 -18 M204 59M TT	56,0	67,1
9794	100/100 -18 X30R 59M TT	56,0	67,1
7186	110/100 -18 X30R 64M NHS TT	59,0	70,8
7189	110/100 -18 X40R 64M NHS TT	59,0	70,8
7909	110/100 -18 X20R 64M TT NHS	59,0	70,8
79408	110/100 -18 M102 64M TT	59,0	70,8
2157	70/100 -19 M203 42M TT	38,6	46,3
9792	70/100 -19 X30F 42M TT	38,6	46,3
7187	100/90 -19 X30R 57M NHS TT	59,0	70,8
7190	100/90 -19 X40R 57M NHS TT	59,0	70,8
7908	100/90 -19 X20R 57M TT NHS	59,0	70,8
9788	100/90 -19 X10R 57M TT	59,0	70,8
7184	110/90 -19 X30R 62M NHS TT	63,3	76,0
7191	110/90 -19 X40R 62M NHS TT	63,3	76,0
7910	110/90 -19 X20R 62M TT NHS	63,3	76,0
9789	110/90 -19 X10R 62M TT	63,3	76,0
7185	120/80 -19 X30R 63M NHS TT	74,9	89,8
9791	120/80 -19 X20R 63M TT	74,9	89,8
9796	120/80 -19 X40R 63M TT	74,9	89,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
7182	80/100 -21 X30F 51M NHS TT	47,1	56,5
7188	80/100 -21 X40F 51M NHS TT	47,1	56,5
7907	80/100 -21 X20F 51M TT NHS	47,1	56,5
9787	80/100 -21 X10F 51M TT	47,1	56,5
7183	90/100 -21 X30F 57M NHS TT	48,6	58,3
9790	90/100 -21 X20F 57M TT	48,6	58,3
9795	90/100 -21 X40F 57M TT	48,6	58,3
Enduro diagonal			
19883	120/90 - 18 E50R 65P TT	70,7	84,8
5160	120/90 -18 ED04 65P TT E YAM WAR	56,7	68,1
74154	120/90 -18 ED12 65M TT	59,8	71,8
78530	120/90 -18 ED668 65R TT CRF250X	60,6	72,7
19884	140/80 - 18 E50R 70P TT	74,9	89,9
78531	140/80 -18 ED668 70R TT CFR450X WAR	67,5	81,0
5159	80/100 -21 ED03 51P TT E YAM WAR	50,5	60,6
19882	90/90 - 21 E50F 54P TT	53,5	64,2
78529	90/90 -21 ED663 54R TT WAR	50,5	60,6
Touring diagonal			
76036	100/90 -16 BT45F 54H TL	84,1	101,0
76212	110/90 -16 BT45F 59V TL	91,9	110,2
76049	130/90 -16 BT45R 67H TL	110,0	132,0
76211	130/90 -16 BT45R 67V TL	112,3	134,7
76213	120/80 -16 BT45F 60V TL	98,0	117,6
76214	150/80 -16 BT45R 71V TL	132,7	159,3
3964	110/70 -16 BT45F 52S TL G SH300IHO WAR	84,5	101,4
76216	120/90 -17 BT45R 64V TL	111,9	134,3
76215	130/90 -17 BT45R 68V TL	113,8	136,6
75187	100/80 -17 BT39F 52H TL SZ	73,7	88,5
76034	100/80 -17 BT45F 52H TL	68,7	82,4
76039	110/80 -17 BT45F 57H TL	82,2	98,7
76296	110/80 -17 BT45F 57V TL	96,5	115,8
76044	120/80 -17 BT45R 61H TL	96,5	115,8
76048	130/80 -17 BT45R 65H TL	101,8	122,2
76217	140/80 -17 BT45R 69V TL	119,6	143,5
76038	110/70 -17 BT45F 54H TL	73,3	88,0
76089	110/70 -17 BT39F 54H TL SZ	76,4	91,6
78300	110/70 -17 BT45F 54H TL G GS500 WAR	73,3	88,0
76043	120/70 -17 BT45F 58H TL	91,9	110,2
77895	120/70 B17 BT020F 58V TL M	132,3	158,8
76046	130/70 -17 BT45R 62H TL	91,9	110,2
76072	130/70 -17 BT39R 62H TL SZ	94,9	113,9
78301	130/70 -17 BT45R 62H TL G GS500 WAR	91,9	110,2
76050	140/70 -17 BT45R 66H TL	96,5	115,8
76052	150/70 -17 BT45R 69H TL	111,9	134,3
76297	150/70 -17 BT45R 69V TL	121,9	146,3
78395	160/70 B17 BT020R 79V RFD TL M K1200LT W	160,9	193,1
76055	4.00 -18 BT45R 64H TT	95,3	114,3
76206	4.00 -18 BT45R 64H TL	97,6	117,2
76056	90/90 -18 BT45F 51H TL	76,4	91,6
76037	100/90 -18 BT45F 56H TL	84,1	101,0
76222	100/90 -18 BT45F 56V TL	91,9	110,2
76223	110/90 -18 BT45F 61V TL	97,2	116,6
76224	120/90 -18 BT45R 65V TL	109,6	131,5

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
76035	100/80 -18 BT45F 53H TL	88,7	106,5
76957	110/80 -18 BT45F 58V TL K1100LT	103,4	124,1
76045	120/80 -18 BT45R 62H TL	98,8	118,5
76220	130/80 -18 BT45R 66V TL	107,3	128,7
76047	130/70 -18 BT45R 63H TL	98,0	117,6
76051	140/70 -18 BT45R 67H TL	115,0	138,0
76207	3.25 -19 BT45F 54H TL	76,4	91,6
75932	100/90 -19 BT45F 57H TT T908MD	88,0	105,6
76225	100/90 -19 BT45F 57V TL	96,5	115,8
78378	90/90 -21 BT45F 54H TL	84,1	101,0
Race radial			
7195	200/655 R17 V02R MED TL (SBK)	221,5	265,7
8432	200/655 R17 V02R SOF NEW SPEC TL (SBK)	221,5	265,7
5889	190/650 R17 V01R SOF TL	201,8	242,2
5890	190/650 R17 V01R MED TL	201,8	242,2
8434	190/650 R17 W01R YEK TL (SBK)	221,5	265,7
3721	180/640 R17 E08Z YEK TL	194,1	232,9
79417	165/625 R17 BM02 MED TL MEDIUM	156,3	187,6
9799	140/620 R17 W01R TL	138,9	166,7
5888	120/600 R17 V01F SOF TL	145,1	174,1
13889	120/600 R17 V02F SOF TL (SBK)	164,4	197,2
13890	120/600 R17 V02F MED TL (SBK)	164,4	197,2
7198	120/600 R17 V02R SOF TL (GP3)	152,0	182,4
7199	120/600 R17 V02R MED TL (GP3)	152,0	182,4
8433	120/600 R17 W01F YEK TL (SBK)	152,0	182,4
9777	110/590 R17 W01F TL	106,9	128,3
7196	90/580 R17 V02F SOF TL (GP3)	116,1	139,3
7197	90/580 R17 V02F MED TL (GP3)	116,1	139,3
8435	90/580 R17 W01F YEK TL (GP3)	116,1	139,3
4171	190/55 ZR17 BT021R (75W) TL F BMW WAR	167,1	200,5
Sport radial			
6372	130/70 ZR16 BT016FP (61W) TL PRO	80,3	96,3
8443	130/70 ZR16 S21F (61W) TL	105,3	126,4
6369	110/70 ZR17 BT016FP (54W) TL PRO	65,9	79,1
8440	110/70 ZR17 S21F (54W) TL	85,6	102,8
4258	120/70 ZR17 BT016FP (58W) TL PRO	73,4	88,1
7897	120/70 ZR17 RS10F (58W) TL	122,7	147,2
10260	120/70 ZR17 S21F (58W) TL G GSX-S750 WAR	125,0	150,0
10264	120/70 ZR17 S21F (58W) TL E CBR1000R WAR	125,0	150,0
8442	120/70 ZR17 S21F (58W) TL	96,5	115,8
16611	120/70 ZR17 S22F (58W) TL	116,9	140,3
6371	120/60 ZR17 BT016FP (55W) TL PRO	67,4	80,9
77013	120/60 R17 BT090F 55H TL	84,9	101,8
8441	120/60 ZR17 S21F (55W) TL	88,7	106,5
6373	150/60 ZR17 BT016RP (66W) TL PRO	82,8	99,4
8444	150/60 ZR17 S21R (66W) TL	108,8	130,6
6375	160/60 ZR17 BT016RP (69W) TL PRO	90,8	108,9
8445	160/60 ZR17 S21R (69W) TL	119,3	143,1
16612	160/60 ZR17 S22R (69W) TL	144,7	173,6
6377	170/60 ZR17 BT016RP (72W) TL PRO	101,0	121,1
4592	180/55 ZR17 BT016R (73W) TL AA SUZ WAR	139,0	166,8
4732	180/55 R17 BT016R (73W) TL EE SUZ WAR	139,0	166,8
4259	180/55 ZR17 BT016RP (73W) TL PRO	97,5	117,0

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
8317	180/55 ZR17 RS10R (73W) TL	166,7	200,1
8446	180/55 ZR17 S21R (73W) TL	127,7	153,3
16613	180/55 ZR17 S22R (73W) TL	155,5	186,6
4263	190/55 ZR17 BT016RP (75W) TL PRO	105,1	126,1
7898	190/55 ZR17 RS10R (75W) TL	175,9	211,1
8448	190/55 ZR17 S21R (75W) TL	137,4	164,9
16615	190/55 ZR17 S22R (75W) TL	166,7	200,1
8449	200/55 ZR17 S21R (78W) TL	144,3	173,2
16616	200/55 ZR17 S22R (78W) TL	174,8	209,7
4261	190/50 ZR17 BT016RP (73W) TL PRO	103,2	123,8
8437	190/50 ZR17 RS10R (73W) TL	169,8	203,7
10265	190/50 ZR17 S21R (73W) TL E CBR1000R WAR	174,0	208,8
8447	190/50 ZR17 S21R (73W) TL	134,2	161,1
16614	190/50 ZR17 S22R (73W) TL	162,9	195,4
6370	110/80 ZR18 BT016FP (58W) TL PRO	81,4	97,6
6374	150/70 ZR18 BT016RP (70W) TL PRO	99,1	118,9
49927	140/60 ZR18 BT50R (64W) TL	105,0	126,0
77018	150/60 R18 BT090RP 67H TL PRO	108,8	130,6
6376	160/60 ZR18 BT016RP (70W) TL PRO	101,0	121,1
Custom radial			
2618	120/70 R18 BT028F 59V TL G YAM VMAX WAR	144,7	173,6
2619	200/50 R18 BT028R 76V TL G YAM VMAX WAR	221,5	265,7
Touring radial			
3430	110/70 ZR17 BT023F (54W) TL	69,1	82,9
8450	110/70 ZR17 T30 EVO (54W) TL	81,4	97,7
10537	110/70 ZR17 T31F 54W TL	97,2	116,6
3306	120/70 ZR17 BT021F (58W) TL N HON WAR	101,5	121,8
3432	120/70 ZR17 BT023F (58W) TL	79,9	95,8
3516	120/70 ZR17 BT023F (58W) TL GT	79,9	95,8
7894	120/70 ZR17 T30 EVO (58W) TL	94,6	113,5
8452	120/70 ZR17 T30 EVO (58W) TL GT	94,6	113,5
10539	120/70 ZR17 T31F 58W TL	111,9	134,3
10554	120/70 ZR17 T31R 58W TL GT	111,9	134,3
3435	150/70 ZR17 BT023R (69W) TL	95,7	114,8
8457	150/70 ZR17 T30 EVO (69W) TL	112,7	135,2
10544	150/70 ZR17 T31R 69W TL	134,2	161,1
3437	160/70 ZR17 BT023R (73W) TL	103,4	124,1
8459	160/70 ZR17 T30 EVO (73W) TL	121,5	145,8
10547	160/70 ZR17 T31R 73W TL	144,3	173,2
3431	120/60 ZR17 BT023F (55W) TL	75,2	90,3
8451	120/60 ZR17 T30 EVO (55W) TL	88,4	106,0
10538	120/60 ZR17 T31F 55W TL	105,0	126,0
3436	160/60 ZR17 BT023R (69W) TL	102,6	123,2
5030	160/60 ZR17 BT023R (69W) TL G HON WAR	130,0	156,0
7895	160/60 ZR17 T30 EVO (69W) TL	121,5	145,8
10545	160/60 ZR17 T31R 69W TL	144,3	173,2
77289	170/60 ZR17 BT020R (72W) TL F ST1300	147,8	177,4
3438	170/60 ZR17 BT023R (72W) TL	107,6	129,1
4873	170/60 ZR17 BT023R (72W) TL GT	107,6	129,1
8460	170/60 ZR17 T30 EVO (72W) TL	127,0	152,4
8461	170/60 ZR17 T30 EVO (72W) TL GT	127,0	152,4
10548	170/60 ZR17 T31R 72W TL	150,9	181,0
10556	170/60 ZR17 T31R 72W TL GT	150,9	181,0

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
1943	190/60 ZR17 BT020R (78W) TL HON/X-4	186,3	223,6
3439	180/55 ZR17 BT023R (73W) TL	108,8	130,6
3517	180/55 ZR17 BT023R (73W) TL GT	108,8	130,6
5158	180/55 ZR17 BT023R (73W) TL E WAR	137,0	164,3
7324	YAM MT07 (*14)	137,0	164,3
7896	180/55 ZR17 T30 EVO (73W) TL	127,7	153,3
8462	180/55 ZR17 T30 EVO (73W) TL GT	127,7	153,3
10549	180/55 ZR17 T31R 73W TL	151,7	182,0
10557	180/55 ZR17 T31R 73W TL GT	151,7	182,0
4872	190/55 ZR17 BT023R (75W) TL GT	116,1	139,3
8464	190/55 ZR17 T30 EVO (75W) TL	136,6	163,9
8465	190/55 ZR17 T30 EVO (75W) TL GT	136,6	163,9
10551	190/55 ZR17 T31R 75W TL	161,3	193,6
10558	190/55 ZR17 T31R 75W TL GT	161,3	193,6
3440	190/50 ZR17 BT023R (73W) TL	114,2	137,0
8463	190/50 ZR17 T30 EVO (73W) TL	134,2	161,1
10550	190/50 ZR17 T31R 73W TL	159,7	191,7
3433	110/80 ZR18 BT023F (58W) TL	79,1	94,9
8453	110/80 ZR18 T30 EVO (58W) TL	93,0	111,6
10552	110/80 R18 T31R 58V TL	106,9	128,3
10540	110/80 ZR18 T31F 58W TL	106,9	128,3
79138	120/70 ZR18 BT020F (59W) TL F ST1300 WAR	120,4	144,5
8454	120/70 ZR18 T30 EVO (59W) TL GT	103,1	123,7
8455	120/70 ZR18 T30 EVO (59W) TL	103,1	123,7
10541	120/70 ZR18 T31F 59W TL	122,7	147,2
10555	120/70 ZR18 T31R 59W TL GT	122,7	147,2
8467	140/70 R18 T30 EVO 67V TL	107,3	128,7
10553	140/70 R18 T31R 67V TL	127,7	153,3
3441	160/60 ZR18 BT023R (70W) TL	105,3	126,4
8458	160/60 ZR18 T30 EVO (70W) TL	124,3	149,1
10546	160/60 ZR18 T31R 70W TL	147,8	177,4
4871	110/80 ZR19 BT023F (59W) TL	86,1	103,3
8456	110/80 ZR19 T30 EVO (59W) TL	101,1	121,4
10543	110/80 ZR19 T31F 59W TL	120,0	144,0
10542	120/70 ZR19 T31F 60W TL	125,0	150,0
Custom radial			
2180	150/80 R16 G853 71V TL E C1800R WAR	156,7	188,0
6075	150/80 R16 E-MAX F 71V TL	156,7	188,0
6083	180/70 R16 E-MAX R 77V TL	165,1	198,2
79137	180/60 R16 G704 74H TL GL1800 WAR	192,6	231,1
6077	200/60 R16 E-MAX R 79V TL	219,2	263,0
6209	200/60 R16 G852 79H TL G SUZ WAR	219,2	263,0
2181	240/55 R16 G852 86V TL G C1800R WAR	223,0	267,6
6078	240/55 R16 E-MAX R 86V TL	223,0	267,6
49889	150/80 R17 G701 72H TL	118,8	142,6
10577	140/75 R17 H50F 67V TL	169,4	203,2
6084	130/70 ZR17 E-MAX F (62W) TL	139,7	167,6
10580	150/60 ZR17 H50R (66W) TL	173,6	208,4
6080	170/60 ZR17 E-MAX R (72W) TL	150,9	181,0
6081	190/60 R17 E-MAX R 78V TL	172,9	207,4
10579	200/55 R17 H50R 78V TL	195,6	234,7
2763	200/50 ZR17 G852 (75W) TL G INTRUDER WAR	207,2	248,6
6076	200/50 ZR17 E-MAX R (75W) TL	207,2	248,6

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
7320	200/50 R17 M/C G852 75V F CT1300	207,2	248,6
6074	120/70 ZR18 E-MAX F (59W) TL	156,3	187,6
10576	120/70 ZR18 H50F (59W) TL	125,0	150,0
6079	130/70 ZR18 E-MAX F (63W) TL	118,8	142,6
7319	130/70 R 18 M/C G853 63V F CT1300	118,8	142,6
77270	130/70 R18 G709 63H TL GL1800	118,8	142,6
7327	210/40 R18 M/C G852 73H G XVS1300CU	227,2	272,7
10578	240/40 R18 H50R 79V TL	212,6	255,1
6082	120/70 ZR19 E-MAX F (60W) TL	128,9	154,7
10575	120/70 ZR19 H50F (60W) TL	128,9	154,7
Adventure radial			
10278	120/70 R15 A41F 56V TL YAMAHA WAR	130,8	157,0
10269	160/60 R15 TW152 65H TL HONDA WAR	127,7	153,3
10566	130/80 R17 A41R 65H TL	112,7	135,2
49539	130/80 R17 TW152 65H TT	110,0	132,0
10567	140/80 R17 A41R 69V TL	119,6	143,5
10563	120/70 ZR17 A41F 58W TL	113,5	136,2
10268	120/70 R17 TW101 58H TL HONDA WAR	98,0	117,6
9331	120/70 ZR17 BW501 (58W) TL G NC750X WAR	123,5	148,2
10568	150/70 R17 A41R 69V TL	123,5	148,2
13531	150/70 R17 A41R 69V TL F750GS WAR	131,2	157,4
13533	150/70 R17 A41R 69V TL F850GS WAR	131,2	157,4
3916	150/70 R17 BW502 69V TL E YAM WAR	121,5	145,8
5032	150/70 R17 BW502 69V TL F HON WAR	121,5	145,8
76265	150/70 R17 TW152 69H TL G R1150GS	117,3	140,8
77224	150/70 R17 TW152 69H TL F V-STROM	117,3	140,8
77509	150/70 R17 TW152 69H TL E VARADERO	117,3	140,8
10570	160/60 ZR17 A41R 69W TL	111,9	134,3
9332	160/60 ZR17 BW502 (69W) TL G NC750X WAR	123,5	148,2
10571	170/60 R17 A41R 72V TL	127,3	152,8
13754	170/60 R17 A41R 72V TL G R1200GS WAR	127,3	152,8
10572	170/60 ZR17 A41R 72W TL	131,2	157,4
10271	HON VFR800X	178,6	214,4
10573	180/55 ZR17 A41R 73W TL	148,9	178,7
10279	195/55 R17 A41R 75V TL YAMAHA WAR	178,6	214,4
10574	190/55 ZR17 A41R 75W TL	158,2	189,9
10561	110/80 R18 A41F 58H TL	100,3	120,4
13525	150/70 R18 A41R 70H TT CRF1000L WAR	129,7	155,6
10569	150/70 ZR18 A41R 70W TL	132,7	159,3
1778	110/80 R19 BW501 59V TL G BMW WAR	101,8	122,2
5031	110/80 R19 BW501 59V TL F HON WAR	101,8	122,2
10562	110/80 R19 A41F 59V TL	101,8	122,2
13530	110/80 R19 A41F 59V TL F750GS WAR	108,8	130,6
76264	110/80 R19 TW101 59H TL G R1150GS	98,8	118,5
77508	110/80 R19 TW101 59H TL E VARADERO	98,8	118,5
78319	110/80 R19 TW101 59H TL J V-STROM WAR	98,8	118,5
10564	120/70 R19 A41F 60V TL	100,3	120,4
13753	120/70 R19 A41F 60V TL G R1200GS WAR	100,3	120,4
10565	120/70 ZR19 A41F 60W TL	104,2	125,0
Adventure cross scrambler radial			
16619	160/60 R 15 AX41S R 67H TL	115,4	138,5
16617	120/70 R 17 AX41S F 58H TL	99,2	119,0
16620	160/60 R 17 AX41S R 69H TL	126,3	151,6

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
16621	170/60 R 17 AX41S R 72H TL	132,0	158,4
16622	180/55 R 17 AX41S R 73H TL	134,9	161,9
19885	110/80 R 18 AX41S F 58H TL	99,2	119,0
16618	120/70 R 19 AX41S F 60H TL	106,3	127,6
Scooter adventure			
72448	3.50 -8 TW2 35J 2 TT	27,0	32,4
Scooter diagonal			
72448	3.50 -8 TW2 35J 2 TT	27,0	32,4
74551	3.50 -10 B01 51J TL	23,6	28,3
8478	90/90 -10 B01 50J TL	22,9	27,5
76025	90/90 -10 ML50 50J TL	22,9	27,5
8481	100/90 -10 B01 61J TL	25,1	30,2
74833	100/90 -10 B01 61J RFD TL	25,1	30,2
76026	120/90 -10 ML50 56J TL	28,9	34,7
76028	130/90 -10 ML50 61J TL	31,8	38,1
76017	100/80 -10 ML50 53J TL	22,9	27,5
8480	90/90 -12 B01 44J TL	31,8	38,1
76463	90/90 -12 B01 44J TL	31,8	38,1
79013	100/90 -12 BT601 FS 49J TL	71,0	85,3
8471	110/90 -12 SC F 64L TL	35,2	42,3
76005	110/80 -12 ML50 51J TL SUZUKI	33,3	40,0
8483	120/80 -12 B01 55J TL	31,8	38,1
8489	120/80 -12 B01 65J TL	33,6	40,4
8894	120/80 -12 BE601W 55J TL	81,1	97,3
79016	120/80 -12 BT601RS 55J TL	81,1	97,3
8470	110/70 -12 SC F 47L TL	27,7	33,2
8029	120/70 -12 SC F 51S TL	33,6	40,4
8473	120/70 -12 SC R 51L TL	33,6	40,4
76915	120/70 -12 ML50 51L TL	33,6	40,4
8475	130/70 -12 SC R 56L TL	31,8	38,1
8476	130/70 -12 SC R 62P TL	38,0	45,6
76170	130/70 -12 ML50 49L TL	37,1	44,5
76916	130/70 -12 ML50 56L TL	31,8	38,1
7201	110/90 -13 SC F 55P TL	39,3	47,2
7205	120/70 -13 SC F 53P TL	33,3	40,0
7208	130/70 -13 SC R 57P TL	45,0	53,9
7209	130/70 -13 SC R 63P RFD TL	38,4	46,0
7204	140/70 -13 SC R 61P TL	46,8	56,2
7211	150/70 -13 SC R 64S TL	48,1	57,7
76806	150/70 -13 B02 64S TL SILVERW	48,1	57,7
78695	150/70 -13 B02PRO 64S TL	48,1	57,7
76173	130/60 -13 ML50 53L TL	38,7	46,4
76031	140/60 -13 ML50 57L TL	40,2	48,3
7200	90/90 -14 SC F 46P TL	33,0	39,6
8031	90/90 -14 SC R 46P TL	33,0	39,6
7203	100/90 -14 SC R 57P RFD TL	36,2	43,4
8038	110/80 -14 SC R 53P TL	24,5	29,4
1257	120/80 -14 B03 58S TL G BURGMAN WAR	45,0	53,9
7210	120/80 -14 SC F 58S TL	45,0	53,9
76805	120/80 -14 B03 58S TL SILVERW	45,0	53,9
76833	120/70 -14 B03 55S TL XP500	39,3	47,2
76834	150/70 -14 B02 66S TL XP500	52,2	62,6
7488	120/70 -15 SC F 56S TL	40,6	48,7

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
8028	120/80 -16 SC R 60P TL	40,2	48,3
1344	110/70 -16 B03 52P TL G SH 300 WAR	43,7	52,4
1346	130/70 -16 B02 61P TL G SH 300 WAR	49,4	59,2
Scooter radial			
10589	120/70 R14 SC2F 55H TL	90,7	108,9
10591	160/60 R14 SC2R 65H TL	109,6	131,5
10594	160/60 R14 SC2RR 65H TL	109,6	131,5
1830	120/70 R15 BT011F 56H TL E T-MAX WAR	94,6	113,5
10590	120/70 R15 SC2F 56H TL	94,6	113,5
10593	120/70 R15 SC2FR 56H TL	94,6	113,5
7179	120/70 R15 SC ECO 56H TL	97,2	116,6
1831	160/60 R15 BT012R 67H TL E T-MAX WAR	119,3	143,1
10592	160/60 R15 SC2R 67H TL	115,4	138,5
10595	160/60 R15 SC2RR 67H TL	115,4	138,5
7180	160/60 R15 SC ECO 67H TL	118,8	142,6