

BRIDGESTONE mootorratta rehvid

Kehtib alates 18.02.2020.a.



Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
Custom diagonal			
6126	130/90 -15 E-MAX R 66S TL	90,7	108,8
6137	130/90 -15 E-MAX R 66S TT	89,1	106,9
6122	140/90 -15 E-MAX R 70H TL	111,8	134,2
6132	140/90 -15 E-MAX R 70H TT	109,9	131,9
6127	150/80 -15 E-MAX R 70H TL	122,6	147,1
6138	150/80 -15 E-MAX R 70H TT	120,3	144,4
6119	160/80 -15 E-MAX R 74S TL	131,4	157,7
6129	160/80 -15 E-MAX R 74S TT	128,4	154,1
6118	180/70 -15 E-MAX R 76H TL	138,4	166,1
73022	170/80 -15 G546 77S TT	130,3	156,4
77020	170/80 -15 G702 77H TT VS1400	136,4	163,7
77348	170/80 -15 G702 77S TT	130,3	156,4
4579	180/70 -15 G722 76H TT LW G WAR	162,9	195,5
6115	130/90 -16 E-MAX F 67H TL	111,8	134,2
6136	130/90 -16 E-MAX F 67H TT	109,9	131,9
6116	150/80 -16 E-MAX F 71H TL	136,1	163,3
76294	140/90 -16 G702 71H TT G VULCA900	124,2	149,0
76252	160/80 -16 G702 80H RFD TL TJ	166,0	199,2
76565	130/90 -16 G703 67H TT L VN1500N	109,9	131,9
4580	130/90 -16 G721 67H TT LW G WAR	122,2	146,6
77555	130/90 -16 G721 67H TL VN1600	111,8	134,2
72917	3.50 -16 S701 58P 6 RFD TT	56,1	67,3
6120	120/90 -17 E-MAX F 64H TL	102,7	123,2
6130	120/90 -17 E-MAX F 64H TT	100,3	120,4
75174	160/70 -17 G548 73V TL	164,2	197,0
9797	100/80 -17 H50F 52H TL	97,6	117,1
73583	3.00 -17 L301 45P 4 TT	48,1	57,7
77271	140/80 -17 L309 69H TT VT1100	128,0	153,6
6125	110/90 -18 E-MAX F 61H TL	113,4	136,1
76240	3.00 -18 G510 52P 6 RFD TT	36,6	43,9
76237	2.75 -18 G511 42P 4 TT	33,9	40,7
75162	110/90 -18 G525 61V TL RBT	111,5	133,8
75158	110/80 -18 G547 58V TL	105,3	126,4
76249	130/70 -18 G701 63H TL TJ	118,4	142,1
3027	130/70 -18 G721 63H TL J MIDNIGHT WAR	118,4	142,1
73706	3.00 -18 L303 47S 4 TT TU250	47,3	56,8
49087	3.00 -18 L303 47P 4 TT	42,3	50,8
6117	100/90 -19 E-MAX F 57H TL	91,1	109,3
6128	100/90 -19 E-MAX F 57H TT	89,6	107,5
6124	110/90 -19 E-MAX F 62H TL	103,8	124,6
6134	110/90 -19 E-MAX F 62H TT	101,5	121,8
76616	110/80 -19 G515 59S TT	97,6	117,1
9337	100/90 -19 G721 57H TL F XV950R WAR	91,1	109,3
10057	100/90 -19 G721 57H TT L XVR950 WAR	91,1	109,3
49256	3.00 -19 L303 49H 4 TL	76,9	92,3
73323	3.00 -19 L303 49S 4 TT	64,3	77,2

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
48963	100/90 -19 S11F 57H TL RWT UM	91,1	109,3
6121	80/90 -21 E-MAX F 48H TL	88,4	106,1
6131	80/90 -21 E-MAX F 48H TT	86,9	104,3
6123	90/90 -21 E-MAX F 54H TL	90,4	108,5
6133	90/90 -21 E-MAX F 54H TT	88,4	106,1
7323	120/70 - 21 M/C G721 62H G XVS1300CU	100,0	120,0
9782	80/90 -21 H50F 54H TL UM	84,6	101,5
Custom radial			
6090	150/90 B15 E-MAX R 74V TL	136,4	163,7
6088	170/80 B15 E-MAX R 77H TL	139,1	166,9
77347	170/80 B15 G702 77H TL	139,1	166,9
9798	140/75 R15 H50R 65H TL	168,0	201,6
6086	130/90 B16 E-MAX F 67H TL	111,8	134,2
6089	150/80 B16 E-MAX R 71H TL	136,1	163,3
6091	150/80 B16 E-MAX R 71H TT	133,7	160,4
6087	170/70 B16 E-MAX R 75H TL	170,3	204,4
77346	150/80 B16 G703 71H TL	136,1	163,3
2900	130/90 B16 G721 67H TL E VN1700 WAR	111,8	134,2
9338	150/80 B16 G722 71H TL F XV950R WAR	136,1	163,3
2901	170/70 B16 G722 75H TL E VN1700 WAR	170,3	204,4
3028	170/70 B16 G722 75H TL J MIDNIGHT WAR	170,3	204,4
10058	150/80 B16 G722 71H TT L XVR950 WAR	136,1	163,3
9779	130/90 B16 H50F 73H TL UM	122,2	146,6
9781	130/90 B16 H50F 67H TL UM	112,7	135,2
9785	130/90 B16 H50R 73H TL UM	147,6	177,1
9784	140/90 B16 H50R 77H TL UM	159,5	191,4
9783	150/80 B16 H50R 77H TL UM	149,5	179,4
10588	180/70 B16 H50R 77H TL	222,1	266,5
10585	180/65 B16 H50R 81H TL	208,3	250,0
6075	150/80 R16 E-MAX F 71V TL	156,1	187,3
6083	180/70 R16 E-MAX R 77V TL	164,5	197,4
6077	200/60 R16 E-MAX R 79V TL	218,3	262,0
6078	240/55 R16 E-MAX R 86V TL	222,1	266,5
79137	180/60 R16 G704 74H TL GL1800 WAR	191,8	230,2
6209	200/60 R16 G852 79H TL G SUZ WAR	218,3	262,0
2181	240/55 R16 G852 86V TL G C1800R WAR	222,1	266,5
13517	200/55 R16 G852 77H TL G GL1800 WAR	206,4	247,7
2180	150/80 R16 G853 71V TL E C1800R WAR	156,1	187,3
10581	130/80 B17 H50F 65H TL	142,2	170,6
9786	160/70 B17 H50R 73V TL UM	155,3	186,4
10587	180/60 B17 H50R 75V TL	216,7	260,0
6084	130/70 ZR17 E-MAX F (62W) TL	139,1	166,9
6080	170/60 ZR17 E-MAX R (72W) TL	150,3	180,4
6081	190/60 R17 E-MAX R 78V TL	172,2	206,6
6076	200/50 ZR17 E-MAX R (75W) TL	206,4	247,7
49889	150/80 R17 G701 72H TL	118,4	142,1
2763	200/50 ZR17 G852 (75W) TL G INTRUDER WAR	206,4	247,7
7320	200/50 R17 M/C G852 75V F CT1300	206,4	247,7
6208	130/80 R17 G853 65H TL G SUZ WAR	116,5	139,8
10577	140/75 R17 H50F 67V TL	168,7	202,4
10580	150/60 ZR17 H50R (66W) TL	173,0	207,6
10579	200/55 R17 H50R 78V TL	194,9	233,9
10584	130/70 B18 H50F 63H TL	121,5	145,8
10586	180/55 B18 H50R 80H TL	215,3	258,4
2618	120/70 R18 BT028F 59V TL G YAM VMAX WAR	144,1	172,9

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
2619	200/50 R18 BT028R 76V TL G YAM VMAX WAR	220,6	264,7
6074	120/70 ZR18 E-MAX F (59W) TL	155,7	186,8
6079	130/70 ZR18 E-MAX F (63W) TL	118,4	142,1
77270	130/70 R18 G709 63H TL GL1800	118,4	142,1
7327	210/40 R18 M/C G852 73H G XVS1300CU	226,4	271,7
7319	130/70 R 18 M/C G853 63V F CT1300	118,4	142,1
2762	120/70 ZR18 G853 (59W) TL G INTRUDER WAR	139,6	167,5
13516	130/70 R18 G853 63H TL G GL1800 WAR	118,4	142,1
10576	120/70 ZR18 H50F (59W) TL	124,6	149,5
10578	240/40 R18 H50R 79V TL	211,7	254,0
9780	100/90 B19 H50F 57H TL UM	99,5	119,4
10582	130/60 B19 H50F 61H TL	127,6	153,1
6082	120/70 ZR19 E-MAX F (60W) TL	128,4	154,1
10575	120/70 ZR19 H50F (60W) TL	128,4	154,1
10583	130/60 B21 H50F 63H TL	115,4	138,5
Full road race			
3721	180/640 R17 E08Z YEK TL	193,3	232,0
77212	165/630 R17 R02 YCX TL	155,7	186,8
5888	120/600 R17 V01F S0F TL	144,5	173,4
8433	120/600 R17 W01F YEK TL (SBK)	151,4	181,7
9777	110/590 R17 W01F TL	106,5	127,8
8435	90/580 R17 W01F YEK TL (GP3)	115,7	138,8
5889	190/650 R17 V01R S0F TL	201,1	241,3
5890	190/650 R17 V01R MED TL	201,1	241,3
8434	190/650 R17 W01R TL (SBK)	220,6	264,7
9799	140/620 R17 W01R TL	138,4	166,1
8436	120/595 R17 W01R YEK TL (GP3)	151,4	181,7
9778	165/630 R17 W01R TL	163,8	196,6
13889	120/600 R17 V02F VS0 TL VM SOFT	163,8	196,6
13890	120/600 R17 V02F VME TL VM MED	163,8	196,6
7196	90/580 R17 V02F SOF TL (GP3)	115,7	138,8
7197	90/580 R17 V02F MED TL (GP3)	115,7	138,8
7192	120/600 R17 V02F SOF TL (SBK)	151,4	181,7
7193	120/600 R17 V02F MED TL (SBK)	151,4	181,7
7195	200/655 R17 V02R MED TL (SBK)	220,6	264,7
8432	200/655 R17 V02R SOF NEW SPEC TL (SBK)	220,6	264,7
7198	120/600 R17 V02R SOF TL (GP3)	151,4	181,7
7199	120/600 R17 V02R MED TL (GP3)	151,4	181,7
16632	200/655 R17 V02R 3SM TL 3LC S/M	242,6	291,1
19608	200/655 R17 V02R TL 3LC X/S	242,6	291,1
17419	110/80 R18 CR11F TL NHS	150,3	180,4
17421	150/65 R18 CR11R TL NHS	192,2	230,6
Offroad diagonal			
49640	2.50 -10 M29 33J 4 TT	20,8	25,0
76263	2.50 -10 M40 33J TT	20,8	25,0
1308	70/100 -10 M404 38M TT	29,6	35,5
2161	80/100 -12 M204 41M TT	33,1	39,7
1302	60/100 -12 M403 33M TT	30,8	37,0
2155	60/100 -14 M203 30M TT	34,6	41,5
2160	90/100 -14 M204 49M TT	39,6	47,5
1303	60/100 -14 M403 30M TT	34,6	41,5
1310	90/100 -14 M404 49M TT	39,6	47,5
18841	90/100 -16 X20R 51M TT	44,6	53,5
9793	90/100 -16 X30R 52M TT	44,6	53,5
2156	70/100 -17 M203 40M TT	33,9	40,7

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
1304	70/100 -17 M403 40M TT	33,9	40,7
19883	120/90 -18 E50R 65P TT MST	70,4	84,5
19884	140/80 -18 E50R 70P TT MST	74,7	89,6
17418	140/80 -18 E50 R EXTREME 70M TT NHS	89,5	107,4
5160	120/90 -18 ED04 65P TT E YAM WAR	56,6	67,9
74154	120/90 -18 ED12 65M TT	59,6	71,5
78531	140/80 -18 ED668 70R TT CFR450X WAR	67,3	80,8
79408	110/100 -18 M102 64M TT	58,8	70,6
2163	100/100 -18 M204 59M TT	55,8	67,0
2168	100/100 -18 M604 59M TT	55,8	67,0
7909	110/100 -18 X20R 64M TT NHS	58,8	70,6
9794	100/100 -18 X30R 59M TT	55,8	67,0
7186	110/100 -18 X30R 64M NHS TT	58,8	70,6
7189	110/100 -18 X40R 64M NHS TT	58,8	70,6
9788	100/90 -19 X10R 57M TT	58,8	70,6
9789	110/90 -19 X10R 62M TT	63,1	75,7
18840	70/100 -19 X20F 42M NHS TT	38,5	46,2
7908	100/90 -19 X20R 57M TT NHS	58,8	70,6
7910	110/90 -19 X20R 62M TT NHS	63,1	75,7
9791	120/80 -19 X20R 63M TT	74,6	89,5
9792	70/100 -19 X30F 42M TT	38,5	46,2
7187	100/90 -19 X30R 57M NHS TT	58,8	70,6
7184	110/90 -19 X30R 62M NHS TT	63,1	75,7
7185	120/80 -19 X30R 63M NHS TT	74,6	89,5
7190	100/90 -19 X40R 57M NHS TT	58,8	70,6
7191	110/90 -19 X40R 62M NHS TT	63,1	75,7
9796	120/80 -19 X40R 63M TT	74,6	89,5
19882	90/90 -21 E50F 54P TT MST	53,4	64,1
5159	80/100 -21 ED03 51P TT E YAM WAR	50,4	60,5
9787	80/100 -21 X10F 51M TT	47,0	56,4
7907	80/100 -21 X20F 51M TT NHS	47,0	56,4
9790	90/100 -21 X20F 57M TT	48,4	58,1
7182	80/100 -21 X30F 51M NHS TT	47,0	56,4
7183	90/100 -21 X30F 57M NHS TT	48,4	58,1
7188	80/100 -21 X40F 51M NHS TT	47,0	56,4
9795	90/100 -21 X40F 57M TT	48,4	58,1
Hypersport			
6372	130/70 ZR16 BT016FP (61W) TL PRO	81,9	98,3
8443	130/70 ZR16 S21F (61W) TL	105,0	126,0
1159	180/55 ZR17 BT012R (73W) TL J HORNET WAR	141,8	170,2
78809	120/65 ZR17 BT014F (56W) TL J WAR	129,9	155,9
79420	190/50 ZR17 BT014R (73W) TL L KAW WAR	152,2	182,6
1781	120/70 ZR17 BT015F (58W) TL M GSXR1300 WAR	106,9	128,3
4576	120/70 ZR17 BT016F (58W) TL CC WAR	106,9	128,3
6369	110/70 ZR17 BT016FP (54W) TL PRO	67,3	80,8
4258	120/70 ZR17 BT016FP (58W) TL PRO	74,9	89,9
6371	120/60 ZR17 BT016FP (55W) TL PRO	68,8	82,6
4592	180/55 ZR17 BT016R (73W) TL AA SUZ WAR	141,8	170,2
4550	190/50 ZR17 BT016R (73W) TL BB WAR	149,1	178,9
4572	190/55 ZR17 BT016R (75W) TL CC WAR	152,6	183,1
6373	150/60 ZR17 BT016RP (66W) TL PRO	84,6	101,5
6375	160/60 ZR17 BT016RP (69W) TL PRO	92,7	111,2
6377	170/60 ZR17 BT016RP (72W) TL PRO	103,0	123,6
4259	180/55 ZR17 BT016RP (73W) TL PRO	99,5	119,4
4263	190/55 ZR17 BT016RP (75W) TL PRO	107,2	128,6

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
4261	190/50 ZR17 BT016RP (73W) TL PRO	105,3	126,4
1744	120/70 ZR17 BT-01F (58W) TL D16RR WAR	106,9	128,3
77013	120/60 R17 BT090F 55H TL	84,6	101,5
76262	190/50 ZR17 BT56R (73W) TL J	149,1	178,9
78365	160/60 ZR17 BT57R (69W) TL E HONDA WAR	132,6	159,1
49780	140/60 R17 BT92R 63H TL	96,4	115,7
10526	110/70 R17 R11F 54H MED TL	130,7	156,8
10527	120/70 R17 R11F 58V TL SOFT	148,4	178,1
10528	120/70 R17 R11F 58V TL MED	148,4	178,1
10529	140/70 R17 R11R 66H MED TL	165,3	198,4
10530	150/60 R17 R11R 66H MED TL	169,1	202,9
10531	160/60 R17 R11R 69V TL MED	180,7	216,8
10532	180/55 R17 R11R 73V TL MED	192,2	230,6
10533	190/55 R17 R11R 75V TL SOFT	199,1	238,9
10534	190/55 R17 R11R 75V TL MED	199,1	238,9
10536	200/55 R17 R11R 78V TL MED	216,7	260,0
18590	200/55 R17 R11R 78V S0F TL SOFT' 19	216,7	260,0
18591	190/55 R17 R11R 75V S0F TL SOFT' 19	199,1	238,9
7897	120/70 ZR17 RS10F (58W) TL	122,2	146,6
8438	110/70 R17 RS10F 54H TL	87,7	105,2
8909	120/70ZR17 RS10F (58W) TL M RC213V-S WAR	131,1	157,3
8911	120/70 ZR17 RS10F (58W) TL L ZX-10R WAR	131,1	157,3
9341	120/70 ZR17 RS10F (58W) TL E GSXR WAR	131,1	157,3
10266	120/70ZR17 RS10F (58W) TL N CBR1000RR SP	131,1	157,3
13713	120/70 ZR17 RS10F (58W) TL G R1 '18 WAR	131,1	157,3
8317	180/55 ZR17 RS10R (73W) TL	166,0	199,2
7898	190/55 ZR17 RS10R (75W) TL	175,3	210,4
8437	190/50 ZR17 RS10R (73W) TL	169,1	202,9
8043	200/55 ZR17 RS10R (78W) TL J H2 '15 WAR	192,9	231,5
8439	140/70 R17 RS10R 66H TL	98,4	118,1
8910	190/55ZR17 RS10R (75W) TL M RC213V-S WAR	188,0	225,6
8912	190/55 ZR17 RS10R (75W) TL L ZX-10R WAR	188,0	225,6
9007	150/60 R17 RS10R 66H TL	112,7	135,2
9342	190/55 ZR17 RS10R (75W) TL E GSXR WAR	188,0	225,6
10267	190/50ZR17 RS10R (73W) TL N CBR1000RR SP	184,1	220,9
13714	190/55 ZR17 RS10R (75W) TL G R1 '18 WAR	188,0	225,6
18350	200/55 ZR17 RS10R (78W) G TL R1M '19 WAR	192,9	231,5
17422	120/70 ZR17 RS11F (58W) TL	137,6	165,1
18351	120/70 ZR17 RS11F (58W) E TL GSXR 19 WAR	137,6	165,1
18355	120/70 ZR17 RS11F (58W) J TL H2 '19 WAR	137,6	165,1
19641	120/70 ZR17 RS11F (58W) TL WAR	137,6	165,1
21613	120/70 ZR17 RS11F (58W) TL CBR1K'20 WAR	137,6	165,1
17423	190/55 ZR17 RS11R (75W) TL	197,3	236,8
17424	200/55 ZR17 RS11R (78W) TL	200,8	241,0
18352	190/55 ZR17 RS11R (75W) E TL GSXR 19 WAR	197,3	236,8
18356	200/55 ZR17 RS11R (78W) J TL H2 '19 WAR	197,3	236,8
19642	190/55 ZR17 RS11R (75W) TL G WAR	197,3	236,8
19643	200/55 ZR17 RS11R (78W) TL G WAR	202,6	243,1
21641	200/55 ZR17 RS11R (78W) TL N CBR1K'20 WA	202,6	243,1
7171	120/70 ZR17 S20F EVO (58W) TL	96,1	115,3
7172	180/55 ZR17 S20R EVO (73W) TL	127,3	152,8
7173	190/50 ZR17 S20R EVO (73W) TL	133,7	160,4
7174	190/55 ZR17 S20R EVO (75W) TL	136,9	164,3
7176	110/70 R17 S20F EVO 54H TL	68,8	82,6
7177	140/70 R17 S20R EVO 66H TL	77,3	92,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
7178	150/60 R17 S20R EVO 66H TL	87,3	104,8
5027	120/70 ZR17 S20F (58W) TL G HON WAR	102,7	123,2
5072	120/70 ZR17 S20F (58W) TL F SUZ WAR	102,7	123,2
5155	120/70 ZR17 S20F (58W) TL E KAW WAR	102,7	123,2
6161	120/70 R17 S20F (58W) TL J ZX636	102,7	123,2
6824	120/70 ZR17 S20F (58W) TL N KAW WAR	102,7	123,2
5028	190/50 ZR17 S20R (73W) TL G HON WAR	143,4	172,1
5073	190/50 ZR17 S20R (73W) TL F SUZ WAR	143,4	172,1
5156	190/50 ZR17 S20R (73W) TL E KAW WAR	143,4	172,1
6162	180/55 ZR17 S20R (73W) TL J ZX636	136,9	164,3
6825	190/50 ZR17 S20R (73W) TL N KAW WAR	143,4	172,1
8440	110/70 ZR17 S21F (54W) TL	85,3	102,4
10260	120/70 ZR17 S21F (58W) TL G GSX-S750 WAR	124,6	149,5
10264	120/70 ZR17 S21F (58W) TL E CBR1000R WAR	124,6	149,5
8442	120/70 ZR17 S21F (58W) TL	96,1	115,3
8441	120/60 ZR17 S21F (55W) TL	88,4	106,1
10274	120/70 ZR17 S21F (58W) TL J R6 WAR	124,6	149,5
13518	120/70 ZR17 S21F (58W) TL M CB1000R WAR	124,6	149,5
13526	120/70 ZR17 S21F (58W) TL F H2 LOW WAR	124,6	149,5
18384	120/70 ZR17 S21F (58W) TL U S1000RR WAR	124,6	149,5
8444	150/60 ZR17 S21R (66W) TL	108,4	130,1
8445	160/60 ZR17 S21R (69W) TL	118,8	142,6
8446	180/55 ZR17 S21R (73W) TL	127,3	152,8
8448	190/55 ZR17 S21R (75W) TL	136,9	164,3
8449	200/55 ZR17 S21R (78W) TL	143,8	172,6
10265	190/50 ZR17 S21R (73W) TL E CBR1000R WAR	173,3	208,0
8447	190/50 ZR17 S21R (73W) TL	133,7	160,4
10261	180/55 ZR17 S21R (73W) TL G GSX-S750 WAR	166,0	199,2
10275	180/55 ZR17 S21R (73W) TL J R6 WAR	166,0	199,2
13519	190/55 ZR17 S21R (75W) TL M CB1000R WAR	176,8	212,2
13527	190/55 ZR17 S21R (75W) TL F H2 LOW WAR	176,8	212,2
18385	190/55 ZR17 S21R (75W) TL U S1000RR WAR	176,8	212,2
16611	120/70 ZR17 S22F (58W) TL	116,5	139,8
17414	110/70 R17 S22F 54H TL	68,8	82,6
18353	120/70 ZR17 S22F (58W) N TL ZX6R '19 WAR	122,3	146,8
20244	120/70 ZR17 S22F (58W) TL G NIN1K'20 WAR	122,3	146,8
16612	160/60 ZR17 S22R (69W) TL	144,1	172,9
16613	180/55 ZR17 S22R (73W) TL	154,9	185,9
16615	190/55 ZR17 S22R (75W) TL	166,0	199,2
16616	200/55 ZR17 S22R (78W) TL	174,1	208,9
16614	190/50 ZR17 S22R (73W) TL	162,2	194,6
17415	140/70 R17 S22R 66H TL	77,3	92,8
17416	150/60 R17 S22R 66H TL	87,3	104,8
17417	180/60 ZR17 S22R (75W) TL	157,8	189,4
18354	180/55 ZR17 S22R (73W) N TL X6R '19 WAR	162,6	195,1
19654	200/55 R17 S22R 78W TL SDR WAR KTM	182,8	219,4
20245	190/50 ZR17 S22R (73W) TL G NIN1K'20 WAR	170,3	204,4
6370	110/80 ZR18 BT016FP (58W) TL PRO	83,0	99,6
6374	150/70 ZR18 BT016RP (70W) TL PRO	101,1	121,3
6376	160/60 ZR18 BT016RP (70W) TL PRO	103,0	123,6
77018	150/60 R18 BT090RP 67H TL PRO	108,4	130,1
49927	140/60 ZR18 BT50R (64W) TL	104,6	125,5
Scooter diagonal			
70040	4.00 -8 SS 55J 4 TT	30,4	36,5
74551	3.50 -10 B01 51J TL	24,1	28,9

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
8478	90/90 -10 B01 50J TL	23,5	28,2
8481	100/90 -10 B01 61J RFD TL LU	25,7	30,8
8479	100/90 -10 B01 56J TL	24,4	29,3
8482	110/90 -10 B01 51J TL	29,5	35,4
8484	100/80 -10 B01 53J TL	23,1	27,7
8485	80/100 -10 B01 46J TL	31,7	38,0
8486	120/90 -10 B01 66J TL	33,9	40,7
74832	3.50 -10 B01 59J RFD TL	25,4	30,5
78548	90/90 -10 B01 50J TL	23,1	27,7
76115	3.50 -10 BT39SSM 51J YCX TL QW 39SSMINI	23,8	28,6
76116	3.00 -10 BT39SSM 42J YCX TL QW 39SSMINI	23,8	28,6
76366	2.75 -10 M40 38J TT	22,0	26,4
76025	90/90 -10 ML50 50J TL	23,5	28,2
76017	100/80 -10 ML50 53J TL	23,5	28,2
15986	120/90 -10 ML50 57J TL	29,2	35,0
76018	130/70 -10 ML50 52J TL	30,4	36,5
76022	110/80 -10 ML50 58J TL	25,0	30,0
72470	120/90 -10 TW37 54J TL	29,2	35,0
72472	130/90 -10 TW38 59J TL	32,0	38,4
8480	90/90 -12 B01 44J TL	32,5	39,0
8489	120/80 -12 B01 65J TL	34,3	41,2
8488	100/80 -12 B01 56J TL LU	33,6	40,3
76464	100/80 -12 B01 56J TL	33,6	40,3
8894	120/80 -12 BT601 W 55J NEK TL	82,8	99,4
8893	100/90 -12 BT601 W 49J NEK TL	71,5	85,8
79013	100/90 -12 BT601FS 49J YCX TL QW FRONT	72,5	87,0
79016	120/80 -12 BT601RS 55J YCY TL QW REAR	82,8	99,4
1309	80/100 -12 M404 41M TT	33,1	39,7
49461	110/100 -12 ML17 67J TL	49,7	59,6
76005	110/80 -12 ML50 51J TL SUZUKI	34,0	40,8
76915	120/70 -12 ML50 51L TL	34,3	41,2
76170	130/70 -12 ML50 49L TL	37,9	45,5
76916	130/70 -12 ML50 56L TL	32,5	39,0
15987	120/80 -12 ML50 55J S1T TL SUZUKI	33,9	40,7
76023	140/70 -12 ML50 60L TL	40,5	48,6
70921	6.7 -12 RE 55F 4 TT	92,8	111,4
8471	110/90 -12 SC F 64L TL	36,0	43,2
8470	110/70 -12 SC F 47L TL	28,3	34,0
8029	120/70 -12 SC F 51S TL	34,3	41,2
8472	110/100 -12 SC F 67J TL	36,1	43,3
8473	120/70 -12 SC R 51L TL	34,3	41,2
8475	130/70 -12 SC R 56L TL	32,5	39,0
8476	130/70 -12 SC R 62P TL	38,8	46,6
8477	140/70 -12 SC R 65L TL	57,0	68,4
76806	150/70 -13 B02 64S TL SILVERW	49,1	58,9
3251	150/70 -13 B02 64S TL F SILVER W WAR	48,4	58,1
76172	130/60 -13 B02 53L TL	38,9	46,7
78695	150/70 -13 B02PRO 64S TL	49,1	58,9
76306	120/70 -13 B03 53L TL	38,0	45,6
76173	130/60 -13 ML50 53L TL	39,5	47,4
76031	140/60 -13 ML50 57L TL	41,1	49,3
7201	110/90 -13 SC F 55P TL	40,2	48,2
7205	120/70 -13 SC F 53P TL	34,0	40,8
7202	110/90 -13 SC F 56L TL	39,6	47,5
17425	110/70 -13 SC F 48P TL	30,9	37,1

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
7208	130/70 -13 SC R 57P TL	45,9	55,1
7209	130/70 -13 SC R 63P RFD TL	39,2	47,0
7204	140/70 -13 SC R 61P TL	47,9	57,5
7211	150/70 -13 SC R 64S TL	49,1	58,9
76834	150/70 -14 B02 66S TL XP500	53,3	64,0
78696	150/70 -14 B02PRO 66S TL	52,6	63,1
1257	120/80 -14 B03 58S TL G BURGMAN WAR	45,9	55,1
76805	120/80 -14 B03 58S TL SILVERW	45,9	55,1
76833	120/70 -14 B03 55S TL XP500	40,2	48,2
70261	5.4 -14 RE 44F 4 TT	92,8	111,4
7200	90/90 -14 SC F 46P TL	33,7	40,4
7210	120/80 -14 SC F 58S TL	45,9	55,1
8030	80/90 -14 SC F 40P TL	31,7	38,0
8032	70/90 -14 SC F 34P TL	24,4	29,3
8034	90/80 -14 SC F 49P TL	18,7	22,4
17426	100/80 -14 SC F 48P TL	30,9	37,1
23265	120/70 -14 SC F 55P TL M TRICITY'20 WAR	40,2	48,2
8031	90/90 -14 SC R 46P TL	33,7	40,4
7203	100/90 -14 SC R 57P RFD TL	36,9	44,3
8038	110/80 -14 SC R 53P TL	25,1	30,1
7782	140/70 -14 SC R 68S RFD TL	53,2	63,8
8033	80/90 -14 SC R 40P TL	31,7	38,0
8035	90/80 -14 SC R 49P TL	18,7	22,4
17427	120/70 -14 SC R 61P TL	38,6	46,3
23266	140/70 -14 SC R 62P TL M TRICITY'20 WAR	55,6	66,7
7488	120/70 -15 SC F 56S TL	41,4	49,7
1346	130/70 -16 B02 61P TL G SH 300 WAR	50,4	60,5
1344	110/70 -16 B03 52P TL G SH 300 WAR	44,6	53,5
3964	110/70 -16 BT45F 52S TL G SH300IHO WAR	84,2	101,0
8027	100/80 -16 SC F 50P TL	35,2	42,2
10597	110/70 -16 SC F 52S TL	67,8	81,4
8028	120/80 -16 SC R 60P TL	41,1	49,3
Scooter radial			
7181	160/60 R14 SC ECO 65H TL	112,7	135,2
10589	120/70 R14 SC2F 55H TL	92,6	111,1
10591	160/60 R14 SC2R 65H TL	111,8	134,2
10594	160/60 R14 SC2RR 65H TL RAIN	111,8	134,2
2694	160/60 R14 TH01R 65H TL M BURGMAN WAR	109,1	130,9
1830	120/70 R15 BT011F 56H TL E T-MAX WAR	96,5	115,8
1831	160/60 R15 BT012R 67H TL E T-MAX WAR	121,7	146,0
7179	120/70 R15 SC ECO 56H TL	99,2	119,0
7180	160/60 R15 SC ECO 67H TL	121,3	145,6
10276	120/70 R15 SC F 56H TL E T-MAX WAR	100,7	120,8
10277	160/60 R15 SC R 67H TL E T-MAX WAR	123,0	147,6
10590	120/70 R15 SC2F 56H TL	96,5	115,8
10593	120/70 R15 SC2FR 56H TL RAIN	96,5	115,8
10592	160/60 R15 SC2R 67H TL	117,7	141,2
10595	160/60 R15 SC2RR 67H TL RAIN	117,7	141,2
77311	120/70 R15 TH01F 56H TL BURGMAN	94,2	113,0
10596	130/70 R16 SC2RR 61S TL RAIN	108,8	130,6
Sport touring diagonal			
76036	100/90 -16 BT45F 54H TL	83,8	100,6
76212	110/90 -16 BT45F 59V TL	91,5	109,8
76213	120/80 -16 BT45F 60V TL	97,6	117,1
76211	130/90 -16 BT45R 67V TL	111,8	134,2

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
17394	130/90 -16 BT46R 67H TL	109,6	131,5
17409	150/80 -16 BT46R 71V TL	128,3	154,0
75187	100/80 -17 BT39F 52H TL SZ	73,5	88,2
76089	110/70 -17 BT39F 54H TL SZ	76,1	91,3
72819	90/80 -17 BT39FSS 46S TL NU BT39SS	93,8	112,6
74873	100/80 -17 BT39FSS 52S TL QW BT39SS	84,6	101,5
76072	130/70 -17 BT39R 62H TL SZ	94,6	113,5
72950	120/80 -17 BT39SSR 61S TL QW BT39SS	94,9	113,9
76034	100/80 -17 BT45F 52H TL	68,4	82,1
76296	110/80 -17 BT45F 57V TL	96,1	115,3
78300	110/70 -17 BT45F 54H TL G GS500 WAR	73,1	87,7
76043	120/70 -17 BT45F 58H TL	91,5	109,8
78301	130/70 -17 BT45R 62H TL G GS500 WAR	91,5	109,8
76297	150/70 -17 BT45R 69V TL	121,5	145,8
76041	110/90 -17 BT45R 60H TL	98,4	118,1
17388	110/70 -17 BT46F 54H TL	73,1	87,7
17389	110/80 -17 BT46F 57H TL	81,9	98,3
17396	120/80 -17 BT46R 61H TL	96,1	115,3
17397	130/70 -17 BT46R 62H TL	91,5	109,8
17398	130/80 -17 BT46R 65H TL	101,5	121,8
17399	140/70 -17 BT46R 66H TL	96,1	115,3
17400	150/70 -17 BT46R 69H TL	111,5	133,8
17410	120/90 -17 BT46R 64V TL	111,5	133,8
17411	130/90 -17 BT46R 68V TL	113,4	136,1
17412	140/80 -17 BT46R 69V TL	119,2	143,0
76629	130/80 -18 AC04 66H TT G W650	106,1	127,3
76223	110/90 -18 BT45F 61V TL	96,8	116,2
76035	100/80 -18 BT45F 53H TL	88,4	106,1
76957	110/80 -18 BT45F 58V TL K1100LT	103,0	123,6
76054	3.50 -18 BT45F 56H TT	73,1	87,7
76055	4.00 -18 BT45R 64H TT	94,9	113,9
76224	120/90 -18 BT45R 65V TL	109,1	130,9
76220	130/80 -18 BT45R 66V TL	106,9	128,3
76218	140/70 -18 BT45R 67V TL	129,9	155,9
17390	110/90 -18 BT46F 61H TL	96,1	115,3
17391	90/90 -18 BT46F 51H TL	76,1	91,3
17392	100/90 -18 BT46F 56H TL	83,8	100,6
17407	100/90 -18 BT46F 56V TL	91,5	109,8
17401	110/90 -18 BT46R 61H TL	96,1	115,3
17402	120/80 -18 BT46R 62H TL	98,4	118,1
17403	130/70 -18 BT46R 63H TL	97,6	117,1
17404	140/70 -18 BT46R 67H TL	114,5	137,4
17405	4.00 -18 BT46R 64H TL	97,3	116,8
17406	110/80 -18 BT46R 58H TL	91,5	109,8
17413	120/90 -18 BT46R 65V TL	109,1	130,9
76628	100/90 -19 AC03 57H TT G W650	90,4	108,5
75932	100/90 -19 BT45F 57H TT T908MD	87,7	105,2
17393	3.25 -19 BT46F 54H TL	76,1	91,3
17408	100/90 -19 BT46F 57V TL	96,1	115,3
78378	90/90 -21 BT45F 54H TL	83,8	100,6
Sport touring radial			
77895	120/70 B17 BT020F 58V TL M	131,8	158,2
78395	160/70 B17 BT020R 79V RFD TL M K1200LT W	160,3	192,4
78317	150/80 R16 BT020F 71V TL VN2000 WAR	151,8	182,2
77342	120/70 ZR17 BT020F (58W) TL CC	109,6	131,5

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
77921	120/70 ZR17 BT020F (58W) TL GG WAR	109,6	131,5
79026	120/70ZR17 BT020F(58W) TL UU K1200GT WAR	109,6	131,5
77289	170/60 ZR17 BT020R (72W) TL F ST1300	147,3	176,8
1943	190/60 ZR17 BT020R (78W) TL HON/X-4	185,6	222,7
1514	160/60 ZR17 BT020R (69W) TL G GSF650 WAR	140,2	168,2
77922	180/55 ZR17 BT020R(73W) TL GG FZS600 WAR	148,0	177,6
3869	120/70 ZR17 BT021F (58W) TL AA SUZ WAR	101,1	121,3
3913	120/70 ZR17 BT021F(58W)TL BB YAM FZ8 WAR	101,1	121,3
3606	190/50ZR17 BT021R (73W)TL U GTR1400 WAR	143,0	171,6
3870	180/55 ZR17 BT021R (73W) TL AA SUZ WAR	136,4	163,7
3430	110/70 ZR17 BT023F (54W) TL	68,8	82,6
3432	120/70 ZR17 BT023F (58W) TL	79,6	95,5
3516	120/70 ZR17 BT023F (58W) TL GT	79,6	95,5
3431	120/60 ZR17 BT023F (55W) TL	74,9	89,9
6416	120/70 ZR17 BT023F (58W) TL F WAR	101,1	121,3
3435	150/70 ZR17 BT023R (69W) TL	95,4	114,5
3437	160/70 ZR17 BT023R (73W) TL	103,0	123,6
3436	160/60 ZR17 BT023R (69W) TL	102,3	122,8
5030	160/60 ZR17 BT023R (69W) TL G HON WAR	129,6	155,5
3438	170/60 ZR17 BT023R (72W) TL	107,2	128,6
4873	170/60 ZR17 BT023R (72W) TL GT	107,2	128,6
3439	180/55 ZR17 BT023R (73W) TL	108,4	130,1
3517	180/55 ZR17 BT023R (73W) TL GT	108,4	130,1
7324	180/55 ZR17 BT023R (73W) TL M YAM MT07 W	136,4	163,7
4872	190/55 ZR17 BT023R (75W) TL GT	115,7	138,8
3440	190/50 ZR17 BT023R (73W) TL	113,8	136,6
6417	180/55 ZR17 BT023R (73W) TL F WAR	136,4	163,7
8450	110/70 ZR17 T30 EVO (54W) TL	81,2	97,4
7894	120/70 ZR17 T30 EVO (58W) TL	94,2	113,0
8452	120/70 ZR17 T30 EVO (58W) TL GT	94,2	113,0
8457	150/70 ZR17 T30 EVO (69W) TL	112,2	134,6
8459	160/70 ZR17 T30 EVO (73W) TL	121,1	145,3
8451	120/60 ZR17 T30 EVO (55W) TL	88,0	105,6
7895	160/60 ZR17 T30 EVO (69W) TL	121,1	145,3
8460	170/60 ZR17 T30 EVO (72W) TL	126,4	151,7
8461	170/60 ZR17 T30 EVO (72W) TL GT	126,4	151,7
7896	180/55 ZR17 T30 EVO (73W) TL	127,3	152,8
8462	180/55 ZR17 T30 EVO (73W) TL GT	127,3	152,8
8464	190/55 ZR17 T30 EVO (75W) TL	136,1	163,3
8465	190/55 ZR17 T30 EVO (75W) TL GT	136,1	163,3
8463	190/50 ZR17 T30 EVO (73W) TL	133,7	160,4
7410	120/70 ZR17 T30F (58W) TL G VFR800 WAR	119,5	143,4
9333	120/70 ZR17 T30F (58W) TL E NC750S WAR	119,5	143,4
10272	120/70ZR17 T30F (58W) TL J CB11/1300 WAR	119,5	143,4
13534	120/70 ZR17 T30F (58W) TL L K1600GTL WAR	119,5	143,4
9334	160/60 ZR17 T30R (69W) TL E NC750S WAR	153,0	183,6
10273	180/55 ZR17 T30R (73W) TL J HONDA WAR	161,5	193,8
13523	180/55 ZR17 T30R (73W) TL E CB1300SF WAR	161,5	193,8
13535	190/55 ZR17 T30R (75W) TL L K1600GTL WAR	165,3	198,4
10537	110/70 ZR17 T31F (54W) TL	96,8	116,2
10539	120/70 ZR17 T31F (58W) TL	111,5	133,8
10554	120/70 ZR17 T31F (58W) TL GT	111,5	133,8
10538	120/60 ZR17 T31F (55W) TL	104,6	125,5
18007	120/70 ZR17 T31F (58W) TL G VERSYS WAR	117,0	140,4
19377	120/70 R17 T31F (58W) TL E S1KXR BMW WAR	117,0	140,4

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
10544	150/70 ZR17 T31R (69W) TL	133,7	160,4
10547	160/70 ZR17 T31R (73W) TL	143,8	172,6
10545	160/60 ZR17 T31R (69W) TL	143,8	172,6
10548	170/60 ZR17 T31R (72W) TL	150,3	180,4
10556	170/60 ZR17 T31R (72W) TL GT	150,3	180,4
10549	180/55 ZR17 T31R (73W) TL	151,1	181,3
10557	180/55 ZR17 T31R (73W) TL GT	151,1	181,3
10551	190/55 ZR17 T31R (75W) TL	160,7	192,8
10558	190/55 ZR17 T31R (75W) TL GT	160,7	192,8
10550	190/50 ZR17 T31R (73W) TL	159,1	190,9
18008	180/55 ZR17 T31R (73W) TL G VERSYS WAR	158,6	190,3
19376	190/55 R17 T31R (75W) TL E S1KXR BMW WAR	168,7	202,4
79138	120/70 ZR18 BT020F (59W) TL F ST1300 WAR	119,9	143,9
77662	120/70 ZR18 BT020F (59W) TL G ROADSTAR	119,9	143,9
3433	110/80 ZR18 BT023F (58W) TL	78,8	94,6
3434	120/70 ZR18 BT023F (59W) TL	87,3	104,8
4874	120/70 ZR18 BT023F (59W) TL GT	87,3	104,8
3441	160/60 ZR18 BT023R (70W) TL	105,0	126,0
6368	140/70 R18 M/C BT54R 67V G CB1100 2013	135,7	162,8
8453	110/80 ZR18 T30 EVO (58W) TL	92,7	111,2
8454	120/70 ZR18 T30 EVO (59W) TL GT	102,7	123,2
8455	120/70 ZR18 T30 EVO (59W) TL	102,7	123,2
8467	140/70 R18 T30 EVO 67V TL	106,9	128,3
8458	160/60 ZR18 T30 EVO (70W) TL	123,8	148,6
8466	110/80 R18 T30 EVO 58V TL	89,6	107,5
10552	110/80 R18 T31F 58V TL	106,5	127,8
10540	110/80 ZR18 T31F (58W) TL	106,5	127,8
10541	120/70 ZR18 T31F (59W) TL	122,2	146,6
10555	120/70 ZR18 T31F (59W) TL GT	122,2	146,6
10553	140/70 R18 T31R 67V TL	127,3	152,8
10546	160/60 ZR18 T31R (70W) TL	147,3	176,8
4871	110/80 ZR19 BT023F (59W) TL	85,7	102,8
8456	110/80 ZR19 T30 EVO (59W) TL	100,7	120,8
10543	110/80 ZR19 T31F (59W) TL	119,5	143,4
10542	120/70 ZR19 T31F (60W) TL	124,6	149,5
Trail On/Off diagonal			
17372	120/90 -16 AX41R 63P TL	79,6	95,5
18589	120/90 -16 TW202 63P TL	75,5	90,6
16631	130/80 -17 AX41R 65Q TL UM	111,3	133,6
17369	130/80 -17 AX41R 65P TL UM	107,5	129,0
17378	120/90 -17 AX41R 64P TL	93,4	112,1
49767	4.60 -17 TW302 62P TT	71,9	86,3
17374	100/90 -18 AX41F 56P TL	76,3	91,6
17368	120/80 -18 AX41R 62P TL	84,3	101,2
17371	120/90 -18 AX41R 65P TL	94,0	112,8
17375	130/80 -18 AX41R 66P TL	108,9	130,7
17380	4.00 -18 AX41R 64P TL	75,6	90,7
17381	4.10 -18 AX41R 59P TL	74,2	89,0
74715	4.60 -18 TW302 63P TT	75,8	91,0
2211	120/80 -18 TW302 62P TT F WR250R WAR	80,3	96,4
77246	130/80 -18 TW302 66S TT KTMLC4	81,9	98,3
16623	100/90 -19 AX41F 57Q TL UM	99,5	119,4
17373	90/100 -19 AX41F 55P TL	68,7	82,4
16626	90/90 -21 AX41F 54Q TL UM	96,0	115,2
17366	80/100 -21 AX41F 51P TL	68,7	82,4

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
17376	2.75 -21 AX41F 45P TL	59,0	70,8
2210	80/100 -21 TW301 51P TT F WR250R WAR	65,4	78,5
16627	140/80 B17 AX41R 69Q TL UM	118,1	141,7
16628	150/70 B17 AX41R 69Q TL UM	121,9	146,3
16629	170/60 B17 AX41R 72Q TL UM	125,8	151,0
16630	150/70 B18 AX41R 70Q TL UM	131,2	157,4
16624	110/80 B19 AX41F 59Q TL UM	99,5	119,4
16625	120/70 B19 AX41F 60Q TL	99,5	119,4
Trail On/Off radial			
16627	140/80 B17 AX41R 69Q TL UM	118,1	141,7
16628	150/70 B17 AX41R 69Q TL UM	121,9	146,3
16629	170/60 B17 AX41R 72Q TL UM	125,8	151,0
16630	150/70 B18 AX41R 70Q TL UM	131,2	157,4
16624	110/80 B19 AX41F 59Q TL UM	99,5	119,4
16625	120/70 B19 AX41F 60Q TL	99,5	119,4
Trail Road diagonal			
17387	180/80 -14 AX41S R 78P TL	110,3	132,4
77256	180/80 -14 TW204 78P TT TW125	104,2	125,0
79220	120/90 -16 TW202 63P TT TRICKER WAR	79,2	95,0
17383	130/80 -17 AX41S R 65H TL	92,3	110,8
79080	130/80 -17 TW42 65H TT SCRAMBLE WAR	92,3	110,8
74848	120/90 -17 TW48 64S TT G TRXL600V	93,4	112,1
17384	100/90 -18 AX41S F 56H TL	92,3	110,8
17386	130/80 -18 AX41S F 66P TL	79,8	95,8
76368	120/90 -18 TW42 65P TT DRZ400S	79,2	95,0
10560	100/90 -19 A41F 57V TL	97,5	117,0
17385	100/90 -19 AX41S F 57H TL	93,7	112,4
1742	100/90 -19 TW101 57H TT TRANSALP WAR	85,0	102,0
49540	100/90 -19 TW101 57H TT SCRAMBLE	85,0	102,0
79219	80/100 -19 TW201 49P TT TRICKER WAR	65,8	79,0
13524	90/90 -21 A41F 54H TT G CRF1000L WAR	87,7	105,2
10559	90/90 V21 A41F (54V) TL	102,3	122,8
13532	90/90 -21 A41F 54V TL G F850GS WAR	109,1	130,9
19720	90/90 -21 A41F 54V TL E TRIUMPH WAR	87,7	105,2
21162	90/90 -21 AX41TF 54H TT G ATWIN'20 WAR	96,4	115,7
21318	90/90 -21 AX41TF 54H TL L ATWIN'20 WAR	96,4	115,7
1887	90/90 -21 BW501 54V TT G F800GS WAR	80,3	96,4
73578	90/90 -21 TW101 54H TT ATXR750	85,0	102,0
75025	90/90 -21 TW47 54S TT G TRXL600V	69,6	83,5
Trail Road radial			
10278	120/70 R15 A41F 56V TL M YAMAHA WAR	130,3	156,4
16619	160/60 R15 AX41S R 67H TL	117,7	141,2
10270	120/70 ZR17 A40F (58W) TL G VFR800X WAR	123,0	147,6
10263	150/70 R17 A40R 69V TL F V-STROM650 WAR	129,2	155,0
10271	180/55 ZR17 A40R (73W) TL G VFR800X WAR	178,0	213,6
10563	120/70 ZR17 A41F (58W) TL	113,1	135,7
10566	130/80 R17 A41R 65H TL	112,2	134,6
10567	140/80 R17 A41R 69V TL	119,2	143,0
10568	150/70 R17 A41R 69V TL	123,0	147,6
13531	150/70 R17 A41R 69V TL G F750/850GS WAR	130,7	156,8
10570	160/60 ZR17 A41R (69W) TL	111,5	133,8
10571	170/60 R17 A41R 72V TL	126,9	152,3
13754	170/60 R17 A41R 72V TL G R1200GS WAR	126,9	152,3
10572	170/60 ZR17 A41R 72W TL	130,7	156,8
10573	180/55 ZR17 A41R (73W) TL	148,4	178,1

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
10279	190/55 R17 A41R 75V TL M YAMAHA WAR	178,0	213,6
10574	190/55 ZR17 A41R (75W) TL	157,6	189,1
19721	150/70 R17 A41R 69V TL E TRIUMPH WAR	129,2	155,0
22923	150/70 R17 A41R 69V TL F V-STROM'20 WAR	129,2	155,0
16617	120/70 R17 AX41S F 58H TL UM	101,3	121,6
16620	160/60 R17 AX41S R 69H TL UM	128,9	154,7
16621	170/60 R17 AX41S R 72H TL UM	134,7	161,6
16622	180/55 R17 AX41S R 73H TL UM	137,6	165,1
3916	150/70 R17 BW502 69V TL E YAM WAR	121,1	145,3
5032	150/70 R17 BW502 69V TL F HON WAR	121,1	145,3
1889	150/70 R17 BW502 69V TT G F800GS WAR	121,1	145,3
7318	150/70 R 17 M/C BW502 69V J SUZ	121,1	145,3
7864	120/70 ZR17 T30F (58W) TL F VERSYS WAR	119,5	143,4
7865	180/55 ZR17 T30R (73W) TL F VERSYS WAR	161,5	193,8
10268	120/70 R17 TW101 58H TL M HONDA WAR	97,6	117,1
76265	150/70 R17 TW152 69H TL G R1150GS	116,9	140,3
77224	150/70 R17 TW152 69H TL F V-STROM	116,9	140,3
77509	150/70 R17 TW152 69H TL E VARADERO	116,9	140,3
10561	110/80 R18 A41F 58H TL	100,0	120,0
13525	150/70 R18 A41R 70H TT G CRF1000L WAR	129,2	155,0
10569	150/70 ZR18 A41R 70W TL	132,3	158,8
19885	110/80 R18 AX41S F 58H TL UM	101,3	121,6
21299	150/70 R18 AX41TR 70H TT G ATWIN'20 WAR	143,6	172,3
21520	150/70 R18 AX41TR 70H TL L ATWIN'20 WAR	143,6	172,3
10262	110/80 R19 A40F 59V TL F V-STROM650 WAR	108,8	130,6
10562	110/80 R19 A41F 59V TL	101,5	121,8
13530	110/80 R19 A41F 59V TL G F750GS WAR	108,4	130,1
10564	120/70 R19 A41F 60V TL	100,0	120,0
13753	120/70 R19 A41F 60V TL G R1200GS WAR	100,0	120,0
10565	120/70 ZR19 A41F 60W TL	106,4	127,7
22922	110/80 R19 A41F 59V TL F V-STROM'20 WAR	108,4	130,1
16618	120/70 R19 AX41S F 60H TL	108,5	130,2
1778	110/80 R19 BW501 59V TL G BMW WAR	101,5	121,8
5031	110/80 R19 BW501 59V TL F HON WAR	101,5	121,8
3915	110/80 R19 BW501 59V TL E YAM WAR	101,5	121,8
7317	110/80 R 19 M/C BW501 59V J SUZ	101,5	121,8
76264	110/80 R19 TW101 59H TL G R1150GS	98,4	118,1
77508	110/80 R19 TW101 59H TL E VARADERO	98,4	118,1
78319	110/80 R19 TW101 59H TL J V-STROM WAR	98,4	118,1