

SRÜ REHVIDE HINNAKIRI

Kehtib alates 17.02.2020.a.



Tootja	Mõõt	Muster	Hind km-ta	Hind km-ga
REHVID SÕIDU- JA PAKIAUTODELE				
	215/90-15C (8.40-15)	Ja-245-1	69,3	83,2
	215/90-15C (8.40-15)	JA-192	79,0	94,8
	225/85R15C	I-502	78,1	93,7
	6.95-16 (175/80-16)	VLI-5	49,7	59,6
kama	175/80R16	I511 M+S	61,9	74,3
altai	175/80R16	Forward Arctic 511 M+S TT	65,2	78,2
	175/80R16	Vli-10 TT	58,5	70,2
REHVID VEOAUTODELE				
voltyre	8.25-15 12PR	LF-268	142,3	170,7
voltyre	8.25-15 14PR	LF-268	152,6	183,1
voltyre	10.0/75-15.3	F-201 PR10	107,4	128,9
	12.00-18	Forward Traction 70/ K-70	246,2	295,4
omsk	7,50-20	IJa-112A	117,3	140,8
kama	8.25R20	U-2	112,5	135,0
kama	9.00R20	IN142-BM	147,3	176,8
kama	9.00R20	O-40BM	137,1	164,5
kama	10.00R20	I-A185	169,3	203,1
kama	10.00R20	OI-73-B	169,5	203,4
kama	10.00R20	U-4	185,1	222,1
kama	11.00R20	I-111AM	194,6	233,5
kama	11.00R20	I-68A	210,7	252,8
kama	12.00R20	I-368	257,5	309,0
kama	12.00R20 16PR	U-4	249,0	298,8
kama	12.00R20 18PR	U-4	249,0	298,8
kama	12.00R20	Kama 402	248,4	298,1
	12.00-20	M93	246,2	295,4
	14.00-20 14PR	OI-25	309,0	370,8
voltyre	14.00-20	Ja-307	399,9	479,9
kama	500/70-20 (1200X500X508)	ID-P284	528,6	634,3
kama	1220X400-533	I-P184-1	452,1	542,5
kama	530/70-21 (1300X530X533)	KAMA-410	522,4	626,9
REHVID TRAKRORITELE JA PÕLLUMAJANDUSTEHNİKALE				
voltyre	5,00-10	V19AM	26,7	32,0
	6,25-10	V-97A	77,1	92,5
voltyre	8.25-15	Ja372 8PR	94,4	113,3
voltyre	10.0/75-15.3	TVL-2 PR 8	89,7	107,6
voltyre	10.0/75-15.3	TVL-2 PR10	89,7	107,6
voltyre	10.0/75-15.3	TVL-2 PR 12	98,7	118,4
voltyre	10.0/75-15.3	VL-30 PR 8	106,1	127,3
voltyre	10.0/75-15.3	VL-30 PR 10	106,1	127,3
voltyre	10.0/75-15.3	VL-30 PR 12	110,5	132,6

Tootja	Mõõt	Muster	Hind km-ta	Hind km-ga
voltyre	6.00-16	L-225A PR 6	53,8	64,5
voltyre	6.50-16	Ja387	62,2	74,6
voltyre	7.50-16	JaF399	92,5	111,1
	7,50L-16 4PR	Fbel-253M TT	86,6	104,0
voltyre	9.00-16	Ja-324A PR10	106,1	127,3
voltyre	9.00-16	IR-107 10PR	100,0	120,0
altai	12.00-16	L-163	119,6	143,5
voltyre	12,00-16	IR-110 Tyrex Agro	123,4	148,1
belshina	12,4L-16	Fbel-160M	176,6	211,9
voltyre	13.0/75-16	VL-38 (I.141)	136,1	163,3
	16.5/70-18 10PR	KF-97	260,7	312,9
belshina	16.5/70-18 14PR	KF-97	310,6	372,8
	15,5/65-18	KF105	249,4	299,2
voltyre	7.50-20	VL-49	89,0	106,8
voltyre	7.50-20	V103	95,1	114,2
voltyre	8.3-20	V-105A	113,0	135,6
voltyre	9.00-20	VL-45	109,5	131,4
voltyre	10.00-20 16PR	DT-114 Tyrex (Excavator)	240,5	288,5
voltyre	11.2-20	F-35	139,7	167,7
voltyre	11.2-20	VL-40	126,4	151,7
belshina	13,6-20	BEL-17	240,3	288,3
altai	13,6-20	Nortec TA-02	218,1	261,7
rosava	13,6R20	F331	245,5	294,6
voltyre	360/70R20	VL-44 (I 120)	329,0	394,8
belshina	16,0-20	F-64GL 8PR	292,7	351,3
belshina	16,0-20	F-64GL 12PR	300,4	360,5
belshina	22/70-20	F-118	583,6	700,4
voltyre	14,9R24	TR 105 Tyrex Agro	338,9	406,7
voltyre	360/70R24	VL-44 (I 122)	299,5	359,4
altai	360/70R24	Nortec AC203	299,0	358,8
belshina	360/70R24 LS 122A8	Bel89	496,8	596,1
voltyre	380/70R24	VL-44 (I 125)	341,1	409,3
voltyre	420/70R24	DR106 Tyrex Agro	368,2	441,8
belshina	420/70R24 LS 130A8	Bel90	611,2	733,5
voltyre	18,4R24	DR-105 Tyrex Agro	433,1	519,8
voltyre	21,3R24 10PR	DR-108 140A8 Tyrex Agro TT	517,3	620,7
voltyre	21,3R24 12PR	DR-108 158A8 Tyrex Agro TL	464,8	557,8
voltyre	23,1-26	Ja242 12PR	844,2	1013,0
voltyre	28.1R26 158A8	FD-12M	929,2	1115,1
altai	28,1 R 26 158A8	Nortec TA-02	890,1	1068,2
voltyre	28.1R26 173A8	FD-12M	1185,9	1423,1
altai	28.1R26 173A8	Nortec TA-02	1052,3	1262,8
voltyre	28.1R26	VL-41 I 158	843,4	1012,1
belshina	28LR26 165A8	Bel-83M TT	1108,6	1330,4
voltyre	620/75R26	DR-11 Tyrex Agro	849,3	1019,1
voltyre	600/55-26.5	DT112 Tyrex WOODCRAFT	965,3	1158,3
voltyre	700/50-26.5	DT113 Tyrex WOODCRAFT	1164,6	1397,5
voltyre	12,4R28	JaF 394	319,0	382,8
voltyre	420/85R28	DR-109 Tyrex Agro	513,4	616,1
voltyre	420/70R28	Ja-428	492,3	590,7

Tootja	Mõõt	Muster	Hind km-ta	Hind km-ga
voltyre	600/65R28	DR-109 Tyrex Agro	939,0	1126,8
belshina	14,9R30	Bel-163	506,1	607,3
voltyre	16.9R30	VL-29 PR 8	509,7	611,7
voltyre	16.9R30	VL-29 PR14	576,3	691,6
voltyre	18.4L30	Ja-319 PR8	589,9	707,8
voltyre	18.4L30	Ja-319 PR10	604,5	725,5
voltyre	18.4L30	Ja-319 PR12	619,2	743,1
voltyre	18.4R30	FVL-234 PR 8	675,1	810,1
voltyre	18.4R30	FVL-234 PR 10	723,5	868,2
voltyre	18.4R30	FVL-234 PR 14	833,6	1000,3
voltyre	480/70R30	VL-44 (I141)	549,5	659,5
voltyre	9,5-32 8PR	DN104B Tyrex Agro	189,0	226,8
altai	9,5-32	V110	174,6	209,5
voltyre	9,5R32	DN104 Tyrex Agro	212,9	255,5
voltyre	650/75R32 172A8 TL	DF101 Tyrex Agro	1190,6	1428,7
rosava	650/75R32 172A8 TT	DR-07	1109,8	1331,8
rosava	30,5R32 167A8	F81	1141,4	1369,6
altai	30,5L-32 12PR	Hortec H-04	997,4	1196,9
altai	30,5L-32 16PR	Hortec H-04	1099,4	1319,2
voltyre	800/65R32 167A8 TL/TT	DR103 Tyrex Agro	1235,4	1482,5
rosava	800/65R32 172A8 TT	CM101	1240,8	1488,9
voltyre	800/65R32 172A8 TL	DF101 Tyrex Agro	1347,4	1616,9
voltyre	800/65R32 172A8 TL	DR103 Tyrex Agro	1347,4	1616,9
voltyre	16.9R34	VL-26 PR 8	649,7	779,6
voltyre	18.4R34	VL-31 PR 8	618,9	742,7
altai	18.4R34	NorTec TA-03 8PR 144A8	585,1	702,1
belshina	18,4R34	F11 8PR	612,7	735,2
voltyre	18.4R34	VL-31 PR 14	666,0	799,2
voltyre	480/70R34	VL-44 (I143)	738,2	885,8
voltyre	13.6-38	Ja-166 PR6	264,7	317,7
voltyre	13.6R38	JaF318	304,4	365,2
voltyre	15.5-38	F-2AD PR 8	298,6	358,3
voltyre	15.5R38	F-2A 8PR	327,9	393,5
voltyre	16.9R38	VL-28 PR 8	496,6	595,9
belshina	16,9R38	F52	518,1	621,7
voltyre	18.4R38	VL-32 PR8	626,0	751,2
belshina	18,4R38	F111	632,9	759,5
voltyre	18.4R38	VL-32 PR16	731,3	877,6
belshina	20,8R38	BEL15	1010,0	1212,0
voltyre	520/85R38 (20,8R38)	DR109 Tyrex Agro	962,2	1154,6
voltyre	480/70R38	VL-44 (I145)	598,7	718,4
belshina	520/70R38	BEL111	875,1	1050,1
belshina	520/70R38 LS 150A8	BEL111	932,7	1119,3
voltyre	710/70R38	DR109 Tyrex Agro	1258,8	1510,6
voltyre	9,5-42	Ja183	286,8	344,1
belshina	580/70R42	Bel126 158A8	1289,1	1546,9