

ÖZKA hinnakiri

Kehtib alates 01.03.2021 a.



Kood	Rehvi mõõt	Muster	LI/SI	TL/TT	PR	Kaal	Hind km-ta	Hind km-ga
	Traktori esirehvid							
3003	7.50-15 8PR	KNK50	99	A6	TT	13,0	79,0	94,8
3102	6.00-16 6PR	KNK30	88	A6	TT	9,9	51,0	61,2
3103	6.00-16 8PR	KNK30	93	A6	TT	10,0	53,0	63,6
3202	6.50-16 6PR	KNK30	91	A6	TT	11,2	62,0	74,4
3203	6.50-16 8PR	KNK30	97	A6	TT	11,3	65,0	78,0
3402	7.50-16 6PR	KNK30	98	A6	TT	13,8	72,0	86,4
3403	7.50-16 8PR	KNK30	103	A6	TT	13,9	76,0	91,2
3412	7.50-16 6PR	KNK32	98	A6	TT	13,8	72,0	86,4
3413	7.50-16 8PR	KNK32	103	A6	TT	13,9	76,0	91,2
3132	6.00-16 6PR	KNK33	88	A6	TT	9,9	51,0	61,2
3133	6.00-16 8PR	KNK33	93	A6	TT	10,0	53,0	63,6
3232	6.50-16 6PR	KNK33	91	A6	TT	11,2	62,0	74,4
3233	6.50-16 8PR	KNK33	97	A6	TT	11,3	65,0	78,0
3472	7.50-16 6PR	KNK33	98	A6	TT	13,9	72,0	86,4
3473	7.50-16 8PR	KNK33	103	A6	TT	13,9	76,0	91,2
3052	5.50-16 6PR	KNK35	86	A6	TT	9,3	49,0	58,8
3112	6.00-16 6PR	KNK35	88	A6	TT	9,9	51,0	61,2
3113	6.00-16 8PR	KNK35	93	A6	TT	10,0	53,0	63,6
3212	6.50-16 6PR	KNK35	91	A6	TT	11,2	62,0	74,4
3213	6.50-16 8PR	KNK35	97	A6	TT	11,3	67,0	80,4
3432	7.50-16 6PR	KNK35	98	A6	TT	13,8	72,0	86,4
3433	7.50-16 8PR	KNK35	103	A6	TT	13,9	80,0	96,0
3463	9.00-16 8PR	KNK35	111	A6	TT	23,4	121,0	145,2
3483	10.00-16 8PR	KNK35	115	A6	TT	25,6	134,0	160,8
3493	11.00-16 8PR	KNK35	118	A6	TT	30,6	177,0	212,4
3122	6.00-16 6PR	KNK50	88	A6	TT	9,9	55,0	66,0
3123	6.00-16 8PR	KNK50	93	A6	TT	10,0	63,0	75,6
3222	6.50-16 6PR	KNK50	91	A6	TT	11,3	69,0	82,8
3223	6.50-16 8PR	KNK50	97	A6	TT	11,5	74,0	88,8
3423	7.50-16 8PR	KNK50	103	A6	TT	13,9	87,0	104,4
3513	7.50-18 8PR	KNK32	106	A6	TT	16,0	90,0	108,0
3503	7.50-18 8PR	KNK35	106	A6	TT	17,0	92,0	110,4
3523	7.50-18 8PR	KNK50	106	A6	TT	14,7	96,0	115,2
3542	6.00-19 6PR	KNK33	93	A6	TT	11,0	63,0	75,6
3553	6.50-20 8PR	KNK32	102	A6	TT	14,4	87,0	104,4
3603	7.50-20 8PR	KNK32	108	A6	TT	16,8	103,0	123,6
3623	7.50-20 8PR	KNK50	108	A6	TT	16,3	103,0	123,6
3652	9.5-20 6PR	KNK50	101	A6	TT	21,6	128,0	153,6
3653	9.5-20 8PR	KNK50	106	A6	TT	21,7	130,0	156,0
3663	9.5-20 8PR TL	KNK50	106	A6	TL	24,5	147,0	176,4

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga
3673	11.2-20 8PR	KNK50	113	A6	TT	28,9	154,0	184,8
3683	11.2-20 8PR TL	KNK50	113	A6	TL	31,9	186,0	223,2
	Traktori veorehvid							
5002	8.3-24 6PR	KNK50	105	A6	TT	20,5	136,0	163,2
5003	8.3-24 8PR	KNK50	108	A6	TT	20,7	144,0	172,8
5102	9.5-24 6PR	KNK50	110	A6	TT	26,8	156,0	187,2
5103	9.5-24 8PR	KNK50	116	A6	TT	27,1	164,0	196,8
5112	11.2-24 6PR	KNK50	110	A6	TT	32,6	197,0	236,4
5113	11.2-24 8PR	KNK50	116	A6	TT	32,8	192,0	230,4
5115	11.2-24 12PR	KNK50	122	A6	TT	36,4	209,0	250,8
5122	12.4-24 6PR	KNK50	115	A6	TT	39,7	219,0	262,8
5123	12.4-24 8PR	KNK50	118	A6	TT	40,0	223,0	267,6
5125	12.4-24 12PR	KNK50	124	A6	TT	43,7	255,0	306,0
5132	13.6-24 6PR	KNK50	120	A6	TT	45,0	251,0	301,2
5133	13.6-24 8PR	KNK50	123	A6	TT	45,3	268,0	321,6
5135	13.6-24 12PR	KNK50	129	A6	TT	49,5	294,0	352,8
5142	14.9-24 6PR	KNK50	125	A6	TT	50,7	280,0	336,0
5143	14.9-24 8PR	KNK50	128	A6	TT	51,0	287,0	344,4
5144	14.9-24 10PR	KNK50	131	A6	TT	54,3	303,0	363,6
5146	14.9-24 14PR	KNK50	137	A6	TT	59,3	344,0	412,8
5195	15.5/80-24 12PR TL	KNK50	157	A6	TL	66,1	370,0	444,0
5197	15.5/80-24 16PR TL	KNK50	163	A6	TL	70,2	368,0	441,6
5053	16.9-24 8PR	KNK50	133	A6	TT	67,2	391,0	469,2
5054	16.9-24 10PR	KNK50	136	A6	TT	67,8	397,0	476,4
5056	16.9-24 14PR	KNK50	141	A6	TT	73,0	425,0	510,0
5184	14.9-26 10PR	KNK50	133	A6	TT	59,2	337,0	404,4
5186	14.9-26 14PR	KNK50	140	A6	TT	64,1	362,0	434,4
5154	18.4-26 10PR	KNK50	142	A6	TT	85,0	471,0	565,2
5157	18.4-26 16PR	KNK50	150	A6	TT	92,0	478,0	573,6
5202	11.2-28 6PR	KNK50	112	A6	TT	39,5	219,0	262,8
5203	11.2-28 8PR	KNK50	118	A6	TT	39,8	225,0	270,0
5212	12.4-28 6PR	KNK50	117	A6	TT	45,0	239,0	286,8
5213	12.4-28 8PR	KNK50	125	A6	TT	45,4	256,0	307,2
5222	13.6-28 6PR	KNK50	121	A6	TT	50,0	278,0	333,6
5223	13.6-28 8PR	KNK50	125	A6	TT	54,9	290,0	348,0
5232	14.9-28 6PR	KNK50	125	A6	TT	57,2	299,0	358,8
5233	14.9-28 8PR	KNK50	130	A6	TT	62,9	308,0	369,6
5236	14.9-28 14PR	KNK50	143	A6	TT	68,0	390,0	468,0
5253	16.9-28 8PR	KNK50	135	A6	TT	75,1	391,0	469,2
5254	16.9-28 10PR	KNK50	139	A6	TT	75,2	394,0	472,8
5256	16.9-28 14PR	KNK50	143	A6	TT	80,9	417,0	500,4
5303	14.9-30 8PR	KNK50	132	A6	TT	66,6	365,0	438,0
5304	14.9-30 10PR	KNK50	136	A6	TT	66,8	385,0	462,0
5313	16.9-30 8PR	KNK50	137	A6	TT	77,7	421,0	505,2
5314	16.9-30 10PR	KNK50	144	A6	TT	78,8	403,0	483,6
5316	16.9-30 14PR	KNK50	150	A6	TT	84,4	440,0	528,0
5323	18.4-30 8PR	KNK50	139	A6	TT	93,9	494,0	592,8
5324	18.4-30 10PR	KNK50	145	A6	TT	95,1	498,0	597,6

Kood	Rehvi mõõt	Muster	LI/SI	TL/ PR	TT	Kaal	Hind km-ta	Hind km-ga
5326	18.4-30 14PR	KNK50	154	A6	TT	102,1	539,0	646,8
5333K	16.9-30 8PR	KNK53	137	A6	TT	78,2	403,0	483,6
5334K	16.9-30 10PR	KNK53	144	A6	TT	79,3	406,0	487,2
5335K	16.9-30 12PR	KNK53	147	A6	TT	79,7	414,0	496,8
5336K	16.9-30 14PR	KNK53	150	A6	TT	84,8	434,0	520,8
5413	8.3-32 8PR	KNK50	111	A6	TT	26,4	162,0	194,4
5423	9.5-32 8PR	KNK50	115	A6	TT	35,2	217,0	260,4
5433	12.4-32 8PR	KNK50	125	A6	TT	51,8	283,0	339,6
5514	16.9-34 10PR	KNK50	142	A6	TT	84,2	454,0	544,8
5516	16.9-34 14PR	KNK50	148	A6	TT	90,2	495,0	594,0
5524	18.4-34 10PR	KNK50	146	A6	TT	99,6	519,0	622,8
5526	18.4-34 14PR	KNK50	153	A6	TT	107,1	576,0	691,2
5602	12.4-36 6PR	KNK50	121	A6	TT	57,4	316,0	379,2
5603	12.4-36 8PR	KNK50	126	A6	TT	57,8	336,0	403,2
5612	13.6-36 6PR	KNK50	125	A6	TT	64,9	347,0	416,4
5613	13.6-36 8PR	KNK50	129	A6	TT	70,9	370,0	444,0
5643	12.4-38 8PR	KNK50	127	A6	TT	66,3	369,0	442,8
5703	13.6-38 8PR	KNK50	131	A6	TT	75,7	379,0	454,8
5704	13.6-38 10PR	KNK50	135	A6	TT	75,5	384,0	460,8
5713	14.0-38 8PR	KNK50	131	A6	TT	75,7	382,0	458,4
5714	14.0-38 10PR	KNK50	135	A6	TT	75,5	387,0	464,4
5724	15.5-38 10PR	KNK50	138	A6	TT	82,0	420,0	504,0
5725	15.5-38 12PR	KNK50	141	A6	TT	82,0	426,0	511,2
5734	16.9-38 10PR	KNK50	145	A6	TT	93,2	506,0	607,2
5736	16.9-38 14PR	KNK50	152	A6	TT	99,9	547,0	656,4
5744	18.4-38 10PR	KNK50	147	A6	TT	113,0	574,0	688,8
5746	18.4-38 14PR	KNK50	154	A6	TT	121,1	612,0	734,4
5755K	15.5-38 12PR	KNK53	141	A6	TT	82,6	446,0	535,2
5764K	16.9-38 10PR	KNK53	145	A6	TT	92,8	522,0	626,4
Kombain								
4605	10.5/80-18 12PR	KNK48	135	A8	TT	23,6	141,0	169,2
4626	12.5/80-18 14PR	KNK48	144	A8	TT	30,9	168,0	201,6
4647	13.0/65-18 16PR	KNK48	144	A8	TT	30,4	170,0	204,0
4746	16.0/70-20 14PR TL	KNK36	154	A6	TL	66,8	300,0	360,0
4904	9.00-24 10PR TL	KNK36	124	B	TL	27	188,0	225,6
5178	23.1-26 18PR TL	KNK50	162	A6	TL	182,9	921,0	1105,2
5358	23.1-30 18PR TL	KNK50	160	A6	TL	197,2	589,0	706,8
6737	18.4-30 16PR	KNK50	158	A6	TT	103,5	918,0	1101,6
5527	18.4-34 16PR	KNK50	159	A6	TT	109,8	592,0	710,4
5757	20.8-38 16PR	KNK50	162	A6	TT	167,8	1097,0	1316,4
5767	20.8-38 16PR TL	KNK50	162	A6	TL	180,7	921,0	1105,2
Haagiserehvid								
4425	7.50-16 12PR	KNK25	121	A8	TT	19,2	101,0	121,2
4515	9.00-16 12PR	KNK26	125	A6	TT	25,1	126,0	151,2
4516	9.00-16 14PR	KNK26	128	A6	TT	25,3	132,0	158,4
4505	9.00-16 12PR	KNK27	125	A6	TT	25,1	126,0	151,2
4506	9.00-16 14PR	KNK27	128	A6	TT	25,3	132,0	158,4
4445	7.50-16 12PR	KNK28	121	A8	TT	18,2	99,0	118,8

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga
4525	10.5/65-16 12PR	KNK48	126	A8	TT	19,4	111,0	133,2
4566	500/50-17 14PR TL	KNK46	149	A8	TL	53,4	259,0	310,8
4568	500/50-17 18PR TL	KNK46	157	A8	TL	56,5	267,0	320,4
4706	8.25-20 14PR	KNK25	133	A6	TT	31,1	168,0	201,6
4716	9.00-20 14PR	KNK22	133	A6	TT	35,8	195,0	234,0
4215	260/70-15.3 12PR TL	KNK42	126	A8	TL	15,8	89,0	106,8
4236	300/80-15.3 14PR TL	KNK42	141	A8	TL	24,9	126,0	151,2
4365	10.0/75-15.3 12PR TL	KNK48	126	A8	TL	20,7	108,0	129,6
4376	11.5/80-15.3 14PR TL	KNK48	139	A8	TL	29,3	148,0	177,6
4386	12.5/80-15.3 14PR TL	KNK48	142	A8	TL	32,2	159,0	190,8
4335	10.0/75-15.3 12PR TL	KNK52	126	A8	TL	21,1	122,0	146,4
4346	11.5/80-15.3 14PR TL	KNK52	139	A8	TL	27,5	154,0	184,8
4397	12.5/80-15.3 16PR TL	KNK56	144	A8	TL	34,8	200,0	240,0
4418	400/60-15.5 18PR TL	KNK56	151	A8	TL	40,2	200,0	240,0
4847	550/60-22.5 16PR TL	KNK56	154	A8	TL	90,1	488,0	585,6
Tõstukirehvid								
9105	6.00-9 12PR	KNK40	121	A5	TT	8,0	57,0	68,4
9205	6.50-10 12PR	KNK40	125	A5	TT	11,1	68,0	81,6
9306	7.00-12 14PR	KNK40	134	A5	TT	15,2	92,0	110,4
9406	8.15-15 (28*9-15) 14PR	KNK40	146	A5	TT	20,9	118,0	141,6
9418	8.25-15 18PR	KNK40	153	A5	TT	31,9	183,0	219,6
Pakiautorehvid								
2103	6,50-14C	KNK20			TT	12,5	88,0	105,6
2104	6,50-14C	KNK20	100/98	L	TT	11,74	88,0	105,6
2144	7.50-15C 10PR	KNK20	114/112	L	TT	17,9	138,0	165,6
2154	7.50-15C 10PR	KNK126	114/112	L	TT	17,9	136,0	163,2
2204	6.50-16C 10PR	KNK20	108/107	L	TT	14,6	110,0	132,0
2304	7.00-16C 10PR	KNK20	113/112	L	TT	16,7	129,0	154,8
2405	7.50-16C 12PR	KNK20	121/120	L	TT	18,2	134,0	160,8
2415	7.50-16C 12PR	KNK24	121/120	L	TT	18,8	136,0	163,2
2425	7.50-16C 12PR	KNK25	121/120	L	TT	20,3	150,0	180,0
2214	6.50-16C 10PR	KNK126	108/107	L	TT	14,6	112,0	134,4
2314	7.00-16C 10PR	KNK126	113/112	L	TT	16,7	133,0	159,6
2435	7.50-16C 12PR	KNK126	121/120	L	TT	19,4	149,0	178,8
Traktori radiaalrehvid 65								
R6524440	440/65 R24	AGRÖ10	128/131	D/A8	TL	80,4	437,0	524,4
R6524480	480/65 R24	AGRÖ10	133/136	D/A8	TL	92,0	494,0	592,8
R6524540	540/65 R24	AGRÖ10	146/149	D/A8	TL	115,5	657,0	788,4
R6526750	750/65 R26	AGRÖ10	166/163	A8/B	TL	245,8	1370,0	1644,0
R6528440	440/65 R28	AGRÖ10	131/134	D/A8	TL	89,6	488,0	585,6
R6528480	480/65 R28	AGRÖ10	142/145	D/A8	TL	101,9	534,0	640,8
R6528540	540/65 R28	AGRÖ10	149/152	D/A8	TL	129,2	680,0	816,0
R6528600	600/65 R28	AGRÖ10	154/157	D/A8	TL	162,0	879,0	1054,8
R6530540	540/65 R30	AGRÖ10	150/153	D/A8	TL	136,4	730,0	876,0
R6532800	800/65 R32	AGRÖ10	178/175	A8/B	TL	341,3	1807,0	2168,4
R6534540	540/65 R34	AGRÖ10	152/155	D/A8	TL	153,8	827,0	992,4
R6538540	540/65 R38	AGRÖ10	153/156	D/A8	TL	168,0	935,0	1122,0
R6538600	600/65 R38	AGRÖ10	159/162	D/A8	TL	193,1	1006,0	1207,2

Kood	Rehvi mõõt	Muster	LI/SI	TL/ PR	TT	Kaal	Hind km-ta	Hind km-ga
R6538650	650/65 R38	AGRÖ10	163/166	D/A8	TL	254,6	1302,0	1562,4
R6542650	650/65 R42	AGRÖ10	165/168	D/A8	TL	280,1	1490,0	1788,0
	Traktori radiaalrehvid 70							
R7016240	240/70 R16	AGRÖ10	104/104	A8/B	TL	21,4	123,0	147,6
R7016260	260/70 R16	AGRÖ10	109/109	A8/B	TL	23,4	137,0	164,4
R7016280	280/70 R16	AGRÖ10	112/112	A8/B	TL	29,3	164,0	196,8
R7018280	280/70 R18	AGRÖ10	114/114	A8/B	TL	32,6	186,0	223,2
R7020260	260/70 R20	AGRÖ10	113/113	A8/B	TL	30,0	176,0	211,2
R7020280	280/70 R20	AGRÖ10	116/116	A8/B	TL	37,0	203,0	243,6
R7020300	300/70 R20	AGRÖ10	120/117	A8/B	TL	42,6	219,0	262,8
R7020320	320/70 R20	AGRÖ10	113/113	A8/B	TL	44,3	246,0	295,2
R7020360	360/70 R20	AGRÖ10	129/129	A8/B	TL	56,8	308,0	369,6
R7020380	380/70 R20	AGRÖ10	122/122	A8/B	TL	62,4	369,0	442,8
R7024320	320/70 R24	AGRÖ10	116/116	A8/B	TL	52,8	301,0	361,2
R7024360	360/70 R24	AGRÖ10	122/122	A8/B	TL	62,8	325,0	390,0
R7024380	380/70 R24	AGRÖ10	125/125	A8/B	TL	69,5	385,0	462,0
R7024420	420/70 R24	AGRÖ10	130/130	A8/B	TL	82,2	439,0	526,8
R7024460	460/70 R24	AGRÖ10	152/149	A8/B	TL	95,1	486,0	583,2
R7024480	480/70 R24	AGRÖ10	138/135	A8/B	TL	102,1	564,0	676,8
R7026480	480/70 R26	AGRÖ10	139/136	A8/B	TL	110,0	611,0	733,2
R7028360	360/70 R28	AGRÖ10	125/125	A8/B	TL	70,1	376,0	451,2
R7028380	380/70 R28	AGRÖ10	127/127	A8/B	TL	76,0	412,0	494,4
R7028420	420/70 R28	AGRÖ10	133/133	A8/B	TL	91,3	477,0	572,4
R7028480	480/70 R28	AGRÖ10	140/140	A8/B	TL	113,8	597,0	716,4
R7030420	420/70 R30	AGRÖ10	134/131	A8/B	TL	97,6	527,0	632,4
R7030480	480/70 R30	AGRÖ10	141/138	A8/B	TL	126,4	664,0	796,8
R7030600	600/70 R30	AGRÖ10	158/156	A8/B	TL	201,9	1019,0	1222,8
R7034480	480/70 R34	AGRÖ10	143/143	A8/B	TL	141,4	730,0	876,0
R7034520	520/70 R34	AGRÖ10	148/146	A8/B	TL	162,6	833,0	999,6
R7038480	480/70 R38	AGRÖ10	145/142	A8/B	TL	152,9	792,0	950,4
R7038520	520/70 R38	AGRÖ10	150/147	A8/B	TL	177,5	912,0	1094,4
R7038580	580/70 R38	AGRÖ10	155/152	A8/B	TL	207,7	1088,0	1305,6
R7038710	710/70 R38	AGRÖ10	171/174	D/A8	TL	305,1	1652,0	1982,4
R704262011	620/70 R42	AGRÖ11	166/166	A8/B	TL	283,4	1525,0	1830,0
R7042710	710/70 R42	AGRÖ10	173/176	D/A8	TL	365,2	2004,0	2404,8
	Traktori radiaalrehvid 75							
R752662011	620/75 R26	AGRÖ11	166/166	A8/B	TL	225,9	1221,0	1465,2
R753062011	620/75 R30	AGRÖ11	163/161	A8/B	TL	237,7	1304,0	1564,8
R753265011	650/75 R32	AGRÖ11	172/172	A8/B	TL	268,6	1370,0	1644,0
	Traktori radiaalrehvid 80							
R8042480	480/80 R42	Agro 10	151/148	A8/B	TL	178,5	983,0	1179,6
R8046480	480/80 R46	Agro 10	164/164	A8/B	TL	192,6	1058,0	1269,6
	Traktori radiaalrehvid 85							
R8520280	280/85 R20 (11.2 R20)	AGRÖ10	112/109	A8/B	TL	41,1	203,0	243,6
R8520320	320/85 R20 (12.4 R20)	AGRÖ10	119/116	A8/B	TL	49,7	265,0	318,0
R8524280	280/85 R24 (11.2 R24)	AGRÖ10	115/112	A8/B	TL	47,8	256,0	307,2
R8524320	320/85 R24 (12.4 R24)	AGRÖ10	122/119	A8/B	TL	58,5	319,0	382,8
R8524340	340/85 R24 (13.6 R24)	AGRÖ10	125/122	A8/B	TL	66,6	364,0	436,8

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga
R8524380	380/85 R24 (14.9 R24)	AGRÖ10	131/128	A8/B	TL	78,0	415,0	498,0
R8524420	420/85 R24 (16.9 R24)	AGRÖ10	137/134	A8/B	TL	97,0	501,0	601,2
R8528280	280/85 R28 (11.2 R28)	AGRÖ10	118/115	A8/B	TL	53,8	300,0	360,0
R8528320	320/85 R28 (12.4 R28)	AGRÖ10	124/121	A8/B	TL	62,6	342,0	410,4
R8528340	340/85 R28 (13.6 R28)	AGRÖ10	127/124	A8/B	TL	72,0	387,0	464,4
R8528380	380/85 R28 (14.9 R28)	AGRÖ10	133/130	A8/B	TL	83,9	457,0	548,4
R8528420	420/85 R28 (16.9 R28)	AGRÖ10	139/136	A8/B	TL	102,3	530,0	636,0
R8530380	380/85 R30 (14.9 R30)	AGRÖ10	135/132	A8/B	TL	88,1	475,0	570,0
R8530420	420/85 R30 (16.9 R30)	AGRÖ10	140/137	A8/B	TL	108,7	579,0	694,8
R8530460	460/85 R30 (18.4 R30)	AGRÖ10	145/142	A8/B	TL	127,5	660,0	792,0
R8532320	320/85 R32 (12.4 R32)	AGRÖ10	126/126	A8/B	TL	70,4	407,0	488,4
R8534420	420/85 R34 (16.9 R34)	AGRÖ10	142/139	A8/B	TL	119,9	626,0	751,2
R8534460	460/85 R34 (18.4 R34)	AGRÖ10	147/144	A8/B	TL	141,0	743,0	891,6
R8536320	320/85 R36 (12.4 R36)	AGRÖ10	128/125	A8/B	TL	77,1	435,0	522,0
R8536340	340/85 R36 (13.6 R36)	AGRÖ10	132/129	A8/B	TL	88,6	477,0	572,4
R8538320	320/85 R38 (12.4 R38)	AGRÖ10	143/143	A8/B	TL	84,3	456,0	547,2
R8538340	340/85 R38 (13.6 R38)	AGRÖ10	133/130	A8/B	TL	90,3	484,0	580,8
R8538380	380/85 R38 (14.9 R38)	AGRÖ10	139/136	A8/B	TL	106,4	590,0	708,0
R8538420	420/85 R38 (16.9 R38)	AGRÖ10	144/141	A8/B	TL	131,6	688,0	825,6
R8538460	460/85 R38 (18.4 R38)	AGRÖ10	149/146	A8/B	TL	153,6	790,0	948,0
R8538520	520/85 R38 (20.8 R38)	AGRÖ10	155/152	A8/B	TL	192,3	985,0	1182,0
R8538650	650/85 R38	AGRÖ10	173/176	D/A8	TL	338,3	1929,0	2314,8
R8542520	520/85 R42 (20.8 R42)	AGRÖ10	157/157	A8/B	TL	216,9	1145,0	1374,0
R8546340	340/85 R46 (13.6 R46)	AGRÖ10	150/151	D/A8	TL	114,2	673,0	807,6
R8548340	340/85 R48 (13.6 R48)	AGRÖ10	152/151	A8/B	TL	115,8	674,0	808,8
Traktori radiaalrehvid 90								
R9046320	320/90 R46	AGRÖ10	146/146	A8/B	TL	105,7	626,0	751,2
R9046380	380/90 R46	AGRÖ10	159/162	D/A8	TL	134,6	793,0	951,6
R9050320	320/90 R50	AGRÖ10	150/150	A8/B	TL	114,0	679,0	814,8
R9054320	320/90 R54	AGRÖ10	155/155	A8/B	TL	123,9	731,0	877,2
Traktori radiaalrehvid 95								
R9520	9.5 R20	AGRÖ10	108/105	A8/B	TL	33,2	173,0	207,6
R9532210	210/95 R32	AGRÖ10	114/114	A8/B	TL	44,7	257,0	308,4
R9532230	230/95 R32	AGRÖ10	128/128	A8/B	TL	51,8	298,0	357,6
R9532270	270/95 R32	AGRÖ10	118/118	A8/B	TL	65,9	383,0	459,6
R9536210	210/95 R36	AGRÖ10	118/118	A8/B	TL	48,0	290,0	348,0
R9536230	230/95 R36	AGRÖ10	136/136	A8/B	TL	59,9	345,0	414,0
R9536270	270/95 R36	AGRÖ10	139/139	A8/B	TL	72,6	428,0	513,6
R9538270	270/95 R38	AGRÖ10	138/138	A8/B	TL	75,9	441,0	529,2
R9542230	230/95 R42	AGRÖ10	133/136	A8/D	TL	62,6	373,0	447,6
R9544210	210/95 R44	AGRÖ10	120/120	A8/B	TL	59,2	356,0	427,2
R9544230	230/95 R44	AGRÖ10	132/132	A8/B	TL	65,1	391,0	469,2
R9544270	270/95 R44	AGRÖ10	142/142	A8/B	TL	82,6	493,0	591,6
R9546270	270/95 R46	AGRÖ10	143/143	A8/B	TL	87,0	527,0	632,4
R9546300	300/95 R46	AGRÖ10	148/148	A8/B	TL	94,7	559,0	670,8
R9548230	230/95 R48	AGRÖ10	136/136	A8/B	TL	72,2	425,0	510,0
R9548270	270/95 R48	AGRÖ10	142/142	A8/B	TL	90,9	532,0	638,4
R9552300	300/95 R52	AGRÖ10	159/156	A8/D	TL	113,4	652,0	782,4

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga	
R9554270	270/95 R54	AGRÖ10	146/146	A8/B	TL		103,6	594,0	712,8
	Implement								
1611	5.00-12 4PR	KNK52	62	A6	TT		3,9	33,0	39,6
1732	7.00-12 6PR	KNK52	83	A6	TT		6,0	52,0	62,4
1702	6.50/80-12 6PR	KNK54	80	A6	TT		9,9	39,0	46,8
1764	10.0/80-12 10PR TL	KNK48	116	A8	TT		7,5	97,0	116,4
1774	10.0/80-12 10PR TL	KNK42	117	A8	TT		7,2	80,0	96,0
1752	6.50/80-13 6PR	KNK52	82	A6	TT		6,8	42,0	50,4
1812	6.50/80-15 6PR	KNK50	86	A6	TL		17,4	49,0	58,8
1802	5.00-15 6PR	KNK140	76	A6	TL		14,5	44,0	52,8
	OTR Radiaal								
R8024440	440/80 R24	OR71	154/154	A8/B	TL		110,0	619,0	742,8
R702446071	460/70 R24	OR71	159/159	A8/B	TL		101,9	554,0	
R8028440	440/80 R28	OR71	156/156	A8/B	TL		121,0	706,0	847,2
	OTR Diagonaal								
6025	10-16,5	KNK66	138	A3	TL		29,5	173,0	207,6
6146	12,5/80-18	KNK66	146	A8	TL		45	272,0	326,4
6115	10.5/80-18 12PR TL	IND80	135	A8	TL		29,1	182,0	218,4
6156	12.5/80-18 14PR TL	IND80	146	A8	TL		44,4	247,0	296,4
6136	12.5/80-18 14PR TL	IND85	146	A8	TL		47,0	246,0	295,2
6166	12.5/80-18	IND88	146	A8	TL		44,6	245,0	294,0
6176	340/80-18	IND88	146	A8	TL		46,4	259,0	310,8
6247	10.00-20 16PR	KNK44	146 / 143	A8	TT		46,8	280,0	336,0
6257	10.00-20 16PR TL	KNK44	146 / 143	A8	TL		50,1	293,0	351,6
6196	14,5-20	IND88	146	A8	TL		55,6	324,0	388,8
6277	16.0/70-20 16PR TL	IND80	166	A2	TL		66,8	381,0	457,2
6187	16,0/70-20	IND88	166	A2	TL		66,9	381,0	457,2
6225	9.00-20 12PR	KNK88	157	A2	TT		50,5	273,0	327,6
6262	11.00-20 16PR	KNK88	168	A2	TT		72,9	364,0	436,8
6287	15.5/80-24 16PR TL	IND80	162	A8	TL		77,9	436,0	523,2
6377	16.0/70-24 16PR TL	IND80	169	A2	TL		79,2	431,0	517,2
6576	19,5L-24(500/70-24)	IND80	154	A8	TL		98	548,0	657,6
6397	16.9-24 16PR TL	IND80	152	A8	TL		86,2	461,0	553,2
6566	17.5L-24 14PR TL	IND80	154	A8	TL		77,2	441,0	529,2
6761	14.00-24	KNK70	186	A2	TL		112,8	659,0	790,8
6765	14.00-24	KNK70	190	A2	TL		126,5	763,0	915,6
6337	13.00-24 16PR TL	KNK72	151	A8	TL		69,7	421,0	505,2
6357	14.00-24 16PR TL	KNK72	153	A8	TL		86,4	485,0	582,0
6297	16.00-24 16PR TL	KNK74	163	A6	TL		122,0	655,0	786,0
6816	15.5-25 14PR TL	IND80	173	A2	TL		86,1	465,0	558,0
6407	15,5-25	KNK70	175	A2	TL		86,2	604,0	724,8
6419	17,5-25	KNK70	181	A2	TL		134,8	788,0	945,6
6431	20,5-25	KNK70	189	A2	TL		213,6	1230,0	1476,0
6451	23,5-25	KNK70	196	A2	TL		275,1	1726,0	2071,2
6473	26,5-25	KNK70	203	A2	TL		425,6	2436,0	2923,2
6475	26,5-25	KNK70	206	A2	TL		431,6	2664,0	3196,8
6495	29,5-25	KNK70	210	A2	TL		538,4	3654,0	4384,8
6516	18.4-26 14PR TL	IND80	160	A8	TL		107,1	584,0	700,8

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga
6536	23.1-26 14PR TL	KNK77	166	A8	TL	139,4	820,0	984,0
6616	16.9-28 14PR TL	IND80	156	A8	TL	93,0	471,0	565,2
6957	16.9-30 16PR TL	IND80	156	A8	TL	100,1	557,0	668,4
6015	10-16.5 12PR TL	KNK65	138	A3	TL	29,4	171,0	205,2
6036	12-16.5 14PR TL	KNK65	148	A3	TL	40,7	230,0	276,0
6046	12-16.5 14PR TL	KNK66	148	A3	TL	41,0	236,0	283,2
6055	10-16.5 12PR TL	IND80	138	A3	TL	23,3	133,0	159,6
5507	12-16.5 14PR TL	IND80	144	A3	TL	31,1	177,0	212,4
	Military							
7423	13.00-18 8PR	KNK14	131	F	TT	61,2	418,0	501,6
7525	12.5-20 12PR	KNK12	132	F	TT	44,2	305,0	366,0
7749	14.00-20 20PR	KNK10	161/158	F	TT	71,8	518,0	621,6
7748	14.00-20 18PR	KNK10	160/157	F	TT	73,4	515,0	618,0