

BRIDGESTONE mootorratta rehvid

Kehtib alates 15.02.2021.a.



Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
Adventure diagonal			
77256	180/80 -14 TW204 78P TT TW125	106,0	127,2
18589	120/90 -16 TW40 63P TL	77,0	92,4
79220	120/90 -16 TW202 63P TT TRICKER WAR	81,0	97,2
79080	130/80 -17 TW42 65H TT SCRAMBLE WAR	94,0	112,8
74848	120/90 -17 TW48 64S TT G TRXL600V	95,0	114,0
2211	120/80 -18 TW302 62P TT F WR250R WAR	82,0	98,4
74715	4.60 -18 TW302 63P TT	77,0	92,4
77246	130/80 -18 TW302 66S TT KTMLC4	83,0	99,6
76368	120/90 -18 TW42 65P TT DRZ400S	81,0	97,2
10560	100/90 -19 A41F 57V TL	97,0	116,4
1742	100/90 -19 TW101 57H TT TRANSALP WAR	86,0	103,2
49540	100/90 -19 TW101 57H TT SCRAMBLE	86,0	103,2
79219	80/100 -19 TW201 49P TT TRICKER WAR	67,0	80,4
10559	90/90 V-21 A41F 54V TL	104,0	124,8
13524	90/90 -21 A41F 54H TT CRF1000L WAR	89,0	106,8
13532	90/90 -21 A41F 54V TL G F850GS WAR	111,0	133,2
19720	90/90 -21 A41F 54V TL E TRIUMPH WAR	89,0	106,8
1887	90/90 -21 BW501 54V TT G F800GS WAR	82,0	98,4
2210	80/100 -21 TW301 51P TT F WR250R WAR	67,0	80,4
75025	90/90 -21 TW47 54S TT G TRXL600V	71,0	85,2
Adventure radial			
10278	120/70 R15 A41F 56V TL YAMAHA WAR	132,0	158,4
10563	120/70 ZR17 A41F 58W TL	100,0	120,0
10279	190/55 R17 A41R 75V TL M YAMAHA WAR	181,0	217,2
10566	130/80 R17 A41R 65H TL	114,0	136,8
10567	140/80 R17 A41R 69V TL	121,0	145,2
10568	150/70 R17 A41R 69V TL	125,0	150,0
10570	160/60 ZR17 A41R 69W TL	127,0	152,4
10571	170/60 R17 A41R 72V TL	129,0	154,8
10572	170/60 ZR17 A41R 72W TL	133,0	159,6
10573	180/55 ZR17 A41R 73W TL	151,0	181,2
10574	190/55 ZR17 A41R (75W) TL	160,0	192,0
13531	150/70 R17 A41R 69V TL F750GS WAR	133,0	159,6
13754	170/60 R17 A41R 72V TL G R1200GS WAR	129,0	154,8
19721	150/70 R17 A41R 69V TL E TRIUMPH WAR	131,0	157,2
22923	150/70 R17 A41R 69V TL F V-STROM'20 WAR	131,0	157,2
3916	150/70 R17 BW502 69V TL E YAM WAR	123,0	147,6
5032	150/70 R17 BW502 69V TL F HON WAR	123,0	147,6
10268	120/70 R17 TW101 58H TL HONDA WAR	99,0	118,8
76265	150/70 R17 TW152 69H TL G R1150GS	119,0	142,8
77224	150/70 R17 TW152 69H TL F V-STROM	119,0	142,8
77509	150/70 R17 TW152 69H TL E VARADERO	119,0	142,8
10561	110/80 R18 A41F 58H TL	102,0	122,4
10569	150/70 ZR18 A41R 70W TL	134,0	160,8
13525	150/70 R18 A41R 70H TT CRF1000L WAR	131,0	157,2
10562	110/80 R19 A41F 59V TL	103,0	123,6

Rehvi m õ õt ja muster		Hind km.-ta	Hind km.-ga
10564	120/70 R19 A41F 60V TL	102,0	122,4
10565	120/70 ZR19 A41F 60W TL	106,0	127,2
13530	110/80 R19 A41F 59V TL G F750GS WAR	110,0	132,0
13753	120/70 R19 A41F 60V TL G R1200GS WAR	102,0	122,4
22922	110/80 R19 A41F 59V TL F V-STROM'20 WAR	110,0	132,0
1778	110/80 R19 BW501 59V TL G BMW WAR	103,0	123,6
5031	110/80 R19 BW501 59V TL F HON WAR	103,0	123,6
76264	110/80 R19 TW101 59H TL G R1150GS	100,0	120,0
77508	110/80 R19 TW101 59H TL E VARADERO	100,0	120,0
78319	110/80 R19 TW101 59H TL J V-STROM WAR	100,0	120,0
Adventure cross diagonal			
17372	120/90 -16 AX41R 63P TL	81,0	97,2
16631	130/80 - 17 65Q TL AX41R	113,0	135,6
17369	130/80 -17 AX41R 65P TL UM	109,0	130,8
17378	120/90 -17 AX41R 64P TL	95,0	114,0
17379	4.60 -17 AX41R 62P TL	76,0	91,2
17374	100/90 -18 AX41F 56P TL	78,0	93,6
17368	120/80 -18 AX41R 62P TL	86,0	103,2
17371	120/90 -18 AX41R 65P TL	96,0	115,2
17375	130/80 -18 AX41R 66P TL	111,0	133,2
17380	4.00 -18 AX41R 64P TL	77,0	92,4
17381	4.10 -18 AX41R 59P TL	76,0	91,2
17382	4.60 -18 AX41R 63P TL	81,0	97,2
16623	100/90 - 19 57Q TL AX41R	101,0	121,2
17373	90/100 -19 AX41F 55P TL	70,0	84,0
16626	90/90 - 21 54Q TL AX41R	98,0	117,6
17366	80/100 -21 AX41F 51P TL	70,0	84,0
17376	2.75 -21 AX41F 45P TL	60,0	72,0
17377	3.00 -21 AX41F 51P TL	70,0	84,0
21162	90/90 -21 AX41TF 54H TT G ATWIN'20 WAR	98,0	117,6
21318	90/90 -21 AX41TF 54H TL L ATWIN'20 WAR	98,0	117,6
Adventure cross radial			
23545	160/60 R15 AX41TR 67H TL F X-ADV '21 WAR	123,0	147,6
16627	140/80 B 17 67Q TL AX41R	120,0	144,0
16628	150/70 B 17 69Q TL AX41R	124,0	148,8
16629	170/60 B 17 72Q TL AX41R	128,0	153,6
23544	120/70 R17 AX41TF 58H TL F X-ADV '21 WAR	101,0	121,2
16630	150/70 B 18 70Q TL AX41R	133,0	159,6
19885	110/80 R18 AX41S F 58H TL UM	101,0	121,2
21299	150/70 R18 AX41TR 70H TT G ATWIN'20 WAR	146,0	175,2
21520	150/70 R18 AX41TR 70H TL L ATWIN'20 WAR	146,0	175,2
16624	110/80 B 19 59Q TL AX41R	101,0	121,2
16625	120/70 B 19 60Q TL AX41R	101,0	121,2
Adventure cross scrambler diagonal			
17384	100/90 -18 AX41S F 56H TL	94,0	112,8
17385	100/90 -19 AX41S F 57H TL	95,0	114,0
17386	130/80 -18 AX41S F 66P TL	81,0	97,2
17383	130/80 -17 AX41S R 65H TL	94,0	112,8
17387	180/80 -14 AX41S R 78P TL	112,0	134,4
Adventure cross scrambler radial			
16617	120/70 R 17 AX41S F 58H TL	101,0	121,2
16618	120/70 R 19 AX41S F 60H TL	108,0	129,6
16619	160/60 R 15 AX41S R 67H TL	117,0	140,4
16620	160/60 R 17 AX41S R 69H TL	128,0	153,6

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
16621	170/60 R 17 AX41S R 72H TL	134,0	160,8
16622	180/55 R 17 AX41S R 73H TL	136,0	163,2
Classic racing			
17419	110/80 R18 CR11F TL NHS	153,0	183,6
17421	150/65 R18 CR11R 69W TL NHS	195,0	234,0
Custom diagonal			
6118	180/70 -15 E-MAX R 76H TL	141,0	169,2
6119	160/80 -15 E-MAX R 74S TL	133,0	159,6
6122	140/90 -15 E-MAX R 70H TL	114,0	136,8
6126	130/90 -15 E-MAX R 66S TL	92,0	110,4
6127	150/80 -15 E-MAX R 70H TL	125,0	150,0
6129	160/80 -15 E-MAX R 74S TT	130,0	156,0
6132	140/90 -15 E-MAX R 70H TT	112,0	134,4
6137	130/90 -15 E-MAX R 66S TT	91,0	109,2
6138	150/80 -15 E-MAX R 70H TT	122,0	146,4
73022	170/80 -15 G546 77S TT	132,0	158,4
77020	170/80 -15 G702 77H TT VS1400	139,0	166,8
77348	170/80 -15 G702 77S TT	132,0	158,4
4579	180/70 -15 G722 76H TT LW G WAR	165,0	198,0
6115	130/90 -16 E-MAX F 67H TL	114,0	136,8
6116	150/80 -16 E-MAX F 71H TL	138,0	165,6
6136	130/90 -16 E-MAX F 67H TT	112,0	134,4
49999	110/90 -16 G508 59S TL	73,0	87,6
76252	160/80 -16 G702 80H RFD TL TJ	169,0	202,8
76294	140/90 -16 G702 71H TT G VULCA900	126,0	151,2
76565	130/90 -16 G703 67H TT L VN1500N	112,0	134,4
4580	130/90 -16 G721 67H TT LW G WAR	124,0	148,8
77555	130/90 -16 G721 67H TL VN1600	114,0	136,8
6120	120/90 -17 E-MAX F 64H TL	104,0	124,8
6130	120/90 -17 E-MAX F 64H TT	102,0	122,4
75174	160/70 -17 G548 73V TL	167,0	200,4
9797	100/80 -17 H50F 52H TL	99,0	118,8
73583	3.00 -17 L301 45P 4 TT	49,0	58,8
76629	130/80 -18 AC04 66H TT G W650	108,0	129,6
6125	110/90 -18 E-MAX F 61H TL	115,0	138,0
76240	3.00 -18 G510 52P 6 RFD TT	37,0	44,4
76237	2.75 -18 G511 42P 4 TT	35,0	42,0
75162	110/90 -18 G525 61V TL RBT	113,0	135,6
75158	110/80 -18 G547 58V TL	107,0	128,4
76249	130/70 -18 G701 63H TL TJ	120,0	144,0
3027	130/70 -18 G721 63H TL J MIDNIGHT WAR	120,0	144,0
49087	3.00 -18 L303 47P 4 TT	43,0	51,6
73706	3.00 -18 L303 47S 4 TT TU250	48,0	57,6
76628	100/90 -19 AC03 57H TT G W650	92,0	110,4
6117	100/90 -19 E-MAX F 57H TL	93,0	111,6
6124	110/90 -19 E-MAX F 62H TL	106,0	127,2
6128	100/90 -19 E-MAX F 57H TT	91,0	109,2
6134	110/90 -19 E-MAX F 62H TT	103,0	123,6
76616	110/80 -19 G515 59S TT	99,0	118,8
9337	100/90 -19 G721 57H TL F XV950R WAR	93,0	111,6
10057	100/90 -19 G721 57H TT L XVR950 WAR	93,0	111,6
49256	3.00 -19 L303 49H 4 TL	78,0	93,6
73323	3.00 -19 L303 49S 4 TT	65,0	78,0
6121	80/90 -21 E-MAX F 48H TL	90,0	108,0

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
6123	90/90 -21 E-MAX F 54H TL	92,0	110,4
6131	80/90 -21 E-MAX F 48H TT	88,0	105,6
6133	90/90 -21 E-MAX F 54H TT	90,0	108,0
7323	120/70 - 21 M/C G721 62H G XVS1300CU	102,0	122,4
9782	80/90 -21 H50F 54H TL UM	86,0	103,2
Custom radial			
6088	170/80 B15 E-MAX R 77H TL	141,0	169,2
6090	150/90 B15 E-MAX R 74V TL	139,0	166,8
77347	170/80 B15 G702 77H TL	141,0	169,2
9798	140/75 R15 H50R 65H TL	170,0	204,0
6075	150/80 R16 E-MAX F 71V TL	158,0	189,6
6086	130/90 B16 E-MAX F 67H TL	114,0	136,8
6077	200/60 R16 E-MAX R 79V TL	221,0	265,2
6078	240/55 R16 E-MAX R 86V TL	225,0	270,0
6083	180/70 R16 E-MAX R 77V TL	167,0	200,4
6087	170/70 B16 E-MAX R 75H TL	173,0	207,6
6089	150/80 B16 E-MAX R 71H TL	138,0	165,6
6091	150/80 B16 E-MAX R 71H TT	136,0	163,2
77346	150/80 B16 G703 71H TL	138,0	165,6
79137	180/60 R16 G704 74H TL GL1800 WAR	195,0	234,0
2900	130/90 B16 G721 67H TL E VN1700 WAR	114,0	136,8
2901	170/70 B16 G722 75H TL E VN1700 WAR	173,0	207,6
3028	170/70 B16 G722 75H TL J MIDNIGHT WAR	173,0	207,6
9338	150/80 B16 G722 71H TT F BOLT WAR	138,0	165,6
10058	150/80 B16 G722 71H TT L XVR950 WAR	138,0	165,6
1724	180/70 R16 G850 77H TL G TRP XC WAR	167,0	200,4
2181	240/55 R16 G852 86V TL G C1800R WAR	225,0	270,0
6209	200/60 R16 G852 79H TL G SUZ WAR	221,0	265,2
13517	200/55 R16 G852 77H TL G GL1800 WAR	209,0	250,8
2180	150/80 R16 G853 71V TL E C1800R WAR	158,0	189,6
9779	130/90 B16 H50F 73H TL UM	124,0	148,8
9781	130/90 B16 H50F 67H TL UM	114,0	136,8
23303	130/90B16 H50F 73H RFD TL UM BMW R18 WAR	157,0	188,4
9783	150/80 B16 H50R 77H TL UM	152,0	182,4
9784	140/90 B16 H50R 77H TL UM	162,0	194,4
9785	130/90 B16 H50R 73H TL UM	150,0	180,0
10585	180/65 B16 H50R 81H TL	211,0	253,2
10588	180/70 B16 H50R 77H TL	225,0	270,0
23304	180/65B16 H50R 81H RFD TL UM BMW R18 WAR	222,0	266,4
6084	130/70 ZR17 E-MAX F (62W) TL	141,0	169,2
6076	200/50 ZR17 E-MAX R (75W) TL	209,0	250,8
6080	170/60 ZR17 E-MAX R (72W) TL	153,0	183,6
6081	190/60 R17 E-MAX R 78V TL	175,0	210,0
49889	150/80 R17 G701 72H TL	120,0	144,0
2763	200/50 ZR17 G852 (75W) TL G INTRUDER WAR	209,0	250,8
7320	200/50 R17 M/C G852 75V F CT1300	209,0	250,8
6208	130/80 R17 G853 65H TL G SUZ WAR	118,0	141,6
10577	140/75 R17 H50F 67V TL	171,0	205,2
10581	130/80 B17 H50F 65H TL	144,0	172,8
9786	160/70 B17 H50R 73V TL UM	158,0	189,6
10579	200/55 R17 H50R 78V TL	198,0	237,6
10580	150/60 ZR17 H50R (66W) TL	176,0	211,2
10587	180/60 B17 H50R 75V TL	220,0	264,0
2618	120/70 R18 BT028F 59V TL G YAM VMAX WAR	146,0	175,2

Rehvi m õ õt ja muster		Hind km.-ta	Hind km.-ga
2619	200/50 R18 BT028R 76V TL G YAM VMAX WAR	224,0	268,8
6074	120/70 ZR18 E-MAX F (59W) TL	158,0	189,6
6079	130/70 ZR18 E-MAX F (63W) TL	120,0	144,0
77270	130/70 R18 G709 63H TL GL1800	120,0	144,0
7327	210/40 R18 M/C G852 73H G XVS1300CU	230,0	276,0
2762	120/70 ZR18 G853 (59W) TL G INTRUDER WAR	142,0	170,4
7319	130/70 R 18 M/C G853 63V F CT1300	120,0	144,0
13516	130/70 R18 G853 63H TL G GL1800 WAR	120,0	144,0
10576	120/70 ZR18 H50F (59W) TL	127,0	152,4
10584	130/70 B18 H50F 63H TL	123,0	147,6
10578	240/40 R18 H50R 79V TL	215,0	258,0
10586	180/55 B18 H50R 80H TL	218,0	261,6
6082	120/70 ZR19 E-MAX F (60W) TL	130,0	156,0
9780	100/90 B19 H50F 57H TL UM	101,0	121,2
10575	120/70 ZR19 H50F (60W) TL	130,0	156,0
10582	130/60 B19 H50F 61H TL	130,0	156,0
23302	120/70 B19 H50F 60H TL UM BMW R18 WAR	137,0	164,4
10583	130/60 B21 H50F 63H TL	117,0	140,4
Enduro			
5160	120/90 -18 ED04 65P TT E YAM WAR	58,0	69,6
19883	120/90 - 18 E50R 65P TT	72,0	86,4
19884	140/80 - 18 E50R 70P TT	76,0	91,2
17418	140/80 -18 E50 R EXTREME 70M TT NHS	91,0	109,2
5159	80/100 -21 ED03 51P TT E YAM WAR	51,0	61,2
19882	90/90 - 21 E50F 54P TT	54,0	64,8
Offroad			
76263	2.50 -10 M40 33J TT	21,0	25,2
2161	80/100 -12 M204 41M TT	34,0	40,8
1309	80/100 -12 M404 41M TT	34,0	40,8
2155	60/100 -14 M203 30M TT	36,0	43,2
2160	90/100 -14 M204 49M TT	41,0	49,2
1303	60/100 -14 M403 30M TT	36,0	43,2
1310	90/100 -14 M404 49M TT	41,0	49,2
18841	90/100 -16 X20R 51M TT	46,0	55,2
9793	90/100 -16 X30R 52M TT	46,0	55,2
2156	70/100 -17 M203 40M TT	35,0	42,0
1304	70/100 -17 M403 40M TT	35,0	42,0
79408	110/100 -18 M102 64M TT	60,0	72,0
7909	110/100 -18 X20R 64M TT NHS	60,0	72,0
7186	110/100 -18 X30R 64M NHS TT	60,0	72,0
9794	100/100 -18 X30R 59M TT	57,0	68,4
7189	110/100 -18 X40R 64M NHS TT	60,0	72,0
9788	100/90 -19 X10R 57M TT	60,0	72,0
9789	110/90 -19 X10R 62M TT	64,0	76,8
18840	70/100 -19 X20F 42M NHS TT	39,0	46,8
7908	100/90 -19 X20R 57M TT NHS	60,0	72,0
7910	110/90 -19 X20R 62M TT NHS	64,0	76,8
9791	120/80 -19 X20R 63M TT	76,0	91,2
9792	70/100 -19 X30F 42M TT	39,0	46,8
7184	110/90 -19 X30R 62M NHS TT	64,0	76,8
7185	120/80 -19 X30R 63M NHS TT	76,0	91,2
7187	100/90 -19 X30R 57M NHS TT	60,0	72,0
7190	100/90 -19 X40R 57M NHS TT	60,0	72,0
7191	110/90 -19 X40R 62M NHS TT	64,0	76,8

Rehvi m õ õt ja muster		Hind km.-ta	Hind km.-ga
9796	120/80 -19 X40R 63M TT	76,0	91,2
9787	80/100 -21 X10F 51M TT	48,0	57,6
7907	80/100 -21 X20F 51M TT NHS	48,0	57,6
9790	90/100 -21 X20F 57M TT	49,0	58,8
7182	80/100 -21 X30F 51M NHS TT	48,0	57,6
7183	90/100 -21 X30F 57M NHS TT	49,0	58,8
7188	80/100 -21 X40F 51M NHS TT	48,0	57,6
9795	90/100 -21 X40F 57M TT	49,0	58,8
Race			
7195	200/655 R17 V02R MED TL (SBK)	224,0	268,8
8432	200/655 R17 V02R SOF NEW SPEC TL (SBK)	224,0	268,8
16632	200/655 R17 V02R NEW SPEC TL SOFT/MED 3LC	246,0	295,2
19608	200/655 R17 V02R TL 3LC X/S	246,0	295,2
19640	200/655 R17 V02R TL 3LC M/H	246,0	295,2
24735	180/655 R 17 V02R 3LC X/S	232,0	278,4
24736	180/655 R 17 V02R SOFT*21	211,0	253,2
5889	190/650 R17 V01R SOF TL	204,0	244,8
5890	190/650 R17 V01R MED TL	204,0	244,8
8434	190/650 R17 W01R YEK TL (SBK)	224,0	268,8
77212	165/630 R17 R02 YCX TL	158,0	189,6
9778	165/630 R17 W01R TL	166,0	199,2
9799	140/620 R17 W01R TL	141,0	169,2
5888	120/600 R17 V01F SOF TL	147,0	176,4
8433	120/600 R17 W01F YEK TL (SBK)	154,0	184,8
13889	120/600 R17 V02F SOF TL (SBK)	166,0	199,2
13890	120/600 R17 V02F MED TL (SBK)	166,0	199,2
7198	120/600 R17 V02R SOF TL (GP3)	154,0	184,8
7199	120/600 R17 V02R MED TL (GP3)	154,0	184,8
8436	120/595 R17 W01R YEK TL (GP3)	154,0	184,8
9777	110/590 R17 W01F TL	108,0	129,6
8435	90/580 R17 W01F YEK TL (GP3)	118,0	141,6
7196	90/580 R17 V02F SOF TL (GP3)	118,0	141,6
7197	90/580 R17 V02F MED TL (GP3)	118,0	141,6
10526	110/70 R17 R11F 54H TL SOFT	133,0	159,6
10527	120/70 R17 R11F 58V TL SOFT	151,0	181,2
10528	120/70 R17 R11F 58V TL MED	151,0	181,2
10529	140/70 R17 R11R 66H TL MED	168,0	201,6
10530	150/60 R17 R11R 66H TL MED	172,0	206,4
10531	160/60 R17 R11R 69V TL MED	183,0	219,6
10532	180/55 R17 R11R 73V TL MED	195,0	234,0
10534	190/55 R17 R11R 75V TL MED	202,0	242,4
10536	200/55 R17 R11R 78V TL MED	220,0	264,0
18590	200/55 R17 R11R 78V TL SOFT	220,0	264,0
18591	190/55 R17 R11R 75V SOF TL SOFT* 19	202,0	242,4
Racing street			
17422	120/70 ZR17 RS11F (58W) TL	140,0	168,0
18351	120/70 ZR17 RS11F (58W) E TL GSXR 19 WAR	140,0	168,0
18355	120/70 ZR17 RS11F (58W) J TL H2 '19 WAR	140,0	168,0
19641	120/70 ZR17 RS11F (58W) TL R1(M) WAR	140,0	168,0
21613	120/70 ZR17 RS11F (58W) TL CBR1K'20 WAR	140,0	168,0
25809	120/70 ZR17 RS11F (58W) TL L ZX10R '21 WAR	140,0	168,0
17423	190/55 ZR17 RS11R (75W) TL	200,0	240,0
18352	190/55 ZR17 RS11R (75W) E TL GSXR 19 WAR	200,0	240,0
19642	190/55 ZR17 RS11R (75W) TL G R1 WAR	200,0	240,0

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
25810	190/55 ZR17 RS11R (75W) TL L ZX10R '21 WAR	200,0	240,0
17424	200/55 ZR17 RS11R (75W) TL	204,0	244,8
18356	200/55 ZR17 RS11R (78W) J TL H2 '19 WAR	200,0	240,0
19643	200/55 ZR17 RS11R (78W) TL G R1M WAR	206,0	247,2
21641	200/55 ZR17 RS11R (78W) TL N CBR1K'20 WAR	206,0	247,2
Scooter diagonal			
70040	4.00 -8 SS 55J 4 TT	31,0	37,2
74551	3.50 -10 B01 51J TL	24,0	28,8
8478	90/90 -10 B01 50J TL	24,0	28,8
76025	90/90 -10 ML50 50J TL	24,0	28,8
8481	100/90 -10 B01 61J TL	26,0	31,2
8474	120/90 -10 SC R 66J TL	34,0	40,8
72470	120/90 -10 TW37 54J TL	30,0	36,0
76017	100/80 -10 ML50 53J TL	24,0	28,8
8472	110/100 -12 SC F 67J TL	37,0	44,4
8480	90/90 -12 B01 44J TL	32,0	38,4
79013	100/90 -12 BT601 FS 49J TL	72,0	86,4
8471	110/90 -12 SC F 64L TL	36,0	43,2
79016	120/80 -12 BT601RS 55J TL	82,0	98,4
8470	110/70 -12 SC F 47L TL	28,0	33,6
76915	120/70 -12 ML50 51L TL	34,0	40,8
8029	120/70 -12 SC F 51S TL	34,0	40,8
8473	120/70 -12 SC R 51L TL	34,0	40,8
76170	130/70 -12 ML50 49L TL	38,0	45,6
76916	130/70 -12 ML50 56L TL	32,0	38,4
8475	130/70 -12 SC R 56L TL	32,0	38,4
8476	130/70 -12 SC R 62P TL	39,0	46,8
76023	140/70 -12 ML50 60L TL	41,0	49,2
8477	140/70 -12 SC R 65L TL	57,0	68,4
7201	110/90 -13 SC F 55P TL	40,0	48,0
7202	110/90 -13 SC F 56L TL	40,0	48,0
17425	110/70 -13 SC F 48P TL	31,0	37,2
7205	120/70 -13 SC F 53P TL	34,0	40,8
7208	130/70 -13 SC R 57P TL	46,0	55,2
7209	130/70 -13 SC R 63P RFD TL	39,0	46,8
7204	140/70 -13 SC R 61P TL	48,0	57,6
76806	150/70 -13 B02 64S TL SILVERW	49,0	58,8
78695	150/70 -13 B02PRO 64S TL	49,0	58,8
7211	150/70 -13 SC R 64S TL	49,0	58,8
76172	130/60 -13 B02 53L TL	39,0	46,8
76173	130/60 -13 ML50 53L TL	39,0	46,8
76031	140/60 -13 ML50 57L TL	41,0	49,2
8032	70/90 -14 SC F 34P TL	25,0	30,0
8030	80/90 -14 SC F 40P TL	32,0	38,4
8033	80/90 -14 SC R 40P TL	32,0	38,4
7200	90/90 -14 SC F 46P TL	34,0	40,8
8031	90/90 -14 SC R 46P TL	34,0	40,8
7203	100/90 -14 SC R 57P RFD TL	37,0	44,4
8034	90/80 -14 SC F 49P TL	19,0	22,8
8035	90/80 -14 SC R 49P TL	19,0	22,8
17426	100/80 -14 SC F 48P TL	31,0	37,2
8038	110/80 -14 SC R 53P TL	25,0	30,0
1257	120/80 -14 B03 58S TL G BURGMAN WAR	46,0	55,2
76805	120/80 -14 B03 58S TL SILVERW	46,0	55,2

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
7210	120/80 -14 SC F 58S TL	46,0	55,2
76833	120/70 -14 B03 55S TL XP500	40,0	48,0
23265	120/70 -14 SC F 55P TL M TRICITY'20 WAR	41,0	49,2
17427	120/70 -14 SC R 61P TL	39,0	46,8
24734	120/70 -14 SC R 61P TL	39,0	46,8
7782	140/70 -14 SC R 68S RFD TL	54,0	64,8
23266	140/70 -14 SC R 62P TL M TRICITY'20 WAR	56,0	67,2
76834	150/70 -14 B02 66S TL XP500	53,0	63,6
7488	120/70 -15 SC F 56S TL	41,0	49,2
8027	100/80 -16 SC F 50P TL	36,0	43,2
8028	120/80 -16 SC R 60P TL	41,0	49,2
1344	110/70 -16 B03 52P TL G SH 300 WAR	44,0	52,8
10597	110/70 -16 SC F 52S TL	68,0	81,6
1346	130/70 -16 B02 61P TL G SH 300 WAR	50,0	60,0
Scooter radial			
10589	120/70 R14 SC2F 55H TL	90,0	108,0
7181	160/60 R14 SC ECO 65H TL	114,0	136,8
10591	160/60 R14 SC2R 65H TL	108,0	129,6
10594	160/60 R14 SC2RR 65H TL	108,0	129,6
2694	160/60 R14 TH01R 65H TL M BURGMAN WAR	111,0	133,2
1830	120/70 R15 BT011F 56H TL E T-MAX WAR	96,0	115,2
7179	120/70 R15 SC ECO 56H TL	98,0	117,6
10276	120/70 R15 SC F 56H TL E T-MAX WAR	102,0	122,4
10590	120/70 R15 SC2F 56H TL	94,0	112,8
10593	120/70 R15 SC2FR 56H TL	94,0	112,8
77311	120/70 R15 TH01F 56H TL BURGMAN	96,0	115,2
7180	160/60 R15 SC ECO 67H TL	120,0	144,0
10277	160/60 R15 SC R 67H TL E T-MAX WAR	125,0	150,0
10592	160/60 R15 SC2R 67H TL	114,0	136,8
10595	160/60 R15 SC2RR 67H TL	114,0	136,8
10596	130/70 R16 SC2RR 61S TL RAIN	108,0	129,6
Sport radial			
6372	130/70 ZR16 BT016FP (61W) TL PRO	81,0	97,2
8443	130/70 ZR16 S21F (61W) TL	107,0	128,4
4258	120/70 ZR17 BT016FP (58W) TL PRO	74,0	88,8
6369	110/70 ZR17 BT016FP (54W) TL PRO	67,0	80,4
6371	120/60 ZR17 BT016FP (55W) TL PRO	68,0	81,6
4259	180/55 ZR17 BT016RP (73W) TL PRO	99,0	118,8
4261	190/50 ZR17 BT016RP (73W) TL PRO	104,0	124,8
4263	190/55 ZR17 BT016RP (75W) TL PRO	106,0	127,2
6373	150/60 ZR17 BT016RP (66W) TL PRO	84,0	100,8
6375	160/60 ZR17 BT016RP (69W) TL PRO	92,0	110,4
6377	170/60 ZR17 BT016RP (72W) TL PRO	102,0	122,4
8440	110/70 ZR17 S21F (54W) TL	87,0	104,4
8441	120/60 ZR17 S21F (55W) TL	90,0	108,0
8442	120/70 ZR17 S21F (58W) TL	98,0	117,6
10260	120/70 ZR17 S21F (58W) TL G GSX-S750 WAR	127,0	152,4
10264	120/70 ZR17 S21F (58W) TL E CBR1000R WAR	127,0	152,4
10274	120/70 ZR17 S21F (58W) TL J R6 WAR	127,0	152,4
13518	120/70 ZR17 S21F (58W) TL M CB1000R WAR	127,0	152,4
13526	120/70 ZR17 S21F (58W) TL F H2 LOW WAR	127,0	152,4
18384	120/70 ZR17 S21F (58W) TL U S1000RR WAR	127,0	152,4
8444	150/60 ZR17 S21R (66W) TL	110,0	132,0
8445	160/60 ZR17 S21R (69W) TL	121,0	145,2

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
8446	180/55 ZR17 S21R (73W) TL	129,0	154,8
8447	190/50 ZR17 S21R (73W) TL	136,0	163,2
8448	190/55 ZR17 S21R (75W) TL	139,0	166,8
8449	200/55 ZR17 S21R (78W) TL	146,0	175,2
10261	180/55 ZR17 S21R (73W) TL G GSX-S750 WAR	169,0	202,8
10265	190/50 ZR17 S21R (73W) TL E CBR1000R WAR	176,0	211,2
10275	180/55 ZR17 S21R (73W) TL J R6 WAR	169,0	202,8
13519	190/55 ZR17 S21R (75W) TL M CB1000R WAR	179,0	214,8
13527	190/55 ZR17 S21R (75W) TL F H2 LOW WAR	179,0	214,8
17078	180/55 ZR17 S21R (73W) TL U F900R BMW	169,0	202,8
18385	190/55 ZR17 S21R (75W) TL U S1000RR WAR	179,0	214,8
16611	120/70 ZR17 S22F (58W) TL	118,0	141,6
17414	110/70 R17 S22F 54H TL	70,0	84,0
18353	120/70 ZR17 S22F (58W) N TL ZX6R '19 WAR	124,0	148,8
20244	120/70 ZR17 S22F (58W) TL G NIN1K'20 WAR	124,0	148,8
23651	120/70 ZR17 S22F (58W) TL J BMW S1000R'21 WAR	124,0	148,8
25811	120/70 ZR17 S22F (58W) TL M MT09 '21 WAR	124,0	148,8
25813	120/70 ZR17 S22F (58W) TL L HAYABUSA '21 WAR	124,0	148,8
16612	160/60 ZR17 S22R (69W) TL	146,0	175,2
16613	180/55 ZR17 S22R (73W) TL	157,0	188,4
16614	190/50 ZR17 S22R (73W) TL	165,0	198,0
16615	190/55 ZR17 S22R (75W) TL	169,0	202,8
16616	200/55 ZR17 S22R (78W) TL	177,0	212,4
17415	140/70 R17 S22R 66H TL	79,0	94,8
17416	150/60 R17 S22R 66H TL	89,0	106,8
17417	180/60 ZR17 S22R (75W) TL	160,0	192,0
18354	180/55 ZR17 S22R (73W) N TL X6R '19 WAR	165,0	198,0
19654	200/55 R17 S22R 78W TL SDR WAR KTM	185,0	222,0
20245	190/50 ZR17 S22R (73W) TL G NIN1K'20 WAR	173,0	207,6
25812	180/55 ZR17 S22R (73W) TL M MT09 '21 WAR	165,0	198,0
25814	190/50 ZR17 S22R (73W) TL L HAYABUSA '21 WAR	173,0	207,6
6370	110/80 ZR18 BT016FP (58W) TL PRO	82,0	98,4
6374	150/70 ZR18 BT016RP (70W) TL PRO	100,0	120,0
6376	160/60 ZR18 BT016RP (70W) TL PRO	102,0	122,4
Touring diagonal			
3964	110/70 -16 BT45F 52S TL G SH300IHO WAR	86,0	103,2
76213	120/80 -16 BT45F 60V TL	99,0	118,8
76211	130/90 -16 BT45R 67V TL	114,0	136,8
72819	90/80 -17 BT39FSS 46S TL NU BT39SS	95,0	114,0
72950	120/80 -17 BT39SSR 61S TL QW BT39SS	97,0	116,4
19609	100/90 -16 BT46F 54H TL	85,0	102,0
19614	110/90 -16 BT46F 59V TL	93,0	111,6
19615	120/80 -16 BT46F 60V TL	99,0	118,8
17394	130/90 -16 BT46R 67H TL	111,0	133,2
17409	150/80 -16 BT46R 71V TL	130,0	156,0
75187	100/80 -17 BT39F 52H TL SZ	75,0	90,0
76089	110/70 -17 BT39F 54H TL SZ	77,0	92,4
76072	130/70 -17 BT39R 62H TL SZ	96,0	115,2
76296	110/80 -17 BT45F 57V TL	98,0	117,6
78300	110/70 -17 BT45F 54H TL G GS500 WAR	74,0	88,8
76297	150/70 -17 BT45R 69V TL	123,0	147,6
17388	110/70 -17 BT46F 54H TL	74,0	88,8
17389	110/80 -17 BT46F 57H TL	83,0	99,6
19610	100/80 -17 BT46F 52H TL	70,0	84,0

Rehvi m õ õt ja muster		Hind km.-ta	Hind km.-ga
19611	120/70 -17 BT46F 58H TL	93,0	111,6
17396	120/80 -17 BT46R 61H TL	98,0	117,6
17397	130/70 -17 BT46R 62H TL	93,0	111,6
17398	130/80 -17 BT46R 65H TL	103,0	123,6
17399	140/70 -17 BT46R 66H TL	98,0	117,6
17400	150/70 -17 BT46R 69H TL	113,0	135,6
17410	120/90 -17 BT46R 64V TL	113,0	135,6
17411	130/90 -17 BT46R 68V TL	115,0	138,0
17412	140/80 -17 BT46R 69V TL	121,0	145,2
76223	110/90 -18 BT45F 61V TL	98,0	117,6
76218	140/70 -18 BT45R 67V TL	132,0	158,4
17390	110/90 -18 BT46F 61H TL	98,0	117,6
17391	90/90 -18 BT46F 51H TL	77,0	92,4
17392	100/90 -18 BT46F 56H TL	85,0	102,0
17407	100/90 -18 BT46F 56V TL	93,0	111,6
19612	100/80 -18 BT46F 53H TL	90,0	108,0
19616	110/80 -18 BT46F 58V TL	93,0	111,6
17401	110/90 -18 BT46R 61H TL	98,0	117,6
17402	120/80 -18 BT46R 62H TL	100,0	120,0
17403	130/70 -18 BT46R 63H TL	99,0	118,8
17404	140/70 -18 BT46R 67H TL	116,0	139,2
17405	4.00 -18 BT46R 64H TL	99,0	118,8
17406	110/80 -18 BT46R 58H TL	93,0	111,6
17413	120/90 -18 BT46R 65V TL	111,0	133,2
19613	150/70 -18 BT46R 70H TL	127,0	152,4
19617	130/80 -18 BT46R 66V TL	109,0	130,8
17393	3.25 -19 BT46F 54H TL	77,0	92,4
17408	100/90 -19 BT46F 57V TL	98,0	117,6
Sport touring radial			
78395	160/70 B17 BT020R 79V RFD TL M K1200LT W	163,0	195,6
3430	110/70 ZR17 BT023F (54W) TL	68,0	81,6
3431	120/60 ZR17 BT023F (55W) TL	74,0	88,8
3432	120/70 ZR17 BT023F (58W) TL	79,0	94,8
3433	110/80 ZR18 BT023F (58W) TL	78,0	93,6
3434	120/70 ZR18 BT023F (59W) TL	87,0	104,4
4871	110/80 ZR19 BT023F (59W) TL	85,0	102,0
5029	120/70 ZR17 BT023F (58W) TL G HON WAR	100,0	120,0
6416	120/70 ZR17 BT023F (58W) TL F WAR	100,0	120,0
3516	120/70 ZR17 BT023F (58W) TL GT	79,0	94,8
4874	120/70 ZR18 BT023F (59W) TL GT	87,0	104,4
3435	150/70 ZR17 BT023R (69W) TL	95,0	114,0
3436	160/60 ZR17 BT023R (69W) TL	101,0	121,2
3437	160/70 ZR17 BT023R (73W) TL	102,0	122,4
3438	170/60 ZR17 BT023R (72W) TL	106,0	127,2
3439	180/55 ZR17 BT023R (73W) TL	108,0	129,6
3440	190/50 ZR17 BT023R (73W) TL	113,0	135,6
3441	160/60 ZR18 BT023R (70W) TL	104,0	124,8
5030	160/60 ZR17 BT023R (69W) TL G HON WAR	128,0	153,6
6417	180/55 ZR17 BT023R (73W) TL F WAR	135,0	162,0
7324	180/55 ZR17 BT023R (73W) TL M YAM MT07 W	135,0	162,0
3517	180/55 ZR17 BT023R (73W) TL GT	108,0	129,6
4872	190/55 ZR17 BT023R (75W) TL GT	115,0	138,0
4873	170/60 ZR17 BT023R (72W) TL GT	106,0	127,2
10537	110/70 ZR17 T31F 54W TL	83,0	99,6

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
10538	120/60 ZR17 T31F 55W TL	90,0	108,0
10539	120/70 ZR17 T31F 58W TL	96,0	115,2
10540	110/80 ZR18 T31F 58W TL	94,0	112,8
10541	120/70 ZR18 T31F 59W TL	104,0	124,8
10542	120/70 ZR19 T31F 60W TL	107,0	128,4
10543	110/80 ZR19 T31F 59W TL	102,0	122,4
10552	110/80 R18 T31R 58V TL	91,0	109,2
18007	120/70 ZR17 T31F (58W) TL G VERSYS WAR	119,0	142,8
19377	120/70 R17 T31F (58W) TL E S1KXR BMW WAR	119,0	142,8
23546	120/70 R17 T31F 58H TL J FORZA750 '21 WAR	101,0	121,2
10555	120/70 ZR18 T31R 59W TL GT	104,0	124,8
10544	150/70 ZR17 T31R 69W TL	114,0	136,8
10545	160/60 ZR17 T31R 69W TL	123,0	147,6
10546	160/60 ZR18 T31R 70W TL	126,0	151,2
10547	160/70 ZR17 T31R 73W TL	123,0	147,6
10548	170/60 ZR17 T31R 72W TL	128,0	153,6
10549	180/55 ZR17 T31R 73W TL	129,0	154,8
10550	190/50 ZR17 T31R 73W TL	136,0	163,2
10551	190/55 ZR17 T31R 75W TL	138,0	165,6
10553	140/70 R18 T31R 67V TL	109,0	130,8
18008	180/55 ZR17 T31R (73W) TL G VERSYS WAR	161,0	193,2
19376	190/55 R17 T31R (75W) TL E S1KXR BMW WAR	171,0	205,2
23547	160/60 R15 T31R 67H TL J FORZA750 '21 WAR	123,0	147,6
10554	120/70 ZR17 T31R 58W TL GT	96,0	115,2
10556	170/60 ZR17 T31R 72W TL GT	128,0	153,6
10557	180/55 ZR17 T31R 73W TL GT	129,0	154,8
10558	190/55 ZR17 T31R 75W TL GT	138,0	165,6
19618	110/70 ZR17 T32F (54W) TL	98,0	117,6
19619	120/60 ZR17 T32F (55W) TL	106,0	127,2
19620	120/70 ZR17 T32F (58W) TL	113,0	135,6
19621	110/80 ZR18 T32F (58W) TL	108,0	129,6
19622	120/70 ZR18 T32F (59W) TL	124,0	148,8
19623	120/70 ZR19 T32F (60W) TL	127,0	152,4
19624	110/80 R19 T32F 59V TL	121,0	145,2
19638	110/80 R18 T32F 58V TL	108,0	129,6
25815	120/70 ZR17 T32F (58W) TL J Tracer900 '21 WAR	119,0	142,8
19632	120/70 ZR17 T32F (58W) TL GT	113,0	135,6
19633	120/70 ZR18 T32F (59W) TL GT	124,0	148,8
19625	150/70 ZR17 T32R (69W) TL	136,0	163,2
19626	160/60 ZR17 T32R (69W) TL	146,0	175,2
19627	160/70 ZR17 T32R (73W) TL	146,0	175,2
19628	170/60 ZR17 T32R (72W) TL	153,0	183,6
19629	180/55 ZR17 T32R (73W) TL	153,0	183,6
19630	190/50 ZR17 T32R (73W) TL	161,0	193,2
19631	190/55 ZR17 T32R (75W) TL	163,0	195,6
19637	160/60 ZR18 T32R (70W) TL	149,0	178,8
19639	140/70 R18 T32R 67V TL	129,0	154,8
25816	180/55 ZR17 T32R (73W) TL J Tracer900 '21 WAR	161,0	193,2
19634	170/60 ZR17 T32R (72W) TL GT	153,0	183,6
19635	180/55 ZR17 T32R (73W) TL GT	153,0	183,6
19636	190/55 ZR17 T32R (75W) TL GT	163,0	195,6