

TVS põllumajandus- ja tööstusrehvide hinnakiri

Kehtib alates 29.06.2021.a.



Rehvi mōõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
Agrotruck							
3AGI5028581211	285/70-19,5(11,0/70-19,5)	IM81		TL	12	227,0	272,4
3AGI5028581811	285/70-19,5(11,0/70-19,5)	IM81		TL	18	236,0	283,2
Compactor							
3COM5092011610	9,00-20	CT09		TT	16	326,0	391,2
3COM5011211810	11,00-20	CT09		TT	18	426,0	511,2
3ITR5023611211	23,1-26	TM09		TL	12	890,0	1068,0
Farm							
3FRM5095510811	9,5L-15SL	I1		TL	8	77,0	92,4
3FRM5095511211	9,5L-15SL	I1		TL	12	81,0	97,2
3FRM5011510811	11L-15SL I1	I1		TL	8	84,0	100,8
3FRM5011511010	11L-15SL I1	I1		TT	10	81,0	97,2
3FRM5011511011	11L-15SL I1	I1		TL	10	91,0	109,2
3FRM5011511211	11L-15SL I1	I1		TL	12	91,0	109,2
3FRM5011521011	11L-15SL F3	F3		TL	10	127,0	152,4
3FRM5012511011	12,5L-15SL	I1		TL	10	117,0	140,4
3FRM5012511211	12,5L-15SL	I1		TL	12	125,0	150,0
3FRM5075610810	7,50-16SL	I1		TT	8	75,0	90,0
3FRM5091611010	9,00-16SL I1	I1		TT	10	102,0	122,4
3FRM5011621011	11L-16SL	F3		TL	10	146,0	175,2
3FRM5011621211	11L-16SL	F3		TL	12	154,0	184,8
3FRM5012611010	12,5L-16 SL	I1		TT	10	111,0	133,2
3FRM5012611011	12,5L-16 SL	I1		TL	10	116,0	139,2
3FRM5012611211	12,5L-16 SL	I1		TL	12	120,0	144,0
3FRM5012611411	12,5L-16 SL	I1		TL	14	126,0	151,2
Flotation							
3FLT5052056011	500/45-20(19,5/45-20)	TC09	160A8	TL		399,0	478,8
3FLT5064056911	600/40-22,5(23,5/40-22,5)	TC09	169A8/173A6	TL		664,0	796,8
3FLT5074011611	700/40-22,5(27,5/40-22,5)	FL09		TL	16	684,0	820,8
3FLT5054511611	500/45-22,5	FL09	155A8/142A8	TL	16	387,0	464,4
3FLT5055411611	550/45-22,5	FL09	159A8/147A8	TL	16	453,0	543,6
3FLT5065011611	600/50-22,5(23,5/50-22,5)	FL09		TL	16	611,0	733,2
3FLT5045511611	400/55-22,5	FL09	152A8/140A8	TL	16	341,0	409,2
3FLT5055551611	550/55-22,5(21,5/55-22,5)	TC09		TL	16	566,0	
3FLT5056011611	500/60-22,5(19,5/60-22,5) (E4)	FL09	163A8/151A8	TL	16	496,0	595,2
3FLT5056021611	500/60-22,5(19,5/60-22,5) (HFL)	FL09	163A8/151A8	TL	16	505,0	606,0
3FLT5056051611	500/60-22,5(19,5/60-22,5)	TC09S		TL	16	551,0	661,2
3FLT5055611611	550/60-22,5(21,5/60-22,5) (E4)	FL09	167A8/154A8	TL	16	581,0	697,2
3FLT5055621611	550/60-22,5(21,5/60-22,5) (HFL)	FL09	167A8/154A8	TL	16	505,0	606,0

Rehvi mōdt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3FLT5036511611	385/65-22,5	FL09		TL	16	336,0	403,2
3FLT5082231611	18,00-22,5(445/65-22,5)	TE09	163F	TL	16	604,0	724,8
3FLT5082232011	18,00-22,5(445/65-22,5) (E4)	TE09	168F	TL	20	700,0	840,0
3FLT5082241611	18,00-22,5(445/65-22,5) (E4)	MT90	163F	TL	16	596,0	715,2
3FLT5082242011	18,00-22,5(445/65-22,5)	MT90	166F	TL	20	677,0	812,4
Implement							
3IMP5018210811	10,0/80-12 (255/80-12)	IM18		TL	8	75,0	90,0
3IMP5018211011	10,0/80-12 (255/80-12)	IM18		TL	10	77,0	92,4
3IMP5018290811	10,0/80-12 (255/80-12)	IM117		TL	8	67,0	80,4
3IMP5018291011	10,0/80-12 (255/80-12)	IM117		TL	10	69,0	82,8
3IMP5071210611	7,00-12	IM18		TL	6	57,0	68,4
3IMP5024801011	24*8,00-14,5 (200/60-14,5)	IM09		TL	10	73,0	87,6
3IMP5024801411	24*8,00-14,5 (200/60-14,5)	IM09		TL	14	72,0	86,4
3IMP5031568811	31*15,5-15	HF09		TL	8	181,0	217,2
3IMP5010741011	10,0/75-15,3 (255/75-15,3)	MT63		TL	10	133,0	159,6
3IMP5010741411	10,0/75-15,3 (255/75-15,3)	MT63		TL	14	141,0	169,2
3IMP5010711011	10,0/75-15,3(255/75-15,3)	IM18	132A6/126A8	TL	10	97,0	116,4
3IMP5010711211	10,0/75-15,3(255/75-15,3)	IM18	132A6/126A8	TL	12	101,0	121,2
3IMP5010711411	10,0/75-15,3(255/75-15,3)	IM18	136A6/130A8	TL	14	109,0	130,8
3IMP5010711811	10,0/75-15,3(255/75-15,3)	IM18		TL	18	130,0	156,0
3IMP5010791011	10,0/75-15,3(255/75-15,3)	IM117	128A6/123A8	TL	10	86,0	103,2
3IMP5010791211	10,0/75-15,3(255/75-15,3)	IM117	132A6/126A8	TL	12	92,0	110,4
3IMP5010791411	10,0/75-15,3(255/75-15,3)	IM117	136A6/130A8	TL	14	88,0	105,6
3IMP5010791811	10,0/75-15,3(255/75-15,3)	IM117	140A6/137A8	TL	18	110,0	132,0
3IMP5011841011	11,5/80-15,3(295/80-15,3)	MT63T		TL	10	165,0	198,0
3IMP5011841411	11,5/80-15,3(295/80-15,3)	MT63T		TL	14	185,0	222,0
3IMP5011811011	11,5/80-15,3(295/80-15,3)	IM18		TL	10	123,0	147,6
3IMP5011811211	11,5/80-15,3(295/80-15,3)	IM18		TL	12	126,0	151,2
3IMP5011811411	11,5/80-15,3(295/80-15,3)	IM18		TL	14	136,0	163,2
3IMP5011811611	11,5/80-15,3(295/80-15,3)	IM18		TL	16	140,0	168,0
3IMP5011811811	11,5/80-15,3(295/80-15,3)	IM18		TL	18	144,0	172,8
3IMP5011891011	11,5/80-15,3(295/80-15,3)	IM117		TL	10	113,0	135,6
3IMP5011891211	11,5/80-15,3(295/80-15,3)	IM117		TL	12	114,0	136,8
3IMP5011891411	11,5/80-15,3(295/80-15,3)	IM117		TL	14	110,0	132,0
3IMP5011891611	11,5/80-15,3(295/80-15,3)	IM117		TL	16	126,0	151,2
3IMP5011891811	11,5/80-15,3(295/80-15,3)	IM117		TL	18	119,0	142,8
3IMP5028351411	12,5/80-15,3(335/80-15,3)	IM27		TL	14	146,0	175,2
3IMP5028351611	12,5/80-15,3(335/80-15,3)	IM27	149A6/145A8	TL	16	150,0	180,0
3IMP5040640011	400/60-15,5	IM36		TL	14	180,0	216,0
3IMP5040641811	400/60-15,5	IM36		TL	18	203,0	243,6
3IMP5040642211	400/60-15,5	IM36		TL	22	222,0	266,4
3IMP5040681411	400/60-15,5	IM126	149A6/149A8	TL	14	157,0	188,4
3IMP5040681811	400/60-15,5	IM126	155A6/151A8	TL	18	173,0	207,6
3IMP5040682211	400/60-15,5	IM126	159A6/155A8	TL	22	200,0	240,0
3IMP5040661411	400/60-15,5	IM72		TL	14	176,0	211,2
3IMP5040662211	400/60-15,5	IM72		TL	22	220,0	264,0
3IMP5040671811	400/60-15,5	IM72		TL	18	210,0	252,0

Rehvi mōdt		Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga
3IMP5035641211	13,0/55-16(330/55-16)	IM36		TL	12	161,0	193,2
3IMP5035641411	13,0/55-16(330/55-16)	IM36		TL	14	162,0	194,4
3IMP5035641811	13,0/55-16(330/55-16)	IM36		TL	18	190,0	228,0
3IMP5034604011	13,0/55-16(330/55-16)	IM153	142/132B	TL		176,0	211,2
3IMP5016611410	10,5/65-16(265/65-16)	IM18		TT	14	113,0	135,6
3IMP5016611411	10,5/65-16(265/65-16)	IM18		TL	14	126,0	151,2
3IMP5061610610	6,00-16	IM18		TT	6	52,0	62,4
3IMP5036605011	360/65-16(14,0/65-16)	IM153	150A8	TL		230,0	276,0
3IMP5094741411	19,0/45-17(485/45-17)	IM36		TL	14	269,0	322,8
3IMP5094741811	19,0/45-17(485/45-17)	IM36		TL	18	259,0	310,8
3IMP5094742011	19,0/45-17(485/45-17)	IM36		TL	20	287,0	344,4
3IMP5055741811	500/50-17(19,5/50-17)	IM36		TL	18	308,0	369,6
3IMP5055791411	500/50-17(19,5/50-17)	IM36	149A8	TL	14	284,0	340,8
3IMP5055761411	500/50-17(19,5/50-17)	IM72		TL	14	304,0	364,8
3IMP5055761811	500/50-17(19,5/50-17)	IM72		TL	18	307,0	368,4
3FLT5055714911	500/50-17(19,5/50-17)	FL09	136/149A8	TL		340,0	408,0
3FLT5055715511	500/50-17(19,5/50-17)	FL09	142/155A8	TL		350,0	420,0
3FLT5055775911	520/50-17	FL18	159/147B	TL		359,0	430,8
3IMP5055736411	520/50-17	IM135	161B	TL		384,0	460,8
3IMP5015741411	15,0/55-17(385/55-17)	IM36		TL	14	181,0	217,2
3IMP5015741811	15,0/55-17(385/55-17)	IM36		TL	18	216,0	259,2
3IMP5015781411	15,0/55-17	IM126		TL	14	175,0	210,0
3IMP5036841611	13,0/65-18(340/65-18)	IM36		TL	16	210,0	252,0
3IMP5057811411	15,0/70-18	IM36		TL	14	265,0	318,0
3IMP5012731211	12,0/75-18(305/75-18)	MT63		TL	12	213,0	255,6
3IMP5018811011	10,5/80-18(265/80-18)	MT45		TL	10	179,0	214,8
3IMP5018811411	10,5/80-18(265/80-18)	MT45		TL	14	186,0	223,2
3IMP5018821011	10,5/80-18	IM45		TL	10	190,0	228,0
3IMP5012811211	12,5/80-18(335/80-18)	MT45		TL	12	244,0	292,8
3IMP5012811411	12,5/80-18(335/80-18)	MT45		TL	14	250,0	300,0
3IMP5012831211	12,5/80-18	IM45		TL	12	240,0	288,0
3IMP5012831611	12,5/80-18	IM45		TL	16	259,0	310,8
3IMP5062011611	16,0/70-20(405/70-20)	IM36		TL	16	325,0	390,0
3IMP5031518811	31x15,50-15	HF18		TL	8	180,0	216,0
3IMP5031527811	31x15,50-15	HF27		TL	8	180,0	216,0
Industrial							
3IND5016611810	16*6-8	IT30		TT	18	59,0	70,8
3IND5087811810	18*7-8	IT30		TT	18	74,0	88,8
3IND5087821610	18*7-8	IT45		TT	16	63,0	75,6
3IND5050811210	5,00-8	IT30		TT	12	56,0	67,2
3IND5050821010	5,00-8	IT45		TT	10	42,0	50,4
3IND5021811810	21*8-9	IT30		TT	18	117,0	140,4
3IND5060911410	6,00-9	IT30		TT	14	75,0	90,0
3IND5060941210	6,00-9 (EU)	IT45		TT	12	71,0	85,2
3IND5023911810	23*9-10	IT30		TT	18	135,0	162,0
3IND5023912010	23*9-10	IT30		TT	20	140,0	168,0
3IND5023912210	23*9-10	IT30		TT	22	156,0	187,2

Rehvi mōdt		Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga
3IND5023922010	23*9-10	IT45		TT	20	144,0	172,8
3IND5065111410	6,50-10	IT30		TT	14	90,0	108,0
3IND5065141410	6,50-10 (EU)	IT45		TT	14	81,0	97,2
3IND5027112010	27*10-12	IT30		TT	20	193,0	231,6
3IND5023112210	23*10,1-12	IT30		TT	22	179,0	214,8
3IND5071211610	7,00-12	IT30		TT	16	120,0	144,0
3IND5081551610	28*9-15/8,15-15	IT30F		TT	16	154,0	184,8
3IND5032112410	32*12,1-15	IT30		TT	24	395,0	474,0
3IND5028112410	28*12,5-15	IT30		TT	24	303,0	363,6
3IND5071511610	7,00-15	IT30		TT	16	142,0	170,4
3IND5075511610	7,50-15	IT30		TT	16	170,0	204,0
3IND5075521610	7,50-15	IT45		TT	16	160,0	192,0
3IND5081521410	8,15-15	IT45		TT	14	154,0	184,8
3IND5082511610	8,25-15	IT30		TT	16	251,0	301,2
3IND5082521610	8,25-15	IT45		TT	16	198,0	237,6
3IND5025012010	250-15	IT30		TT	20	246,0	295,2
3IND5025022010	250-15	IT45		TT	20	207,0	248,4
3IND5025051610	250-15	IT30		TT	16	219,0	262,8
3IND5030011610	300-15	IT30		TT	16	290,0	348,0
3IND5030012010	300-15	IT30		TT	20	326,0	391,2
3IND5030021610	300-15	IT45		TT	16	252,0	302,4
3IND5030022010	300-15	IT45		TT	20	264,0	316,8
3SKS5012661211	12-16,5	IT30		TL	12	272,0	326,4
3IND5010611011	10-16,5	IT30		TL	10	214,0	256,8
3SKS5012611411	12-16,5	IT30		TL	14	262,0	314,4
3MIN5012212010	12,00-20 NHS	IM09		TT	20	630,0	756,0
3IND5010211610	10,00-20	IT30		TT	16	519,0	622,8
3IND5010212010	10,00-20	IT30		TT	20	527,0	632,4
3IND5012211610	12,00-20	IT30		TT	16	593,0	711,6
3IND5012211810	12,00-20	IT30		TT	18	593,0	711,6
3IND5012212010	12,00-20	IT30		TT	20	595,0	714,0
3IND5012212410	12,00-20	IT30		TT	24	620,0	744,0
Lawn&garden							
3LGT5023840811	23 x 8,50-12	LG09		TL	8	56,0	67,2
3LGT5023820811	23 x 8,50-12	LG18		TL	8	59,0	70,8
3LGT5023110811	23 x 10,50-12	LG09		TL	8	71,0	85,2
3LGT5023120811	23 x 10,50-12	LG18		TL	8	74,0	88,8
3LGT5026010811	26*12,00-12 (TURF)	LG06		TL	8	85,0	102,0
3LGT5026011011	26*12,00-12 (TURF)	LG06		TL	10	85,0	102,0
3LGT5026011211	26*12,00-12 (TURF)	LG06		TL	12	102,0	122,4
3LGT5026020811	26*12,00-12 (TRAC)	LG15		TL	8	100,0	120,0
3LGT5026021011	26*12,00-12 (TRAC)	LG15		TL	10	91,0	109,2
3LGT5026021211	26*12,00-12 (TRAC)	LG15		TL	12	115,0	138,0
3LGT5026011011	26*12,00-12 (TURF)	LG06		TL	10	81,0	
3LGT5026011211	26*12,00-12 (TURF)	LG06		TL	12	97,0	116,4
3LGT5026010811	26*12,00-12 (TURF)	LG06		TL	8	81,0	97,2
3LGT5026021011	26*12,00-12 (TRAC)	LG15		TL	10	91,0	109,2

Rehvi mōdt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3LGT5026021211	26*12,00-12 (TRAC)	LG15		TL	12	115,0	138,0
3LGT5026020811	26*12,00-12 (TRAC)	LG15		TL	8	100,0	120,0
3LGT5026031211	26 x 12,00-12	LG18		TL	12	101,0	121,2
3LGT5026030811	26 x 12,00-12	LG18		TL	8	91,0	109,2
3LGT5026041211	26 x 12,00-12	LG09		TL	12	105,0	126,0
3LGT5026040811	26 x 12,00-12	LG09		TL	8	97,0	116,4
3LTT5091611610	9,00-16	TT09	137A6	TT	16	217,0	260,4
Loader							
3SKS5029167111	29*12,5-15	HF09		TL	6	131,0	157,2
Motor grader							
3MGT5013411210	13,00-24	TG09		TT	12	378,0	453,6
3MGT5013411211	13,00-24	TG09		TL	12	396,0	475,2
3MGT5013411410	13,00-24	TG09		TT	14	389,0	466,8
3MGT5013411411	13,00-24	TG09		TL	14	400,0	480,0
3MGT5013411610	13,00-24	TG09		TT	16	404,0	484,8
3MGT5013411611	13,00-24	TG09		TL	16	412,0	494,4
3MGT5014411210	14,00-24	TG09		TT	12	468,0	561,6
3MGT5014411211	14,00-24	TG09		TL	12	478,0	573,6
3MGT5014411410	14,00-24	TG09		TT	14	464,0	556,8
3MGT5014411411	14,00-24	TG09		TL	14	483,0	579,6
3MGT5014411610	14,00-24	TG09		TT	16	486,0	583,2
3MGT5014411611	14,00-24	TG09		TL	16	478,0	573,6
3MGT5016411610	16,00-24	TG09		TT	16	686,0	823,2
3MGT5016411611	16,00-24	TG09		TL	16	690,0	828,0
MPT							
3MPT5011830811	10,5-18	MT63		TL	8	189,0	226,8
3MPT5011831011	10,5-18	MT63		TL	10	198,0	237,6
3MPT5012821011	12,5-18(335/80-18)	MT54		TL	10	268,0	321,6
3MPT5012821211	12,5-18(335/80-18)	MT54		TL	12	268,0	321,6
3MPT5012821411	12,5-18(335/80-18)	MT54		TL	14	269,0	322,8
3MPT5012831011	12,5-18(335/80-18)	MT63		TL	10	275,0	330,0
3MPT5012831211	12,5-18(335/80-18)	MT63		TL	12	277,0	332,4
3MPT5012831411	12,5-18(335/80-18)	MT63		TL	14	290,0	348,0
3MPT5012831611	12,5-18(335/80-18)	MT63		TL	16	290,0	348,0
3MPT5081931611	18-19,5(445/65-19,5) (E4)	MT63L	160G	TL	16	446,0	535,2
3MPT5081931811	18-19,5(445/65-19,5)	MT63L	163G	TL	18	457,0	548,4
3MPT5042021411	405/70-20(16/70-20) (E4)	MT54	145G	TL	14	387,0	464,4
3MPT50420S1411	405/70-20(16/70-20) (E4)	MT72	145G	TL	14	412,0	494,4
3MPT5082221410	8,25-20	MT54		TT	14	215,0	258,0
3MPT5092021410	9,00-20	MT54		TT	14	262,0	314,4
3MPT5010221610	10,00-20	MT54		TT	16	294,0	352,8
3MPT5010221810	10,00-20	MT54		TT	18	319,0	382,8
3MPT5012021011	10,5-20(275/80-20)	MT54		TL	10	197,0	236,4
3MPT5011221610	11,00-20	MT54		TT	16	318,0	381,6
3MPT5012221211	12,5-20(335/80-20)	MT54		TL	12	317,0	380,4
3MPT5014221411	14,5-20(365/80-20)	MT54		TL	14	354,0	424,8

Rehvi mōdt		Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga
3MPT5042421411	405/70-24(16/70-24) (E4)	MT54	148G	TL	14	474,0	568,8
3MPT5042431411	405/70-24(16/70-24) (E4)	MT63	148G	TL	14	509,0	610,8
3MPT50420S1411	405/70-24(16/70-24) (E4)	MT72	148G	TL	14	418,0	501,6
OTR							
3OTR5014442811	14,00-24	EM18		TL	28	974,0	1168,8
3OTR5014442011	14,00-24	EM18		TL	20	918,0	1101,6
3OTR5014442411	14,00-24	EM18		TL	24	946,0	1135,2
3EMR5014512011	14,00-25	EM18		TL	20	861,0	1033,2
3EMR5014512411	14,00-25	EM18		TL	24	915,0	1098,0
3OTR5015551211	15,5-25	GL09		TL	12	442,0	530,4
3OTR5016543211	16,00-25	EM18		TL	32	1415,0	1698,0
3OTR5016542811	16,00-25	EM18		TL	28	1398,0	1677,6
3OTR5017551211	17,5-25	GL09		TL	12	564,0	676,8
3OTR5017551611	17,5-25	GL09		TL	16	584,0	700,8
3OTR5017552011	17,5-25	GL09		TL	20	679,0	814,8
3OTR5020512011	20,5-25	EL09		TL	20	1336,0	1603,2
3OTR5020511611	20,5-25	EL09		TL	16	1259,0	1510,8
Reaper							
3RPR5087810210	18*7-8	RP09		TT	2	35,0	42,0
Skid Steer							
3SKS5023810811	23*8,50-12	ST30		TL	8	74,0	88,8
3SKS5023811211	23*8,50-12	ST30		TL	12	77,0	92,4
3SKS5027810811	27*8,50-15	ST30		TL	8	93,0	111,6
3SKS5027110811	27*10,5-15	ST30		TL	8	108,0	129,6
3SKS5027111211	27*10,5-15	ST30		TL	12	112,0	134,4
3SKS5031511011	31*15,5-15	ST30		TL	10	212,0	254,4
3SKS5031611011	31,5*13-16,5	ST30		TL	10	191,0	229,2
3SKS5033611211	33*15,5-16,5	ST30		TL	12	266,0	319,2
3SKS5012601211	12-16,5 (HIWALL)	ST45		TL	12	151,0	181,2
3SKS5010610811	10-16,5	ST30		TL	8	134,0	160,8
3SKS5010611011	10-16,5	ST30		TL	10	138,0	165,6
3SKS5010621011	10-16,5 (HIWALL)	ST45		TL	10	104,0	124,8
3SKS5012611011	12-16,5	ST30		TL	10	227,0	272,4
3SKS5012611211	12-16,5	ST30		TL	12	228,0	273,6
3SKS5012621011	12-16,5 (HIWALL)	ST45		TL	10	152,0	182,4
3SKS5012641011	12-16,5	ST30F	137A6	TL	10	184,0	220,8
3SKS5012641211	12-16,5	ST30F		TL	12	184,0	220,8
3SKS5014711411	14-17,5	ST30		TL	14	328,0	393,6
3SKS5015911411	15-19,5	ST30		TL	14	401,0	481,2
Small tractor							
3SMT5035830210	3,50-8	IM36		TT	2	14,0	16,8
3SMT5040810210	4,00-8	IM45		TT	2	17,0	20,4
3SMT5041010210	4,00-10	IM45		TT	2	22,0	26,4
3SMT5041010410	4,00-10	IM45		TT	4	22,0	26,4
3SMT5051020210	5,00-10	IM54		TT	2	32,0	38,4
3SMT5051020410	5,00-10	IM54		TT	4	32,0	38,4

Rehvi mōdt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3SMT5016210810	11,0/65-12	IM45		TT	8	94,0	112,8
3SMT5016210811	11,0/65-12	IM45		TL	8	95,0	114,0
3SMT5068220410	6,5/80-12 (165/80-12)	IM54		TT	4	47,0	56,4
3SMT5068220610	6,5/80-12 (165/80-12)	IM54		TT	6	48,0	57,6
3SMT5068220611	6,5/80-12 (165/80-12)	IM54		TL	6	56,0	67,2
3SMT5041210210	4,00-12	IM45		TT	2	25,0	30,0
3SMT5051210410	5,00-12	IM45		TT	4	35,0	42,0
3SMT5071210611	7,00-12	IM45		TL	6	72,0	86,4
3SMT5087510610	8,0/75-15	IM45		TT	6	85,0	102,0
3SMT5087510611	8,0/75-15	IM45		TL	6	86,0	103,2
3SMT5068540610	6,5/80-15 (165/80-15)	IM99		TT	6	55,0	66,0
3SMT5016520411	185/65-15	IM54		TT	4	65,0	78,0
3SMT5051510610	5,00-15	IM45		TT	6	49,0	58,8
3SMT5027110810	27*10-15,3	IM45		TT	8	109,0	130,8
3SMT5027110811	27*10-15,3	IM45		TL	8	113,0	135,6
3SMT5010761011	10,0/75-15,3(255/75-15,3)	TS09S	128A6/123A8	TL	10	125,0	150,0
3SMT5011811011	11,5/80-15,3(295/80-15,3)	IM45		TL	10	158,0	189,6
3SMT5011811411	11,5/80-15,3(295/80-15,3)	IM45		TL	14	174,0	208,8
3SMT5061610610	6,00-16	IM45		TT	6	62,0	74,4
3SMT5065650610	6,50-16	IM108		T	6	69,0	82,8
3SMT5065650611	6,50-16	IM108		TL	6	74,0	88,8
3SMT5065650810	6,50-16	IM108		TT	8	71,0	85,2
3SMT5065650811	6,50-16	IM108		TL	8	76,0	91,2
3SMT5075620810	7,50-16	IM54		TT	8	82,0	98,4
3SMT5082610611	8,25-16	IM54		TL	6	118,0	141,6
3SMT5082620811	8,25-16	IM54		TL	8	123,0	147,6
3SMT5015711411	15,0/55-17(385/55-17)	IM45		TL	14	201,0	241,2
3SMT5015711811	15,0/55-17(385/55-17)	IM45		TL	18	232,0	278,4
3SMT5075810810	7,50-18	IM45		TT	8	95,0	114,0
3SMT5045910410	4,50-19	IM45		TT	4	52,0	62,4
3SMT5075210810	7,50-20	IM45		TT	8	113,0	135,6
3SMT5095210610	9,5-20 6PR IM45	IM45		TT	6	137,0	164,4
Tractor front							
3TFR5051260410	5-12	PT09		TT	4	43,0	51,6
3TFR5061250410	6,00-12 POWER TILLER	PT09			4	58,0	69,6
3TFR5061260410	6,00-12	PT09F		TT	4	58,0	69,6
3TFR5061260610	6,00-12	PT09F		TT	6	58,0	69,6
3TFR5061270410	6,00-12	PT18		TT	4	57,0	68,4
3TFR5061610610	6,00-16	F2		TT	6	51,0	61,2
3TFR5061630610	6,00-16	TF01		TT	6	70,0	84,0
3TFR5061630810	6,00-16	TF01			8	71,0	85,2
3TFR5061610810	6,00-16	F2		TT	8	57,0	68,4
3TFR5065610610	6,50-16	F2		TT	6	59,0	70,8
3TFR5075640610	7,50-16	TF09		TT	6	96,0	115,2
3TFR5010610810	10,00-16SL (3RIB)	F2		TT	8	149,0	178,8
3TFR5010610811	10,00-16SL (3RIB)	F2		TL	8	156,0	187,2
3TFR5010620811	10,00-16SL (4RIB)	F2		TL	8	144,0	172,8

Rehvi mōdt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
3TFR5011610810	11,00-16SL (3RIB)	F2		TT	8	180,0	216,0
3TFR5011610811	11,00-16SL (3RIB)	F2		TL	8	192,0	230,4
3TFR5011611210	11,00-16SL (3RIB)	F2		TT	12	204,0	244,8
3TFR5011620811	11,00-16SL (4RIB)	F2		TL	8	180,0	216,0
3TFR5011621211	11,00-16SL (4 RIB)	F2		TL	12	184,0	220,8
3TFR5011611211	11,00-16SL (3RIB)	F2		TL	12	197,0	236,4
3TIT5022411211	21L-24	TI09		TL	12	698,0	837,6
Tractor industrial							
3TIT5058421211	15,5/80-24(400/80-24) IM54	IM54		TL	12	451,0	541,2
3TIT5058421411	15,5/80-24(400/80-24) IM54	IM54		TL	14	468,0	561,6
3TIT5058421611	15,5/80-24(400/80-24) IM54	IM54		TL	16	467,0	560,4
3TIT5058431411	15,5/80-24(400/80-24) HD	IM54		TL	14	492,0	590,4
3TIT5058431611	15,5/80-24(400/80-24) HD	IM54		TL	16	494,0	592,8
3TIT5042411211	14,9-24(380/85-24)	TI09		TL	12	406,0	487,2
3TIT5072411211	17,5L-24	TI09		TL	12	464,0	556,8
3TIT5092411211	19,5L-24(495/75-24)	TI09		TL	12	579,0	694,8
3TIT5082611211	18,4-26(465/85-26)	TI09		TL	12	621,0	745,2
3TIT5062811211	16,9-28(430/85-28)	TI09		TL	12	572,0	686,4
3TIT5062811411	16,9-28(430/85-28)	TI09		TL	14	526,0	631,2
Tractor rear							
3TRR5081810410	8-18	TR18		TT	4	128,0	153,6
3TRR5012810810	12,4-28	TR09		TT	8	358,0	429,6
3TRR5012811210	12,4-28	TR09		TT	12	360,0	432,0
3TRR5062811211	16,9-28(430/85-28)	TR09		TL	12	583,0	699,6