

# TIANLI

Kehtib alates 28.02.2015.a.



Rehvi mõõt	Muster	TRA	Koormus/ kiirus	TL/ TT	Hind km-ta	Hind km-ga
<b>IMPLEMENT RADIAL</b>						
500/50R17 IMP	FR		145D	TL	357,-	428,-
500/50R17	R305		157A8/146D	TL	367,-	440,-
500/60R22.5 IMP	FR		155D	TL	557,-	669,-
560/60R22.5 IMP	FR		161D	TL	634,-	761,-
600/50R22.5 IMP	FR		159D	TL	696,-	836,-
560/45R22.5 IMP	FR		163A8/152D	TL	554,-	665,-
710/45R22.5 IMP	FR		165D	TL	828,-	993,-
600/55R26.5 IMP	FR		165D/176A8	TL	871,-	1046,-
710/50R26.5 IMP	FR		170D	TL	1062,-	1274,-
560/60R22.5 IMP	AGRO GRIP		161D	TL	746,-	896,-
600/55R22.5IMP	AGRO GRIP		162D	TL	894,-	1073,-
650/50R22.5 IMP	AGRO GRIP		163D	TL	936,-	1123,-
620/55R26.5 IMP	AGRO GRIP		166D	TL	1066,-	1279,-
650/55R26.5 IMP	AGRO GRIP		169D	TL	1133,-	1359,-
750/45R26.5 IMP	AGRO GRIP		170D	TL	1247,-	1496,-
420/55R17 IMP	R100		134D	TL	326,-	392,-
<b>INDUSTRIAL TRACTOR:</b>						
340/80R18(12.5/80R18) IND	BRS		143A8/143B	TL	396,-	476,-
440/80R24(16.9R24) IND	BRS		161A8/161B	TL	729,-	875,-
460/70R24(17.5LR24)IND	BRS		159A8/159B	TL	723,-	867,-
500/70R24(19.5LR24) IND	BRS		164A8/164B	TL	786,-	943,-
<b>85 SERIAL AG RADIAL TRACTOR</b>						
380/90R46(14.9R46)	AG-R	R-1W	149A8/146B	TL	1062,-	1275,-
420/90R30(16.9R30)	AG-R	R-1W	142A8/139B	TL	650,-	780,-
420/90R30(16.9R30)	AG-R	R-1W	147A8/144B	TL	682,-	818,-
280/85R24(11.2R24)	AG-R	R-1W	115A8/112B	TL	252,-	302,-
320/85R24(12.4R24)	AG-R	R-1W	122A8/119B	TL	316,-	379,-
340/85R24(13.6R24)	AG-R	R-1W	125A8/122B	TL	352,-	422,-
380/85R24(14.9R24)	AG-R	R-1W	131A8/128B	TL	425,-	510,-
420/85R24(16.9R24)	AG-R	R-1W	137A8/134B	TL	527,-	632,-
280/85R28(11.2R28)	AG-R	R-1W	118A8/115B	TL	286,-	343,-
320/85R28(12.4R28)	AG-R	R-1W	124A8/121B	TL	352,-	422,-
340/85R28(13.6R28)	AG-R	R-1W	127A8/124B	TL	404,-	485,-
380/85R28(14.9R28)	AG-R	R-1W	133A8/130B	TL	504,-	605,-
420/85R28(16.9R28)	AG-R	R-1W	139A8/136B	TL	619,-	742,-
380/85R30(14.9R30)	AG-R	R-1W	135A8/132B	TL	523,-	628,-
420/85R30(16.9R30)	AG-R	R-1W	140A8/137B	TL	666,-	799,-
460/85R30(18.4R30)	AG-R	R-1W	145A8/142B	TL	718,-	861,-

Rehvi mõõt	Muster	TRA	Koormus/ kiirus	TL/ TT	Hind km-ta	Hind km-ga
380/85R34(14.9R34)	AG-R	R-1W	137A8/137B	TL	691,-	829,-
420/85R34(16.9R34)	AG-R	R-1W	142A8/139B	TL	722,-	867,-
460/85R34(18.4R34)	AG-R	R-1W	147A8/144B	TL	838,-	1006,-
460/85R34(18.4R34)	AG-R	R-1W	157A8/154B	TL	843,-	1012,-
420/85R38(16.9R38)	AG-R	R-1W	144A8/141B	TL	764,-	916,-
460/85R38;480/80R38(18.4R38)	AG-R	R-1W	149A8/146B	TL	902,-	1082,-
520/85R38(20.8R38)	AG-R	R-1W	155A8/152B	TL	1153,-	1384,-
460/85R42;480/80R42(18.4R42)	AG-R	R-1W	150A8/147B	TL	1072,-	1286,-
520/85R42(20.8R42)	AG-R	R-1W	157A8/154B	TL	1237,-	1484,-
520/85R42(20.8R42)	AG-R	R-1W	162A8/159B	TL	1308,-	1569,-
480/80R46(18.4R46)	AG-R	R-1W	158A8/155B	TL	1229,-	1475,-
520/85R46(20.8R46)	AG-R	R-1W	158A8/155B	TL	1438,-	1726,-
<b>70 SERIAL AG RADIAL TRACTOR</b>						
620/75R26(23.1R26)	AG-R	R-1W	166A8/163B	TL	1232,-	1478,-
360/70R24	AG-R	R-1W	122A8/119B	TL	417,-	500,-
380/70R24	AG-R	R-1W	125A8/122B	TL	398,-	478,-
420/70R24	AG-R	R-1W	130A8/127B	TL	475,-	570,-
380/70R28	AG-R	R-1W	127A8/124B	TL	448,-	538,-
420/70R28	AG-R	R-1W	133A8/130B	TL	542,-	651,-
480/70R28	AG-R	R-1W	140A8/137B	TL	666,-	799,-
480/70R30	AG-R	R-1W	141A8/138B	TL	702,-	843,-
480/70R34	AG-R	R-1W	143A8/140B	TL	796,-	955,-
520/70R34	AG-R	R-1W	148A8/145B	TL	949,-	1139,-
520/70R38	AG-R	R-1W	150A8/147B	TL	1048,-	1258,-
580/70R38	AG-R	R-1W	155A8/152B	TL	1324,-	1588,-
580/70R38	AG-R	R-1W	170A8/167B	TL	1458,-	1749,-
620/70R42	AG-R	R-1W	160A8/157B	TL	1573,-	1888,-
710/70R38	AG-R	R-1W	166A8/163B	TL	2079,-	2495,-
710/70R42	AG-R	R-1W	173A8/170B	TL	2339,-	2806,-
<b>65 SERIAL AG RADIAL TRACTOR</b>						
440/65R24	AG-R	R-1W	128A8/125B	TL	481,-	578,-
480/65R24	AG-R	R-1W	133A8/130B	TL	548,-	658,-
540/65R24	AG-R	R-1W	140A8/137B	TL	693,-	831,-
750/65R26	AG-R	R-1	158A8/155B	TL	1478,-	1774,-
750/65R26	AG-R	R-1	166A8/163B	TL	1558,-	1870,-
440/65R28	AG-R	R-1W	131A8/128B	TL	514,-	616,-
480/65R28	AG-R	R-1W	136A8/133B	TL	589,-	707,-
540/65R28	AG-R	R-1W	142A8/139B	TL	823,-	987,-
600/65R28	AG-R	R-1W	147A8/144B	TL	1009,-	1211,-
540/65R30	AG-R	R-1W	143A8/140B	TL	918,-	1102,-
540/65R34	AG-R	R-1W	145A8/142B	TL	942,-	1131,-
600/65R34	AG-R	R-1W	151A8/148B	TL	1270,-	1524,-
540/65R38	AG-R	R-1W	147A8/144B	TL	1077,-	1292,-
600/65R38	AG-R	R-1W	153A8/150B	TL	1344,-	1613,-
650/65R38	AG-R	R-1W	157A8/154B	TL	1437,-	1724,-
650/65R42	AG-R	R-1W	158A8/155B	TL	1836,-	2203,-

Rehvi mõõt	Muster	TRA	Koormus/ kiirus	TL/ TT	Hind km-ta	Hind km-ga
800/65R32	AG-R	R-1W	172A8/169B	TL	2242,-	2691,-
<b>AG BIAS</b>						
500/60-22.5-12	FI-1	I3		TL	495,-	594,-
500/60-22.5-16	FI-1	I3		TL	534,-	641,-
550/60-22.5-16	FI-1	I3		TL	601,-	721,-
600/50-22.5-16	FI-1	I3		TL	656,-	787,-
700/40-22.5-16	FI-1	I3		TL	776,-	931,-
400/60-15.5-14	FI	I3		TL	223,-	268,-
500/60-22.5-12	FI	I3		TL	527,-	633,-
500/60-22.5-16	FI	I3		TL	562,-	675,-
550/60-22.5-12	FI	I3		TL	652,-	782,-
550/60-22.5-16	FI	I3		TL	676,-	811,-
560/45-22.5-16	FI	I3		TL	501,-	601,-
600/50-22.5-12	FI	I3		TL	663,-	795,-
600/50-22.5-16	FI	I3		TL	692,-	831,-
600/55-22.5-16	FI	I3		TL	744,-	893,-
700/40-22.5-16	FI	I3		TL	825,-	990,-
700/50-22.5-16	FI	I3		TL	857,-	1028,-
600/55-26.5-16	FI	I3		TL	880,-	1056,-
700/50-26.5-16	FI	I3		TL	988,-	1186,-
800/45-26.5-16	FI	I3		TL	1099,-	1319,-
650/60-30.5-16	FI	I3		TL	1386,-	1663,-
750/60-30.5-16	FI	I3		TL	1491,-	1789,-
850/50-30.5-16	FI	I3		TL	1656,-	1988,-
500/60-22.5-16	FT-A	I3		TL	638,-	765,-
48X25.00-20-12	TFP	HF-2		TL	1186,-	1423,-
48X31.00-20-12	TFP	HF-2		TL	1366,-	1639,-
48X25.00-20-12	TF	HF-3		TL	1165,-	1398,-
48X25.00-20-16	TF	HF-3		TL	1500,-	1800,-
48X31.00-20-12	TF	HF-3		TL	1388,-	1665,-
48X31.00-20-16	TF	HF-3		TL	1798,-	2158,-
66X43.00-25-12	TF	HF-3		TL	3180,-	3816,-
66X43.00-25-16	TF	HF-3		TL	3316,-	3979,-
66X43.00-26-16	TF	HF-3		TL	3292,-	3950,-
66X44.00-25-20	SOFT R.	10mm		TL	2682,-	3218,-
VA73X44.00-32-12	TF	HF-3		TL	5132,-	6158,-
VA73X44.00-32-16	TF	HF-3		TL	5330,-	6397,-
66x43.00-25-20	TK	HF-2		TL	3651,-	4381,-
<b>FORESTRY TYRE</b>						
23.1-26-16	SL	LS2		TT	1680,-	2016,-
28L-26-16	SL	LS2		TT	2106,-	2527,-
28L-26-20	SL	LS2		TT	2212,-	2654,-
30.5L-32-20	SL	LS2		TT	3133,-	3759,-
30.5L-32-20	SL	LS2		TL	3177,-	3812,-
DH35.5L-32-20	SL	LS2		TT	4034,-	4841,-
DH35.5L-32-20	SL	LS2		TL	4087,-	4904,-

Rehvi mõõt	Muster	TRA	Koormus/ kiirus	TL/ TT	Hind km-ta	Hind km-ga
23.1-26-16	SL(ST)	LS2		TT	1788,-	2145,-
23.1-34-16	SL(ST)	LS2		TT	1916,-	2299,-
24.5-32-16	SL(ST)	LS2		TT	2266,-	2719,-
24.5-32-20	SL(ST)	LS2		TT	2458,-	2949,-
28L-26-16	SL(ST)	LS2		TT	2310,-	2772,-
28L-26-20	SL(ST)	LS2		TT	2383,-	2860,-
30.5L-32-20	SL(ST)	LS2		TT	3538,-	4245,-
DH35.5L-32-20	SL(ST)	LS2		TT	4330,-	5196,-
16.9-30-14	TL	LS1		TT	728,-	873,-
16.9-30-16	TL	LS1		TT	824,-	989,-
18.4-34-14	TL	LS1		TL	1078,-	1293,-
18.4-34-14	TL	LS1		TT	1002,-	1202,-
18.4-34-16	TL	LS1		TL	1035,-	1242,-
16.9-30-16	SEWP	LS2		TT	944,-	1133,-
18.4-26-16	SEWP	LS2		TT	944,-	1133,-
18.4-30-14	SEWP	LS2		TL	1057,-	1269,-
18.4-30-16	SEWP	LS2		TT	1097,-	1316,-
18.4-30-16	SEWP	LS2		TL	1114,-	1337,-
18.4-34-16	SEWP	LS2		TT	1369,-	1643,-
18.4-34-16	SEWP	LS2		TL	1440,-	1728,-
18.4-38-16	SEWP	LS1		TT	1281,-	1538,-
18.4-38-16	SEWP	LS1		TL	1353,-	1623,-
20.8-38-16	SEWP	LS2		TT	1488,-	1786,-
23.1-26-16	SEWP	LS2		TT	1699,-	2039,-
23.1-26-16	SEWP	LS2		TL	1756,-	2107,-
24.5-32-16	SEWP	LS2		TT	2201,-	2641,-
24.5-32-16	SEWP	LS2		TL	2233,-	2679,-
30.5L-32-16	SEWP	LS2		TL	2974,-	3569,-
30.5L-32-20	SEWP	LS2		TL	3152,-	3782,-
28L-26-16	SL-1	LS2		TT	2139,-	2567,-
28L-26-16	SL-1	LS2		TL	2185,-	2622,-
28L-26-16	SL-1(ST)	LS2		TT	2369,-	2842,-
28L-26-16	SL-1(ST)	LS2		TL	2467,-	2960,-
28L-26-20	SL-1(ST)	LS2		TT	2329,-	2795,-
28L-26-20	SL-1(ST)	LS2		TL	2415,-	2898,-
16.9-30-16	SEWP(ST)	LS2		TT	1020,-	1224,-
18.4-26-16	SEWP(ST)	LS2		TT	982,-	1178,-
18.4-30-16	SEWP(ST)	LS2		TT	1160,-	1392,-
18.4-34-16	SEWP(ST)	LS2		TT	1388,-	1665,-
18.4-38-16	SEWP(ST)	LS2		TT	1391,-	1669,-
23.1-26-16	SEWP(ST)	LS2		TT	1884,-	2261,-
23.1-26-16	SEWP(ST)	LS2		TL	1929,-	2314,-
24.5-32-16	SEWP(ST)	LS2		TT	2333,-	2799,-
24.5-32-16	SEWP(ST)	LS2		TL	2397,-	2877,-
24.5-32-20	SEWP(ST)	LS2		TT	2424,-	2909,-
30.5L-32-16	SEWP(ST)	LS2		TT	3204,-	3844,-

Rehvi mõõt	Muster	TRA	Koormus/ kiirus	TL/ TT	Hind km-ta	Hind km-ga
30.5L-32-16	SEWP(ST)	LS2		TL	3269,-	3922,-
30.5L-32-20	SEWP(ST)	LS2		TT	3296,-	3955,-
30.5L-32-20	SEWP(ST)	LS2		TL	3360,-	4032,-
22/65-25-16	FF(ST)	HF-2		TT	1357,-	1629,-
22/65-25-16	FF(ST)	HF-2		TL	1455,-	1746,-
500/60-22.5-16	FF(ST)	HF-2		TL	1030,-	1236,-
500/60-22.5-16	FF(ST)	HF-2		TT	964,-	1157,-
600/50-22.5-16	FF(ST)	HF-2		TL	1087,-	1305,-
600/50-22.5-16	FF(ST)	HF-2		TT	1035,-	1242,-
700/45-22.5-16	FF(ST)	HF-2		TL	1353,-	1624,-
700/45-22.5-16	FF(ST)	HF-2		TT	1287,-	1545,-
600/55-26.5-16	FF(ST)	HF-2		TL	1537,-	1844,-
600/55-26.5-20	FF(ST)	HF-2		TL	1573,-	1887,-
600/55-26.5-20	FF(ST)	HF-2		TT	1463,-	1755,-
650/65-26.5-20	FF(ST)	HF-2		TL	1820,-	2184,-
650/65-26.5-20	FF(ST)	HF-2		TT	1725,-	2070,-
700/50-26.5-16	FF(ST)	HF-2		TL	1691,-	2029,-
700/50-26.5-20	FF(ST)	HF-2		TL	1727,-	2073,-
700/50-26.5-20	FF(ST)	HF-2		TT	1610,-	1931,-
750/55-26.5-16	FF(ST)	HF-2		TL	1966,-	2359,-
750/55-26.5-16	FF(ST)	HF-2		TT	1841,-	2209,-
750/55-26.5-20	FF(ST)	HF-2		TL	2075,-	2490,-
750/55-26.5-20	FF(ST)	HF-2		TT	1965,-	2358,-
710/45-26.5-20	FF X1(ST)	HF-2		TT	1584,-	1901,-
750/55-26.5-20	FF X1(ST)	HF-2		TT	1929,-	2314,-
800/40-26.5-16	FF(ST)	HF-2		TL	1854,-	2225,-
800/40-26.5-20	FF(ST)	HF-2		TL	1921,-	2305,-
800/40-26.5-20	FF(ST)	HF-2		TT	1853,-	2224,-
600/60-30.5-16	FF(ST)	HF-2		TL	1596,-	1915,-
600/60-30.5-16	FF(ST)	HF-2		TT	1484,-	1781,-
600/60-30.5-20	FF(ST)	HF-2		TL	1787,-	2144,-
600/60-30.5-20	FF(ST)	HF-2		TT	1691,-	2030,-
700/50-30.5-16	FF(ST)	HF-2		TL	1831,-	2197,-
700/50-30.5-20	FF(ST)	HF-2		TL	2032,-	2438,-
700/50-30.5-20	FF(ST)	HF-2		TT	1935,-	2322,-
800/45-30.5-16	FF(ST)	HF-2		TL	2061,-	2473,-
800/45-30.5-20	FF(ST)	HF-2		TL	2120,-	2544,-
800/45-30.5-20	FF(ST)	HF-2		TT	2046,-	2455,-
600/65-34-16	LSMG-T	LS-2		TL	2098,-	2517,-
600/65-34-16	LSMG-T	LS-2		TT	1924,-	2308,-
600/65-34-20	LSMG-T	LS-2		TL	2123,-	2548,-
700/55-34-16	LSMG-T	LS-2		TL	2337,-	2805,-
700/55-34-16	LSMG-T	LS-2		TT	2148,-	2577,-
700/55-34-20	LSMG-T	LS-2		TL	2304,-	2765,-
23.1-34-16	SL(ST)	LS-2		TT	2232,-	2679,-
700/70-34-16	SL(ST)	LS-2		TT	2903,-	3484,-

Rehvi mõõt	Muster	TRA	Koormus/ kiirus	TL/ TT	Hind km-ta	Hind km-ga
750/55-26.5-20	LSMG-N	LS-2		TL	2303,-	<b>2764,-</b>
750/55-26.5-20	LSMG-N	LS-2		TT	2231,-	<b>2677,-</b>
600/50-22.5-16	FG(ST)	LS-2		TL	1306,-	<b>1567,-</b>
600/50-22.5-16	FG(ST)	LS-2		TT	1224,-	<b>1468,-</b>
600/50-22.5-20	FG(ST)	LS-2		TT	1289,-	<b>1547,-</b>
700/45-22.5-16	FG(ST)	LS-2		TL	1466,-	<b>1760,-</b>
700/45-22.5-16	FG(ST)	LS-2		TT	1357,-	<b>1629,-</b>
700/45-22.5-20	FG(ST)	LS-2		TL	1575,-	<b>1890,-</b>
700/45-22.5-20	FG(ST)	LS-2		TT	1493,-	<b>1791,-</b>
600/55-26.5-16	FG(ST)	LS-2		TL	1875,-	<b>2250,-</b>
600/55-26.5-20	FG(ST)	LS-2		TL	1941,-	<b>2329,-</b>
600/55-26.5-20	FG(ST)	LS-2		TT	1867,-	<b>2241,-</b>
700/50-26.5-16	FG(ST)	LS-2		TL	2001,-	<b>2402,-</b>
700/50-26.5-20	FG(ST)	LS-2		TL	2131,-	<b>2558,-</b>
700/50-26.5-20	FG(ST)	LS-2		TT	2010,-	<b>2411,-</b>
800/40-26.5-20	FG(ST)	LS-2		TL	2315,-	<b>2778,-</b>
800/40-26.5-20	FG(ST)	LS-2		TT	2246,-	<b>2695,-</b>
23.1-26-16	FG(ST)	LS-2		TT	1972,-	<b>2366,-</b>
23.1-26-16	FG(ST)	LS-2		TL	2017,-	<b>2420,-</b>
28L-26-20	FG(ST)	LS-2		TT	2423,-	<b>2907,-</b>
28L-26-20	FG(ST)	LS-2		TL	2509,-	<b>3010,-</b>
30.5L-32-20	FG(ST)	LS-2		TT	3435,-	<b>4122,-</b>
30.5L-32-20	FG(ST)	LS-2		TL	3504,-	<b>4205,-</b>